

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



BEST AVAILABLE COPY

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification 7 :</b> C12N 15/12, C07K 14/47, C12N 15/62, 15/11, C12Q 1/68, G01N 33/68, C07K 16/18		<b>A2</b>	<b>(11) International Publication Number:</b> WO 00/36107 <b>(43) International Publication Date:</b> 22 June 2000 (22.06.00)
<b>(21) International Application Number:</b> PCT/US99/30270 <b>(22) International Filing Date:</b> 17 December 1999 (17.12.99)  <b>(30) Priority Data:</b> 09/215,681 17 December 1998 (17.12.98) US 09/216,003 17 December 1998 (17.12.98) US 09/338,933 23 June 1999 (23.06.99) US 09/404,879 24 September 1999 (24.09.99) US  <b>(71) Applicant:</b> CORIXA CORPORATION [US/US]; Suite 200, 1124 Columbia Street, Seattle, WA 98104 (US).  <b>(72) Inventors:</b> MITCHAM, Jennifer, L.; 16677 Northeast 88th Street, Redmond, WA 98052 (US). KING, Gordon, E.; 1530 NW 52nd, #304, Seattle, WA 98107 (US). ALGATE, Paul, A.; 2010 Franklin Avenue E., #301, Seattle, WA 98102 (US). FRUDAKIS, Tony, N.; 7937 Broadmoor Pines Boulevard, Sarasoto, FL 34243 (US).  <b>(74) Agents:</b> MAKI, David, J. et al.; Seed and Berry LLP, Suite 6300, 701 Fifth Avenue, Seattle, WA 98104-7092 (US).		<b>(81) Designated States:</b> AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>Without international search report and to be republished upon receipt of that report.</i>	
<b>(54) Title:</b> COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF OVARIAN CANCER			
<p>500 1000 1500 2000 2500 3000</p> <p>O8Efulllength.seq(1&gt;2627) Est1987589_cons.seq(1&gt;1075) AnchoredPCRcons.seq(1&gt;260) ESTxO8EPCR.seq(1&gt;1300) O8E+dBESTs_cons.seq(1&gt;1810) OrigO8Econs.SEQ(1&gt;1567)</p>			
<b>(57) Abstract</b> <p>Compositions and methods for the therapy and diagnosis of cancer, such as ovarian cancer, are disclosed. Compositions may comprise one or more ovarian carcinoma proteins, immunogenic portions thereof, polynucleotides that encode such portions or antibodies or immune system cells specific for such proteins. Such compositions may be used, for example, for the prevention and treatment of diseases such as ovarian cancer. Methods are further provided for identifying tumor antigens that are secreted from ovarian carcinomas and/or other tumors. Polypeptides and polynucleotides as provided herein may further be used for the diagnosis and monitoring of ovarian cancer.</p>			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## COMPOSITIONS AND METHODS FOR THERAPY AND DIAGNOSIS OF OVARIAN CANCER

### TECHNICAL FIELD

The present invention relates generally to ovarian cancer therapy. The invention is more specifically related to polypeptides comprising at least a portion of an ovarian carcinoma protein, and to polynucleotides encoding such polypeptides, as well as antibodies and immune system cells that specifically recognize such polypeptides. Such polypeptides, polynucleotides, antibodies and cells may be used in vaccines and pharmaceutical compositions for treatment of ovarian cancer.

### 10 BACKGROUND OF THE INVENTION

Ovarian cancer is a significant health problem for women in the United States and throughout the world. Although advances have been made in detection and therapy of this cancer, no vaccine or other universally successful method for prevention or treatment is currently available. Management of the disease currently relies on a combination of early diagnosis and aggressive treatment, which may include one or more of a variety of treatments such as surgery, radiotherapy, chemotherapy and hormone therapy. The course of treatment for a particular cancer is often selected based on a variety of prognostic parameters, including an analysis of specific tumor markers. However, the use of established markers often leads to a result that is difficult to interpret, and high mortality continues to be observed in many cancer patients.

Immunotherapies have the potential to substantially improve cancer treatment and survival. Such therapies may involve the generation or enhancement of an immune response to an ovarian carcinoma antigen. However, to date, relatively few ovarian carcinoma antigens are known and the generation of an immune response against such antigens has not been shown to be therapeutically beneficial.

Accordingly, there is a need in the art for improved methods for identifying ovarian tumor antigens and for using such antigens in the therapy of ovarian cancer. The present invention fulfills these needs and further provides other related advantages.

## SUMMARY OF THE INVENTION

Briefly stated, this invention provides compositions and methods for the therapy of cancer, such as ovarian cancer. In one aspect, the present invention provides polypeptides comprising an immunogenic portion of an ovarian carcinoma protein, or a  
5 variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with ovarian carcinoma protein-specific antisera is not substantially diminished. Within certain embodiments, the ovarian carcinoma protein comprises a sequence that is encoded by a polynucleotide sequence selected from the group consisting of SEQ ID NOs:1-81, 313-331, 359, 366,  
10 379, 385-387, 391 and complements of such polynucleotides.

The present invention further provides polynucleotides that encode a polypeptide as described above or a portion thereof, expression vectors comprising such polynucleotides and host cells transformed or transfected with such expression vectors.

Within other aspects, the present invention provides pharmaceutical  
15 compositions and vaccines. Pharmaceutical compositions may comprise a physiologically acceptable carrier or excipient in combination with one or more of: (i) a polypeptide comprising an immunogenic portion of an ovarian carcinoma protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with ovarian carcinoma protein-  
20 specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence encoded by a polynucleotide that comprises a sequence recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391; (ii) a polynucleotide encoding such a polypeptide; (iii) an antibody that specifically binds to such a polypeptide; (iv) an antigen-presenting cell that expresses  
25 such a polypeptide and/or (v) a T cell that specifically reacts with such a polypeptide. Vaccines may comprise a non-specific immune response enhancer in combination with one or more of: (i) a polypeptide comprising an immunogenic portion of an ovarian carcinoma protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with  
30 ovarian carcinoma protein-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence encoded by a



polynucleotide that comprises a sequence recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391; (ii) a polynucleotide encoding such a polypeptide; (iii) an anti-idiotypic antibody that is specifically bound by an antibody that specifically binds to such a polypeptide; (iv) an antigen-presenting cell that expresses such a polypeptide and/or (v) a T cell that specifically reacts with such a polypeptide.

The present invention further provides, in other aspects, fusion proteins that comprise at least one polypeptide as described above, as well as polynucleotides encoding such fusion proteins.

Within related aspects, pharmaceutical compositions comprising a fusion protein or polynucleotide encoding a fusion protein in combination with a physiologically acceptable carrier are provided.

Vaccines are further provided, within other aspects, comprising a fusion protein or polynucleotide encoding a fusion protein in combination with a non-specific immune response enhancer.

Within further aspects, the present invention provides methods for inhibiting the development of a cancer in a patient, comprising administering to a patient a pharmaceutical composition or vaccine as recited above.

The present invention further provides, within other aspects, methods for stimulating and/or expanding T cells, comprising contacting T cells with (a) a polypeptide comprising an immunogenic portion of an ovarian carcinoma protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with ovarian carcinoma protein-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence encoded by a polynucleotide that comprises a sequence recited in any one of SEQ ID NOs:1-387 or 391; (b) a polynucleotide encoding such a polypeptide, and/or (c) an antigen presenting cell that expresses such a polypeptide under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells. Such polypeptide, polynucleotide and/or antigen presenting cell(s) may be present within a pharmaceutical composition or vaccine, for use in stimulating and/or expanding T cells in a mammal.

Within other aspects, the present invention provides methods for inhibiting the development of ovarian cancer in a patient, comprising administering to a patient T cells prepared as described above.

Within further aspects, the present invention provides methods for inhibiting the development of ovarian cancer in a patient, comprising the steps of: (a) incubating CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient with one or more of: (i) a polypeptide comprising an immunogenic portion of an ovarian carcinoma protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with ovarian carcinoma protein-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence encoded by a polynucleotide that comprises a sequence recited in any one of SEQ ID NOs: 1-387 or 391; (ii) a polynucleotide encoding such a polypeptide; or (iii) an antigen-presenting cell that expresses such a polypeptide; such that T cells proliferate; and (b) administering to the patient an effective amount of the proliferated T cells, and thereby inhibiting the development of ovarian cancer in the patient. The proliferated cells may be cloned prior to administration to the patient.

The present invention also provides, within other aspects, methods for identifying secreted tumor antigens. Such methods comprise the steps of: (a) implanting tumor cells in an immunodeficient mammal; (b) obtaining serum from the immunodeficient mammal after a time sufficient to permit secretion of tumor antigens into the serum; (c) immunizing an immunocompetent mammal with the serum; (d) obtaining antiserum from the immunocompetent mammal; and (e) screening a tumor expression library with the antiserum, and therefrom identifying a secreted tumor antigen. A preferred method for identifying a secreted ovarian carcinoma antigen comprises the steps of: (a) implanting ovarian carcinoma cells in a SCID mouse; (b) obtaining serum from the SCID mouse after a time sufficient to permit secretion of ovarian carcinoma antigens into the serum; (c) immunizing an immunocompetent mouse with the serum; (d) obtaining antiserum from the immunocompetent mouse; and (e) screening an ovarian carcinoma expression library with the antiserum, and therefrom identifying a secreted ovarian carcinoma antigen.

These and other aspects of the present invention will become apparent upon reference to the following detailed description and attached drawings. All references disclosed herein are hereby incorporated by reference in their entirety as if each was incorporated individually.

## 5 BRIEF DESCRIPTION OF THE DRAWINGS

Figures 1A-1S (SEQ ID NOs:1-71) depict partial sequences of polynucleotides encoding representative secreted ovarian carcinoma antigens.

Figures 2A-2C depict full insert sequences for three of the clones of Figure 1. Figure 2A shows the sequence designated O7E (11731; SEQ ID NO:72),  
10 Figure 2B shows the sequence designated O9E (11785; SEQ ID NO:73) and Figure 2C shows the sequence designated O8E (13695; SEQ ID NO:74).

Figure 3 presents results of microarray expression analysis of the ovarian carcinoma sequence designated O8E.

Figure 4 presents a partial sequence of a polynucleotide (designated 3g;  
15 SEQ ID NO:75) encoding an ovarian carcinoma sequence that is a splice fusion between the human T-cell leukemia virus type I oncoprotein TAX and osteonectin.

Figure 5 presents the ovarian carcinoma polynucleotide designated 3f (SEQ ID NO:76).

Figure 6 presents the ovarian carcinoma polynucleotide designated 6b  
20 (SEQ ID NO:77).

Figures 7A and 7B present the ovarian carcinoma polynucleotides designated 8e (SEQ ID NO:78) and 8h (SEQ ID NO:79).

Figure 8 presents the ovarian carcinoma polynucleotide designated 12c (SEQ ID NO:80).

Figure 9 presents the ovarian carcinoma polynucleotide designated 12h  
25 (SEQ ID NO:81).

Figure 10 depicts results of microarray expression analysis of the ovarian carcinoma sequence designated 3f.

Figure 11 depicts results of microarray expression analysis of the ovarian  
30 carcinoma sequence designated 6b.

Figure 12 depicts results of microarray expression analysis of the ovarian carcinoma sequence designated 8e.

Figure 13 depicts results of microarray expression analysis of the ovarian carcinoma sequence designated 12c.

5        Figure 14 depicts results of microarray expression analysis of the ovarian carcinoma sequence designated 12h.

Figures 15A-15EEE depict partial sequences of additional polynucleotides encoding representative secreted ovarian carcinoma antigens (SEQ ID NOs:82-310).

10        Figure 16 is a diagram illustrating the location of various partial O8E sequences within the full length sequence.

#### DETAILED DESCRIPTION OF THE INVENTION

As noted above, the present invention is generally directed to compositions and methods for the therapy of cancer, such as ovarian cancer. The compositions described herein may include immunogenic polypeptides, polynucleotides  
15        encoding such polypeptides, binding agents such as antibodies that bind to a polypeptide, antigen presenting cells (APCs) and/or immune system cells (e.g., T cells).

Polypeptides of the present invention generally comprise at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof. Certain  
20        ovarian carcinoma proteins have been identified using an immunoassay technique, and are referred to herein as ovarian carcinoma antigens. An "ovarian carcinoma antigen" is a protein that is expressed by ovarian tumor cells (preferably human cells) at a level that is at least two fold higher than the level in normal ovarian cells. Certain ovarian carcinoma antigens react detectably (within an immunoassay, such as an ELISA or  
25        Western blot) with antisera generated against serum from an immunodeficient animal implanted with a human ovarian tumor. Such ovarian carcinoma antigens are shed or secreted from an ovarian tumor into the sera of the immunodeficient animal. Accordingly, certain ovarian carcinoma antigens provided herein are secreted antigens. Certain nucleic acid sequences of the subject invention generally comprise a DNA or

RNA sequence that encodes all or a portion of such a polypeptide, or that is complementary to such a sequence.

The present invention further provides ovarian carcinoma sequences that are identified using techniques to evaluate altered expression within an ovarian tumor.

5 Such sequences may be polynucleotide or protein sequences. Ovarian carcinoma sequences are generally expressed in an ovarian tumor at a level that is at least two fold, and preferably at least five fold, greater than the level of expression in normal ovarian tissue, as determined using a representative assay provided herein. Certain partial ovarian carcinoma polynucleotide sequences are presented herein. Proteins encoded by  
10 genes comprising such polynucleotide sequences (or complements thereof) are also considered ovarian carcinoma proteins.

Antibodies are generally immune system proteins, or antigen-binding fragments thereof, that are capable of binding to at least a portion of an ovarian carcinoma polypeptide as described herein. T cells that may be employed within the  
15 compositions provided herein are generally T cells (e.g., CD4<sup>+</sup> and/or CD8<sup>+</sup>) that are specific for such a polypeptide. Certain methods described herein further employ antigen-presenting cells (such as dendritic cells or macrophages) that express an ovarian carcinoma polypeptide as provided herein.

#### 20 OVARIAN CARCINOMA POLYNUCLEOTIDES

Any polynucleotide that encodes an ovarian carcinoma protein or a portion or other variant thereof as described herein is encompassed by the present invention. Preferred polynucleotides comprise at least 15 consecutive nucleotides, preferably at least 30 consecutive nucleotides, and more preferably at least 45  
25 consecutive nucleotides, that encode a portion of an ovarian carcinoma protein. More preferably, a polynucleotide encodes an immunogenic portion of an ovarian carcinoma protein, such as an ovarian carcinoma antigen. Polynucleotides complementary to any such sequences are also encompassed by the present invention. Polynucleotides may be single-stranded (coding or antisense) or double-stranded, and may be DNA (genomic,  
30 cDNA or synthetic) or RNA molecules. Additional coding or non-coding sequences may, but need not, be present within a polynucleotide of the present invention, and a

polynucleotide may, but need not, be linked to other molecules and/or support materials.

Polynucleotides may comprise a native sequence (*i.e.*, an endogenous sequence that encodes an ovarian carcinoma protein or a portion thereof) or may  
5 comprise a variant of such a sequence. Polynucleotide variants may contain one or more substitutions, additions, deletions and/or insertions such that the immunogenicity of the encoded polypeptide is not diminished, relative to a native ovarian carcinoma protein. The effect on the immunogenicity of the encoded polypeptide may generally be assessed as described herein. Variants preferably exhibit at least about 70% identity,  
10 more preferably at least about 80% identity and most preferably at least about 90% identity to a polynucleotide sequence that encodes a native ovarian carcinoma protein or a portion thereof.

The percent identity for two polynucleotide or polypeptide sequences may be readily determined by comparing sequences using computer algorithms well  
15 known to those of ordinary skill in the art, such as Megalign, using default parameters. Comparisons between two sequences are typically performed by comparing the sequences over a comparison window to identify and compare local regions of sequence similarity. A "comparison window" as used herein, refers to a segment of at least about 20 contiguous positions, usually 30 to about 75, or 40 to about 50, in which a sequence  
20 may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Optimal alignment of sequences for comparison may be conducted, for example, using the Megalign program in the Lasergene suite of bioinformatics software (DNASTAR, Inc., Madison, WI), using default parameters. Preferably, the percentage of sequence identity is determined by  
25 comparing two optimally aligned sequences over a window of comparison of at least 20 positions, wherein the portion of the polynucleotide or polypeptide sequence in the window may comprise additions or deletions (*i.e.*, gaps) of 20 % or less, usually 5 to 15 %, or 10 to 12%, relative to the reference sequence (which does not contain additions or deletions). The percent identity may be calculated by determining the number of  
30 positions at which the identical nucleic acid bases or amino acid residue occurs in both sequences to yield the number of matched positions, dividing the number of matched

positions by the total number of positions in the reference sequence (*i.e.*, the window size) and multiplying the results by 100 to yield the percentage of sequence identity.

Variants may also, or alternatively, be substantially homologous to a native gene, or a portion or complement thereof. Such polynucleotide variants are  
5 capable of hybridizing under moderately stringent conditions to a naturally occurring DNA sequence encoding a native ovarian carcinoma protein (or a complementary sequence). Suitable moderately stringent conditions include prewashing in a solution of 5 X SSC, 0.5% SDS, 1.0 mM EDTA (pH 8.0); hybridizing at 50°C-65°C, 5 X SSC, overnight; followed by washing twice at 65°C for 20 minutes with each of 2X, 0.5X and  
10 0.2X SSC containing 0.1% SDS.

It will be appreciated by those of ordinary skill in the art that, as a result of the degeneracy of the genetic code, there are many nucleotide sequences that encode a polypeptide as described herein. Some of these polynucleotides bear minimal homology to the nucleotide sequence of any native gene. Nonetheless, polynucleotides  
15 that vary due to differences in codon usage are specifically contemplated by the present invention. Further, alleles of the genes comprising the polynucleotide sequences provided herein are within the scope of the present invention. Alleles are endogenous genes that are altered as a result of one or more mutations, such as deletions, additions and/or substitutions of nucleotides. The resulting mRNA and protein may, but need  
20 not, have an altered structure or function. Alleles may be identified using standard techniques (such as hybridization, amplification and/or database sequence comparison).

Polynucleotides may be prepared using any of a variety of techniques. For example, an ovarian carcinoma polynucleotide may be identified, as described in more detail below, by screening a late passage ovarian tumor expression library with  
25 antisera generated against sera of immunocompetent mice after injection of such mice with sera from SCID mice implanted with late passage ovarian tumors. Ovarian carcinoma polynucleotides may also be identified using any of a variety of techniques designed to evaluate differential gene expression. Alternatively, polynucleotides may be amplified from cDNA prepared from ovarian tumor cells. Such polynucleotides may  
30 be amplified via polymerase chain reaction (PCR). For this approach, sequence-specific

primers may be designed based on the sequences provided herein, and may be purchased or synthesized.

An amplified portion may be used to isolate a full length gene from a suitable library (e.g., an ovarian carcinoma cDNA library) using well known techniques.

5 Within such techniques, a library (cDNA or genomic) is screened using one or more polynucleotide probes or primers suitable for amplification. Preferably, a library is size-selected to include larger molecules. Random primed libraries may also be preferred for identifying 5' and upstream regions of genes. Genomic libraries are preferred for obtaining introns and extending 5' sequences.

10 For hybridization techniques, a partial sequence may be labeled (e.g., by nick-translation or end-labeling with  $^{32}\text{P}$ ) using well known techniques. A bacterial or bacteriophage library is then screened by hybridizing filters containing denatured bacterial colonies (or lawns containing phage plaques) with the labeled probe (see Sambrook et al., *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor  
15 Laboratories, Cold Spring Harbor, NY, 1989). Hybridizing colonies or plaques are selected and expanded, and the DNA is isolated for further analysis. cDNA clones may be analyzed to determine the amount of additional sequence by, for example, PCR using a primer from the partial sequence and a primer from the vector. Restriction maps and partial sequences may be generated to identify one or more overlapping clones. The  
20 complete sequence may then be determined using standard techniques, which may involve generating a series of deletion clones. The resulting overlapping sequences are then assembled into a single contiguous sequence. A full length cDNA molecule can be generated by ligating suitable fragments, using well known techniques.

Alternatively, there are numerous amplification techniques for obtaining  
25 a full length coding sequence from a partial cDNA sequence. Within such techniques, amplification is generally performed via PCR. Any of a variety of commercially available kits may be used to perform the amplification step. Primers may be designed using, for example, software well known in the art. Primers are preferably 22-30 nucleotides in length, have a GC content of at least 50% and anneal to the target  
30 sequence at temperatures of about 68°C to 72°C. The amplified region may be



sequenced as described above, and overlapping sequences assembled into a contiguous sequence.

One such amplification technique is inverse PCR (*see* Triglia et al., *Nucl. Acids Res.* 16:8186, 1988), which uses restriction enzymes to generate a fragment in the  
5 known region of the gene. The fragment is then circularized by intramolecular ligation and used as a template for PCR with divergent primers derived from the known region. Within an alternative approach, sequences adjacent to a partial sequence may be retrieved by amplification with a primer to a linker sequence and a primer specific to a known region. The amplified sequences are typically subjected to a second round of  
10 amplification with the same linker primer and a second primer specific to the known region. A variation on this procedure, which employs two primers that initiate extension in opposite directions from the known sequence, is described in WO 96/38591. Additional techniques include capture PCR (Lagerstrom et al., *PCR Methods Applic.* 1:111-19, 1991) and walking PCR (Parker et al., *Nucl. Acids. Res.* 19:3055-60,  
15 1991). Other methods employing amplification may also be employed to obtain a full length cDNA sequence.

In certain instances, it is possible to obtain a full length cDNA sequence by analysis of sequences provided in an expressed sequence tag (EST) database, such as that available from GenBank. Searches for overlapping ESTs may generally be  
20 performed using well known programs (*e.g.*, NCBI BLAST searches), and such ESTs may be used to generate a contiguous full length sequence.

Certain nucleic acid sequences of cDNA molecules encoding portions of ovarian carcinoma antigens are provided in Figures 1A-1S (SEQ ID NOS:1 to 71) and Figures 15A to 15EEE (SEQ ID NOS:82 to 310). The sequences provided in Figures  
25 1A-1S appear to be novel. For sequences in Figures 15A-15EEE, database searches revealed matches having substantial identity. These polynucleotides were isolated by serological screening of an ovarian tumor cDNA expression library, using a technique designed to identify secreted tumor antigens. Briefly, a late passage ovarian tumor expression library was prepared from a SCID-derived human ovarian tumor (OV9334)  
30 in the vector  $\lambda$ -screen (Novagen). The sera used for screening were obtained by injecting immunocompetent mice with sera from SCID mice implanted with one late

passage ovarian tumors. This technique permits the identification of cDNA molecules that encode immunogenic portions of secreted tumor antigens.

The polynucleotides recited herein, as well as full length polynucleotides comprising such sequences, other portions of such full length polynucleotides, and  
5 sequences complementary to all or a portion of such full length molecules, are specifically encompassed by the present invention. It will be apparent to those of ordinary skill in the art that this technique can also be applied to the identification of antigens that are secreted from other types of tumors.

Other nucleic acid sequences of cDNA molecules encoding portions of  
10 ovarian carcinoma proteins are provided in Figures 4-9 (SEQ ID NOs:75-81), as well as SEQ ID NOs:313-384. These sequences were identified by screening a microarray of cDNAs for tumor-associated expression (*i.e.*, expression that is at least five fold greater in an ovarian tumor than in normal ovarian tissue, as determined using a representative assay provided herein). Such screens were performed using a Synteni microarray (Palo  
15 Alto, CA) according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997). SEQ ID NOs:311 and 391 provide full length sequences incorporating certain of these nucleic acid sequences.

Any of a variety of well known techniques may be used to evaluate  
20 tumor-associated expression of a cDNA. For example, hybridization techniques using labeled polynucleotide probes may be employed. Alternatively, or in addition, amplification techniques such as real-time PCR may be used (*see* Gibson et al., *Genome Research* 6:995-1001, 1996; Heid et al., *Genome Research* 6:986-994, 1996). Real-time PCR is a technique that evaluates the level of PCR product accumulation during  
25 amplification. This technique permits quantitative evaluation of mRNA levels in multiple samples. Briefly, mRNA is extracted from tumor and normal tissue and cDNA is prepared using standard techniques. Real-time PCR may be performed, for example, using a Perkin Elmer/Applied Biosystems (Foster City, CA) 7700 Prism instrument. Matching primers and fluorescent probes may be designed for genes of interest using,  
30 for example, the primer express program provided by Perkin Elmer/Applied Biosystems (Foster City, CA). Optimal concentrations of primers and probes may be initially

determined by those of ordinary skill in the art, and control (*e.g.*,  $\beta$ -actin) primers and probes may be obtained commercially from, for example, Perkin Elmer/Applied Biosystems (Foster City, CA). To quantitate the amount of specific RNA in a sample, a standard curve is generated alongside using a plasmid containing the gene of interest.

5 Standard curves may be generated using the Ct values determined in the real-time PCR, which are related to the initial cDNA concentration used in the assay. Standard dilutions ranging from  $10^{-1}$ - $10^{-6}$  copies of the gene of interest are generally sufficient. In addition, a standard curve is generated for the control sequence. This permits standardization of initial RNA content of a tissue sample to the amount of control for

10 comparison purposes.

Polynucleotide variants may generally be prepared by any method known in the art, including chemical synthesis by, for example, solid phase phosphoramidite chemical synthesis. Modifications in a polynucleotide sequence may also be introduced using standard mutagenesis techniques, such as oligonucleotide-

15 directed site-specific mutagenesis (*see* Adelman et al., *DNA* 2:183, 1983). Alternatively, RNA molecules may be generated by *in vitro* or *in vivo* transcription of DNA sequences encoding an ovarian carcinoma antigen, or portion thereof, provided that the DNA is incorporated into a vector with a suitable RNA polymerase promoter (such as T7 or SP6). Certain portions may be used to prepare an encoded polypeptide,

20 as described herein. In addition, or alternatively, a portion may be administered to a patient such that the encoded polypeptide is generated *in vivo*.

A portion of a sequence complementary to a coding sequence (*i.e.*, an antisense polynucleotide) may also be used as a probe or to modulate gene expression. cDNA constructs that can be transcribed into antisense RNA may also be introduced

25 into cells or tissues to facilitate the production of antisense RNA. An antisense polynucleotide may be used, as described herein, to inhibit expression of an ovarian carcinoma protein. Antisense technology can be used to control gene expression through triple-helix formation, which compromises the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors or regulatory

30 molecules (*see* Gee et al., *In* Huber and Carr, *Molecular and Immunologic Approaches*, Futura Publishing Co. (Mt. Kisco, NY; 1994). Alternatively, an antisense molecule

may be designed to hybridize with a control region of a gene (e.g., promoter, enhancer or transcription initiation site), and block transcription of the gene; or to block translation by inhibiting binding of a transcript to ribosomes.

Any polynucleotide may be further modified to increase stability *in vivo*.

5 Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends; the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages in the backbone; and/or the inclusion of nontraditional bases such as inosine, queosine and wybutosine, as well as acetyl-, methyl-, thio- and other modified forms of adenine, cytidine, guanine, thymine and uridine.

10 Nucleotide sequences as described herein may be joined to a variety of other nucleotide sequences using established recombinant DNA techniques. For example, a polynucleotide may be cloned into any of a variety of cloning vectors, including plasmids, phagemids, lambda phage derivatives and cosmids. Vectors of particular interest include expression vectors, replication vectors, probe generation  
15 vectors and sequencing vectors. In general, a vector will contain an origin of replication functional in at least one organism, convenient restriction endonuclease sites and one or more selectable markers. Other elements will depend upon the desired use, and will be apparent to those of ordinary skill in the art.

Within certain embodiments, polynucleotides may be formulated so as to  
20 permit entry into a cell of a mammal, and expression therein. Such formulations are particularly useful for therapeutic purposes, as described below. Those of ordinary skill in the art will appreciate that there are many ways to achieve expression of a polynucleotide in a target cell, and any suitable method may be employed. For example, a polynucleotide may be incorporated into a viral vector such as, but not  
25 limited to, adenovirus, adeno-associated virus, retrovirus, or vaccinia or other pox virus (e.g., avian pox virus). Techniques for incorporating DNA into such vectors are well known to those of ordinary skill in the art. A retroviral vector may additionally transfer or incorporate a gene for a selectable marker (to aid in the identification or selection of transduced cells) and/or a targeting moiety, such as a gene that encodes a ligand for a  
30 receptor on a specific target cell, to render the vector target specific. Targeting may

also be accomplished using an antibody, by methods known to those of ordinary skill in the art.

Other formulations for therapeutic purposes include colloidal dispersion systems, such as macromolecule complexes, nanocapsules, microspheres, beads, and lipid-based systems including oil-in-water emulsions, micelles, mixed micelles, and liposomes. A preferred colloidal system for use as a delivery vehicle *in vitro* and *in vivo* is a liposome (*i.e.*, an artificial membrane vesicle). The preparation and use of such systems is well known in the art.

#### 10 OVARIAN CARCINOMA POLYPEPTIDES

Within the context of the present invention, polypeptides may comprise at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof, as described herein. As noted above, certain ovarian carcinoma proteins are ovarian carcinoma antigens that are expressed by ovarian tumor cells and react detectably within an immunoassay (such as an ELISA) with antisera generated against serum from an immunodeficient animal implanted with an ovarian tumor. Other ovarian carcinoma proteins are encoded by ovarian carcinoma polynucleotides recited herein. Polypeptides as described herein may be of any length. Additional sequences derived from the native protein and/or heterologous sequences may be present, and such sequences may (but need not) possess further immunogenic or antigenic properties.

An "immunogenic portion," as used herein is a portion of an antigen that is recognized (*i.e.*, specifically bound) by a B-cell and/or T-cell surface antigen receptor. Such immunogenic portions generally comprise at least 5 amino acid residues, more preferably at least 10, and still more preferably at least 20 amino acid residues of an ovarian carcinoma protein or a variant thereof. Preferred immunogenic portions are encoded by cDNA molecules isolated as described herein. Further immunogenic portions may generally be identified using well known techniques, such as those summarized in Paul, *Fundamental Immunology*, 3rd ed., 243-247 (Raven Press, 1993) and references cited therein. Such techniques include screening polypeptides for the ability to react with ovarian carcinoma protein-specific antibodies, antisera and/or T-cell lines or clones. As used herein, antisera and antibodies are "ovarian carcinoma

protein-specific" if they specifically bind to an ovarian carcinoma protein (*i.e.*, they react with the ovarian carcinoma protein in an ELISA or other immunoassay, and do not react detectably with unrelated proteins). Such antisera, antibodies and T cells may be prepared as described herein, and using well known techniques. An immunogenic  
5 portion of a native ovarian carcinoma protein is a portion that reacts with such antisera, antibodies and/or T-cells at a level that is not substantially less than the reactivity of the full length polypeptide (*e.g.*, in an ELISA and/or T-cell reactivity assay). Such immunogenic portions may react within such assays at a level that is similar to or greater than the reactivity of the full length protein. Such screens may generally be  
10 performed using methods well known to those of ordinary skill in the art, such as those described in Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. For example, a polypeptide may be immobilized on a solid support and contacted with patient sera to allow binding of antibodies within the sera to the immobilized polypeptide. Unbound sera may then be removed and bound antibodies  
15 detected using, for example, <sup>125</sup>I-labeled Protein A.

As noted above, a composition may comprise a variant of a native ovarian carcinoma protein. A polypeptide "variant," as used herein, is a polypeptide that differs from a native ovarian carcinoma protein in one or more substitutions, deletions, additions and/or insertions, such that the immunogenicity of the polypeptide  
20 is not substantially diminished. In other words, the ability of a variant to react with ovarian carcinoma protein-specific antisera may be enhanced or unchanged, relative to the native ovarian carcinoma protein, or may be diminished by less than 50%, and preferably less than 20%, relative to the native ovarian carcinoma protein. Such variants may generally be identified by modifying one of the above polypeptide  
25 sequences and evaluating the reactivity of the modified polypeptide with ovarian carcinoma protein-specific antibodies or antisera as described herein. Preferred variants include those in which one or more portions, such as an N-terminal leader sequence or transmembrane domain, have been removed. Other preferred variants include variants in which a small portion (*e.g.*, 1-30 amino acids, preferably 5-15 amino acids) has been  
30 removed from the N- and/or C-terminal of the mature protein.

Polypeptide variants preferably exhibit at least about 70%, more preferably at least about 90% and most preferably at least about 95% identity to the native polypeptide. Preferably, a variant contains conservative substitutions. A "conservative substitution" is one in which an amino acid is substituted for another amino acid that has similar properties, such that one skilled in the art of peptide chemistry would expect the secondary structure and hydropathic nature of the polypeptide to be substantially unchanged. Amino acid substitutions may generally be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity and/or the amphipathic nature of the residues. For example, negatively charged amino acids include aspartic acid and glutamic acid; positively charged amino acids include lysine and arginine; and amino acids with uncharged polar head groups having similar hydrophilicity values include leucine, isoleucine and valine; glycine and alanine; asparagine and glutamine; and serine, threonine, phenylalanine and tyrosine. Other groups of amino acids that may represent conservative changes include: (1) ala, pro, gly, glu, asp, gln, asn, ser, thr; (2) cys, ser, tyr, thr; (3) val, ile, leu, met, ala, phe; (4) lys, arg, his; and (5) phe, tyr, trp, his. A variant may also, or alternatively, contain nonconservative changes. Variants may also (or alternatively) be modified by, for example, the deletion or addition of amino acids that have minimal influence on the immunogenicity, secondary structure and hydropathic nature of the polypeptide.

As noted above, polypeptides may comprise a signal (or leader) sequence at the N-terminal end of the protein which co-translationally or post-translationally directs transfer of the protein. The polypeptide may also be conjugated to a linker or other sequence for ease of synthesis, purification or identification of the polypeptide (e.g., poly-His), or to enhance binding of the polypeptide to a solid support. For example, a polypeptide may be conjugated to an immunoglobulin Fc region.

Polypeptides may be prepared using any of a variety of well known techniques. Recombinant polypeptides encoded by DNA sequences as described above may be readily prepared from the DNA sequences using any of a variety of expression vectors known to those of ordinary skill in the art. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide. Suitable host

cells include prokaryotes, yeast and higher eukaryotic cells. Preferably, the host cells employed are *E. coli*, yeast or a mammalian cell line such as COS or CHO. Supernatants from suitable host/vector systems which secrete recombinant protein or polypeptide into culture media may be first concentrated using a commercially available  
5 filter. Following concentration, the concentrate may be applied to a suitable purification matrix such as an affinity matrix or an ion exchange resin. Finally, one or more reverse phase HPLC steps can be employed to further purify a recombinant polypeptide.

Portions and other variants having fewer than about 100 amino acids,  
10 and generally fewer than about 50 amino acids, may also be generated by synthetic means, using techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am.*  
15 *Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is commercially available from suppliers such as Applied BioSystems, Inc. (Foster City, CA), and may be operated according to the manufacturer's instructions.

Within certain specific embodiments, a polypeptide may be a fusion protein that comprises multiple polypeptides as described herein, or that comprises one  
20 polypeptide as described herein and a known tumor antigen, such as an ovarian carcinoma protein or a variant of such a protein. A fusion partner may, for example, assist in providing T-helper epitopes (an immunological fusion partner), preferably T helper epitopes recognized by humans, or may assist in expressing the protein (an expression enhancer) at higher yields than the native recombinant protein. Certain  
25 preferred fusion partners are both immunological and expression enhancing fusion partners. Other fusion partners may be selected so as to increase the solubility of the protein or to enable the protein to be targeted to desired intracellular compartments. Still further fusion partners include affinity tags, which facilitate purification of the protein.

30 Fusion proteins may generally be prepared using standard techniques, including chemical conjugation. Preferably, a fusion protein is expressed as a



recombinant protein, allowing the production of increased levels, relative to a non-fused protein, in an expression system. Briefly, DNA sequences encoding the polypeptide components may be assembled separately, and ligated into an appropriate expression vector. The 3' end of the DNA sequence encoding one polypeptide component is  
5 ligated, with or without a peptide linker, to the 5' end of a DNA sequence encoding the second polypeptide component so that the reading frames of the sequences are in phase. This permits translation into a single fusion protein that retains the biological activity of both component polypeptides.

A peptide linker sequence may be employed to separate the first and the  
10 second polypeptide components by a distance sufficient to ensure that each polypeptide folds into its secondary and tertiary structures. Such a peptide linker sequence is incorporated into the fusion protein using standard techniques well known in the art. Suitable peptide linker sequences may be chosen based on the following factors: (1) their ability to adopt a flexible extended conformation; (2) their inability to adopt a  
15 secondary structure that could interact with functional epitopes on the first and second polypeptides; and (3) the lack of hydrophobic or charged residues that might react with the polypeptide functional epitopes. Preferred peptide linker sequences contain Gly, Asn and Ser residues. Other near neutral amino acids, such as Thr and Ala may also be used in the linker sequence. Amino acid sequences which may be usefully employed as  
20 linkers include those disclosed in Maratea et al., *Gene* 40:39-46, 1985; Murphy et al., *Proc. Natl. Acad. Sci. USA* 83:8258-8262, 1986; U.S. Patent No. 4,935,233 and U.S. Patent No. 4,751,180. The linker sequence may generally be from 1 to about 50 amino acids in length. Linker sequences are not required when the first and second polypeptides have non-essential N-terminal amino acid regions that can be used to  
25 separate the functional domains and prevent steric interference.

The ligated DNA sequences are operably linked to suitable transcriptional or translational regulatory elements. The regulatory elements responsible for expression of DNA are located only 5' to the DNA sequence encoding the first polypeptides. Similarly, stop codons required to end translation and  
30 transcription termination signals are only present 3' to the DNA sequence encoding the second polypeptide.

Fusion proteins are also provided that comprise a polypeptide of the present invention together with an unrelated immunogenic protein. Preferably the immunogenic protein is capable of eliciting a recall response. Examples of such proteins include tetanus, tuberculosis and hepatitis proteins (*see*, for example, Stoute  
5 et al. *New Engl. J. Med.*, 336:86-91, 1997).

Within preferred embodiments, an immunological fusion partner is derived from protein D, a surface protein of the gram-negative bacterium *Haemophilus influenza B* (WO 91/18926). Preferably, a protein D derivative comprises approximately the first third of the protein (*e.g.*, the first N-terminal 100-110 amino  
10 acids), and a protein D derivative may be lipidated. Within certain preferred embodiments, the first 109 residues of a Lipoprotein D fusion partner is included on the N-terminus to provide the polypeptide with additional exogenous T-cell epitopes and to increase the expression level in *E. coli* (thus functioning as an expression enhancer). The lipid tail ensures optimal presentation of the antigen to antigen present cells. Other  
15 fusion partners include the non-structural protein from influenzae virus, NS1 (hemagglutinin). Typically, the N-terminal 81 amino acids are used, although different fragments that include T-helper epitopes may be used.

In another embodiment, the immunological fusion partner is the protein known as LYTA, or a portion thereof (preferably a C-terminal portion). LYTA is  
20 derived from *Streptococcus pneumoniae*, which synthesizes an N-acetyl-L-alanine amidase known as amidase LYTA (encoded by the *LytA* gene; *Gene* 43:265-292, 1986). LYTA is an autolysin that specifically degrades certain bonds in the peptidoglycan backbone. The C-terminal domain of the LYTA protein is responsible for the affinity to the choline or to some choline analogues such as DEAE. This  
25 property has been exploited for the development of *E. coli* C-LYTA expressing plasmids useful for expression of fusion proteins. Purification of hybrid proteins containing the C-LYTA fragment at the amino terminus has been described (*see Biotechnology* 10:795-798, 1992). Within a preferred embodiment, a repeat portion of LYTA may be incorporated into a fusion protein. A repeat portion is found in the C-  
30 terminal region starting at residue 178. A particularly preferred repeat portion incorporates residues 188-305.

In general, polypeptides (including fusion proteins) and polynucleotides as described herein are isolated. An "isolated" polypeptide or polynucleotide is one that is removed from its original environment. For example, a naturally-occurring protein is isolated if it is separated from some or all of the coexisting materials in the natural system. Preferably, such polypeptides are at least about 90% pure, more preferably at least about 95% pure and most preferably at least about 99% pure. A polynucleotide is considered to be isolated if, for example, it is cloned into a vector that is not a part of the natural environment.

#### 10 BINDING AGENTS

The present invention further provides agents, such as antibodies and antigen-binding fragments thereof, that specifically bind to an ovarian carcinoma protein. As used herein, an antibody, or antigen-binding fragment thereof, is said to "specifically bind" to an ovarian carcinoma protein if it reacts at a detectable level (within, for example, an ELISA) with an ovarian carcinoma protein, and does not react detectably with unrelated proteins under similar conditions. As used herein, "binding" refers to a noncovalent association between two separate molecules such that a "complex" is formed. The ability to bind may be evaluated by, for example, determining a binding constant for the formation of the complex. The binding constant is the value obtained when the concentration of the complex is divided by the product of the component concentrations. In general, two compounds are said to "bind," in the context of the present invention, when the binding constant for complex formation exceeds about  $10^3$  L/mol. The binding constant may be determined using methods well known in the art.

Binding agents may be further capable of differentiating between patients with and without a cancer, such as ovarian cancer, using the representative assays provided herein. In other words, antibodies or other binding agents that bind to an ovarian carcinoma antigen will generate a signal indicating the presence of a cancer in at least about 20% of patients with the disease, and will generate a negative signal indicating the absence of the disease in at least about 90% of individuals without the cancer. To determine whether a binding agent satisfies this requirement, biological

samples (e.g., blood, sera, leukophoresis, urine and/or tumor biopsies) from patients with and without a cancer (as determined using standard clinical tests) may be assayed as described herein for the presence of polypeptides that bind to the binding agent. It will be apparent that a statistically significant number of samples with and without the disease should be assayed. Each binding agent should satisfy the above criteria; however, those of ordinary skill in the art will recognize that binding agents may be used in combination to improve sensitivity.

Any agent that satisfies the above requirements may be a binding agent. For example, a binding agent may be a ribosome, with or without a peptide component, an RNA molecule or a polypeptide. In a preferred embodiment, a binding agent is an antibody or an antigen-binding fragment thereof. Antibodies may be prepared by any of a variety of techniques known to those of ordinary skill in the art. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, antibodies can be produced by cell culture techniques, including the generation of monoclonal antibodies as described herein, or via transfection of antibody genes into suitable bacterial or mammalian cell hosts, in order to allow for the production of recombinant antibodies. In one technique, an immunogen comprising the polypeptide is initially injected into any of a wide variety of mammals (e.g., mice, rats, rabbits, sheep or goats). In this step, the polypeptides of this invention may serve as the immunogen without modification. Alternatively, particularly for relatively short polypeptides, a superior immune response may be elicited if the polypeptide is joined to a carrier protein, such as bovine serum albumin or keyhole limpet hemocyanin. The immunogen is injected into the animal host, preferably according to a predetermined schedule incorporating one or more booster immunizations, and the animals are bled periodically. Polyclonal antibodies specific for the polypeptide may then be purified from such antisera by, for example, affinity chromatography using the polypeptide coupled to a suitable solid support.

Monoclonal antibodies specific for an antigenic polypeptide of interest may be prepared, for example, using the technique of Kohler and Milstein, *Eur. J. Immunol.* 6:511-519, 1976, and improvements thereto. Briefly, these methods involve the preparation of immortal cell lines capable of producing antibodies having the

desired specificity (*i.e.*, reactivity with the polypeptide of interest). Such cell lines may be produced, for example, from spleen cells obtained from an animal immunized as described above. The spleen cells are then immortalized by, for example, fusion with a myeloma cell fusion partner, preferably one that is syngeneic with the immunized animal. A variety of fusion techniques may be employed. For example, the spleen cells and myeloma cells may be combined with a nonionic detergent for a few minutes and then plated at low density on a selective medium that supports the growth of hybrid cells, but not myeloma cells. A preferred selection technique uses HAT (hypoxanthine, aminopterin, thymidine) selection. After a sufficient time, usually about 1 to 2 weeks, colonies of hybrids are observed. Single colonies are selected and their culture supernatants tested for binding activity against the polypeptide. Hybridomas having high reactivity and specificity are preferred.

Monoclonal antibodies may be isolated from the supernatants of growing hybridoma colonies. In addition, various techniques may be employed to enhance the yield, such as injection of the hybridoma cell line into the peritoneal cavity of a suitable vertebrate host, such as a mouse. Monoclonal antibodies may then be harvested from the ascites fluid or the blood. Contaminants may be removed from the antibodies by conventional techniques, such as chromatography, gel filtration, precipitation, and extraction. The polypeptides of this invention may be used in the purification process in, for example, an affinity chromatography step.

Within certain embodiments, the use of antigen-binding fragments of antibodies may be preferred. Such fragments include Fab fragments, which may be prepared using standard techniques. Briefly, immunoglobulins may be purified from rabbit serum by affinity chromatography on Protein A bead columns (Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988) and digested by papain to yield Fab and Fc fragments. The Fab and Fc fragments may be separated by affinity chromatography on protein A bead columns.

Monoclonal antibodies of the present invention may be coupled to one or more therapeutic agents. Suitable agents in this regard include radionuclides, differentiation inducers, drugs, toxins, and derivatives thereof. Preferred radionuclides include  $^{90}\text{Y}$ ,  $^{123}\text{I}$ ,  $^{125}\text{I}$ ,  $^{131}\text{I}$ ,  $^{186}\text{Re}$ ,  $^{188}\text{Re}$ ,  $^{211}\text{At}$ , and  $^{212}\text{Bi}$ . Preferred drugs include

methotrexate, and pyrimidine and purine analogs. Preferred differentiation inducers include phorbol esters and butyric acid. Preferred toxins include ricin, abrin, diphtheria toxin, cholera toxin, gelonin, Pseudomonas exotoxin, Shigella toxin, and pokeweed antiviral protein.

5 A therapeutic agent may be coupled (*e.g.*, covalently bonded) to a suitable monoclonal antibody either directly or indirectly (*e.g.*, via a linker group). A direct reaction between an agent and an antibody is possible when each possesses a substituent capable of reacting with the other. For example, a nucleophilic group, such as an amino or sulfhydryl group, on one may be capable of reacting with a carbonyl-  
10 containing group, such as an anhydride or an acid halide, or with an alkyl group containing a good leaving group (*e.g.*, a halide) on the other.

Alternatively, it may be desirable to couple a therapeutic agent and an antibody via a linker group. A linker group can function as a spacer to distance an antibody from an agent in order to avoid interference with binding capabilities. A  
15 linker group can also serve to increase the chemical reactivity of a substituent on an agent or an antibody, and thus increase the coupling efficiency. An increase in chemical reactivity may also facilitate the use of agents, or functional groups on agents, which otherwise would not be possible.

It will be evident to those skilled in the art that a variety of bifunctional  
20 or polyfunctional reagents, both homo- and hetero-functional (such as those described in the catalog of the Pierce Chemical Co., Rockford, IL), may be employed as the linker group. Coupling may be effected, for example, through amino groups, carboxyl groups, sulfhydryl groups or oxidized carbohydrate residues. There are numerous references describing such methodology, *e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.

25 Where a therapeutic agent is more potent when free from the antibody portion of the immunoconjugates of the present invention, it may be desirable to use a linker group which is cleavable during or upon internalization into a cell. A number of different cleavable linker groups have been described. The mechanisms for the intracellular release of an agent from these linker groups include cleavage by reduction  
30 of a disulfide bond (*e.g.*, U.S. Patent No. 4,489,710, to Spitler), by irradiation of a photolabile bond (*e.g.*, U.S. Patent No. 4,625,014, to Senter et al.), by hydrolysis of

derivatized amino acid side chains (*e.g.*, U.S. Patent No. 4,638,045, to Kohn et al.), by serum complement-mediated hydrolysis (*e.g.*, U.S. Patent No. 4,671,958, to Rodwell et al.), and acid-catalyzed hydrolysis (*e.g.*, U.S. Patent No. 4,569,789, to Blattler et al.).

It may be desirable to couple more than one agent to an antibody. In one embodiment, multiple molecules of an agent are coupled to one antibody molecule. In another embodiment, more than one type of agent may be coupled to one antibody. Regardless of the particular embodiment, immunoconjugates with more than one agent may be prepared in a variety of ways. For example, more than one agent may be coupled directly to an antibody molecule, or linkers which provide multiple sites for attachment can be used. Alternatively, a carrier can be used.

A carrier may bear the agents in a variety of ways, including covalent bonding either directly or via a linker group. Suitable carriers include proteins such as albumins (*e.g.*, U.S. Patent No. 4,507,234, to Kato et al.), peptides and polysaccharides such as aminodextran (*e.g.*, U.S. Patent No. 4,699,784, to Shih et al.). A carrier may also bear an agent by noncovalent bonding or by encapsulation, such as within a liposome vesicle (*e.g.*, U.S. Patent Nos. 4,429,008 and 4,873,088). Carriers specific for radionuclide agents include radiohalogenated small molecules and chelating compounds. For example, U.S. Patent No. 4,735,792 discloses representative radiohalogenated small molecules and their synthesis. A radionuclide chelate may be formed from chelating compounds that include those containing nitrogen and sulfur atoms as the donor atoms for binding the metal, or metal oxide, radionuclide. For example, U.S. Patent No. 4,673,562, to Davison et al. discloses representative chelating compounds and their synthesis.

A variety of routes of administration for the antibodies and immunoconjugates may be used. Typically, administration will be intravenous, intramuscular, subcutaneous or in the bed of a resected tumor. It will be evident that the precise dose of the antibody/immunoconjugate will vary depending upon the antibody used, the antigen density on the tumor, and the rate of clearance of the antibody.

Also provided herein are anti-idiotypic antibodies that mimic an immunogenic portion of an ovarian carcinoma protein. Such antibodies may be raised against an antibody, or antigen-binding fragment thereof, that specifically binds to an

immunogenic portion of an ovarian carcinoma protein, using well known techniques. Anti-idiotypic antibodies that mimic an immunogenic portion of an ovarian carcinoma protein are those antibodies that bind to an antibody, or antigen-binding fragment thereof, that specifically binds to an immunogenic portion of an ovarian carcinoma protein, as described herein.

#### T CELLS

Immunotherapeutic compositions may also, or alternatively, comprise T cells specific for an ovarian carcinoma protein. Such cells may generally be prepared *in vitro* or *ex vivo*, using standard procedures. For example, T cells may be present within (or isolated from) bone marrow, peripheral blood or a fraction of bone marrow or peripheral blood of a mammal, such as a patient, using a commercially available cell separation system, such as the CEPRATE™ system, available from CellPro Inc., Bothell WA (see also U.S. Patent No. 5,240,856; U.S. Patent No. 5,215,926; WO 89/06280; WO 91/16116 and WO 92/07243). Alternatively, T cells may be derived from related or unrelated humans, non-human animals, cell lines or cultures.

T cells may be stimulated with an ovarian carcinoma polypeptide, polynucleotide encoding an ovarian carcinoma polypeptide and/or an antigen presenting cell (APC) that expresses such a polypeptide. Such stimulation is performed under conditions and for a time sufficient to permit the generation of T cells that are specific for the polypeptide. Preferably, an ovarian carcinoma polypeptide or polynucleotide is present within a delivery vehicle, such as a microsphere, to facilitate the generation of specific T cells.

T cells are considered to be specific for an ovarian carcinoma polypeptide if the T cells kill target cells coated with an ovarian carcinoma polypeptide or expressing a gene encoding such a polypeptide. T cell specificity may be evaluated using any of a variety of standard techniques. For example, within a chromium release assay or proliferation assay, a stimulation index of more than two fold increase in lysis and/or proliferation, compared to negative controls, indicates T cell specificity. Such assays may be performed, for example, as described in Chen et al., *Cancer Res.* 54:1065-1070, 1994. Alternatively, detection of the proliferation of T cells may be



accomplished by a variety of known techniques. For example, T cell proliferation can be detected by measuring an increased rate of DNA synthesis (e.g., by pulse-labeling cultures of T cells with tritiated thymidine and measuring the amount of tritiated thymidine incorporated into DNA). Contact with an ovarian carcinoma polypeptide  
5 (200 ng/ml - 100 µg/ml, preferably 100 ng/ml - 25 µg/ml) for 3 - 7 days should result in at least a two fold increase in proliferation of the T cells and/or contact as described above for 2-3 hours should result in activation of the T cells, as measured using standard cytokine assays in which a two fold increase in the level of cytokine release (e.g., TNF or IFN-γ) is indicative of T cell activation (see Coligan et al., Current  
10 Protocols in Immunology, vol. 1, Wiley Interscience (Greene 1998). T cells that have been activated in response to an ovarian carcinoma polypeptide, polynucleotide or ovarian carcinoma polypeptide-expressing APC may be CD4<sup>+</sup> and/or CD8<sup>+</sup>. Ovarian carcinoma polypeptide-specific T cells may be expanded using standard techniques. Within preferred embodiments, the T cells are derived from a patient or a related or  
15 unrelated donor and are administered to the patient following stimulation and expansion.

For therapeutic purposes, CD4<sup>+</sup> or CD8<sup>+</sup> T cells that proliferate in response to an ovarian carcinoma polypeptide, polynucleotide or APC can be expanded in number either *in vitro* or *in vivo*. Proliferation of such T cells *in vitro* may be  
20 accomplished in a variety of ways. For example, the T cells can be re-exposed to an ovarian carcinoma polypeptide, with or without the addition of T cell growth factors, such as interleukin-2, and/or stimulator cells that synthesize an ovarian carcinoma polypeptide. Alternatively, one or more T cells that proliferate in the presence of an ovarian carcinoma polypeptide can be expanded in number by cloning. Methods for  
25 cloning cells are well known in the art, and include limiting dilution. Following expansion, the cells may be administered back to the patient as described, for example, by Chang et al., *Crit. Rev. Oncol. Hematol.* 22:213, 1996.

#### PHARMACEUTICAL COMPOSITIONS AND VACCINES

30 Within certain aspects, polypeptides, polynucleotides, binding agents and/or immune system cells as described herein may be incorporated into

pharmaceutical compositions or vaccines. Pharmaceutical compositions comprise one or more such compounds or cells and a physiologically acceptable carrier. Vaccines may comprise one or more such compounds or cells and a non-specific immune response enhancer. A non-specific immune response enhancer may be any substance  
5 that enhances an immune response to an exogenous antigen. Examples of non-specific immune response enhancers include adjuvants, biodegradable microspheres (e.g., polylactic galactide) and liposomes (into which the compound is incorporated; see e.g., Fullerton, U.S. Patent No. 4,235,877). Vaccine preparation is generally described in, for example, M.F. Powell and M.J. Newman, eds., "Vaccine Design (the subunit and  
10 adjuvant approach)," Plenum Press (NY, 1995). Pharmaceutical compositions and vaccines within the scope of the present invention may also contain other compounds, which may be biologically active or inactive. For example, one or more immunogenic portions of other tumor antigens may be present, either incorporated into a fusion polypeptide or as a separate compound within the composition or vaccine.

15 A pharmaceutical composition or vaccine may contain DNA encoding one or more of the polypeptides as described above, such that the polypeptide is generated *in situ*. As noted above, the DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, bacteria and viral expression systems. Appropriate nucleic acid  
20 expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminating signal). Bacterial delivery systems involve the administration of a bacterium (such as *Bacillus-Calmette-Guerrin*) that expresses an immunogenic portion of the polypeptide on its cell surface. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other pox  
25 virus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic (defective), replication competent virus. Suitable systems are disclosed, for example, in Fisher-Hoch et al., *PNAS* 86:317-321, 1989; Flexner et al., *Ann. N.Y. Acad. Sci.* 569:86-103, 1989; Flexner et al., *Vaccine* 8:17-21, 1990; U.S. Patent Nos. 4,603,112, 4,769,330, and 5,017,487; WO 89/01973; U.S. Patent No. 4,777,127; GB 2,200,651;  
30 EP 0,345,242; WO 91/02805; Berkner, *Biotechniques* 6:616-627, 1988; Rosenfeld et al., *Science* 252:431-434, 1991; Kolls et al., *PNAS* 91:215-219, 1994; Kass-Eisler et al.,

*PNAS* 90:11498-11502, 1993; Guzman et al., *Circulation* 88:2838-2848, 1993; and Guzman et al., *Cir. Res.* 73:1202-1207, 1993. Techniques for incorporating DNA into such expression systems are well known to those of ordinary skill in the art. The DNA may also be "naked," as described, for example, in Ulmer et al., *Science* 259:1745-1749, 5 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier 10 will vary depending on the mode of administration. Compositions of the present invention may be formulated for any appropriate manner of administration, including for example, topical, oral, nasal, intravenous, intracranial, intraperitoneal, subcutaneous or intramuscular administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a fat, a wax or a buffer. 15 For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactate polyglycolate) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres 20 are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Such compositions may also comprise buffers (e.g., neutral buffered saline or phosphate buffered saline), carbohydrates (e.g., glucose, mannose, sucrose or dextrans), mannitol, proteins, polypeptides or amino acids such as glycine, antioxidants, chelating agents such as EDTA or glutathione, adjuvants (e.g., aluminum hydroxide) 25 and/or preservatives. Alternatively, compositions of the present invention may be formulated as a lyophilizate. Compounds may also be encapsulated within liposomes using well known technology.

Any of a variety of non-specific immune response enhancers may be employed in the vaccines of this invention. For example, an adjuvant may be included. 30 Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune

responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI), Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ), alum, biodegradable microspheres, monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF or interleukin-2, -7, or -12, may also be used as adjuvants.

Within the vaccines provided herein, the adjuvant composition is preferably designed to induce an immune response predominantly of the Th1 type. High levels of Th1-type cytokines (e.g., IFN- $\gamma$ , IL-2 and IL-12) tend to favor the induction of cell mediated immune responses to an administered antigen. In contrast, high levels of Th2-type cytokines (e.g., IL-4, IL-5, IL-6, IL-10 and TNF- $\beta$ ) tend to favor the induction of humoral immune responses. Following application of a vaccine as provided herein, a patient will support an immune response that includes Th1- and Th2-type responses. Within a preferred embodiment, in which a response is predominantly Th1-type, the level of Th1-type cytokines will increase to a greater extent than the level of Th2-type cytokines. The levels of these cytokines may be readily assessed using standard assays. For a review of the families of cytokines, see Mosmann and Coffman, *Ann. Rev. Immunol.* 7:145-173, 1989.

Preferred adjuvants for use in eliciting a predominantly Th1-type response include, for example, a combination of monophosphoryl lipid A, preferably 3-de-O-acylated monophosphoryl lipid A (3D-MPL), together with an aluminum salt. MPL adjuvants are available from Ribi ImmunoChem Research Inc. (Hamilton, MT; see US Patent Nos. 4,436,727; 4,877,611; 4,866,034 and 4,912,094). Also preferred is AS-2 (SmithKline Beecham). CpG-containing oligonucleotides (in which the CpG dinucleotide is unmethylated) also induce a predominantly Th1 response. Such oligonucleotides are well known and are described, for example, in WO 96/02555. Another preferred adjuvant is a saponin, preferably QS21, which may be used alone or in combination with other adjuvants. For example, an enhanced system involves the combination of a monophosphoryl lipid A and saponin derivative, such as the combination of QS21 and 3D-MPL as described in WO 94/00153, or a less reactogenic composition where the QS21 is quenched with cholesterol, as described in WO

96/33739. Other preferred formulations comprises an oil-in-water emulsion and tocopherol. A particularly potent adjuvant formulation involving QS21, 3D-MPL and tocopherol in an oil-in-water emulsion is described in WO 95/17210. Any vaccine provided herein may be prepared using well known methods that result in a  
5 combination of antigen, immune response enhancer and a suitable carrier or excipient.

The compositions described herein may be administered as part of a sustained release formulation (*i.e.*, a formulation such as a capsule or sponge that effects a slow release of compound following administration). Such formulations may generally be prepared using well known technology and administered by, for example,  
10 oral, rectal or subcutaneous implantation, or by implantation at the desired target site. Sustained-release formulations may contain a polypeptide, polynucleotide or antibody dispersed in a carrier matrix and/or contained within a reservoir surrounded by a rate controlling membrane. Carriers for use within such formulations are biocompatible, and may also be biodegradable; preferably the formulation provides a relatively  
15 constant level of active component release. The amount of active compound contained within a sustained release formulation depends upon the site of implantation, the rate and expected duration of release and the nature of the condition to be treated or prevented.

Any of a variety of delivery vehicles may be employed within  
20 pharmaceutical compositions and vaccines to facilitate production of an antigen-specific immune response that targets tumor cells. Delivery vehicles include antigen presenting cells (APCs), such as dendritic cells, macrophages, B cells, monocytes and other cells that may be engineered to be efficient APCs. Such cells may, but need not, be genetically modified to increase the capacity for presenting the antigen, to improve  
25 activation and/or maintenance of the T cell response, to have anti-tumor effects *per se* and/or to be immunologically compatible with the receiver (*i.e.*, matched HLA haplotype). APCs may generally be isolated from any of a variety of biological fluids and organs, including tumor and peritumoral tissues, and may be autologous, allogeneic, syngeneic or xenogeneic cells.

30 Certain preferred embodiments of the present invention use dendritic cells or progenitors thereof as antigen-presenting cells. Dendritic cells are highly potent

APCs (Banchereau and Steinman, *Nature* 392:245-251, 1998) and have been shown to be effective as a physiological adjuvant for eliciting prophylactic or therapeutic antitumor immunity (see Timmerman and Levy, *Ann. Rev. Med.* 50:507-529, 1999). In general, dendritic cells may be identified based on their typical shape (stellate *in situ*,  
5 with marked cytoplasmic processes (dendrites) visible *in vitro*) and based on the lack of differentiation markers of B cells (CD19 and CD20), T cells (CD3), monocytes (CD14) and natural killer cells (CD56), as determined using standard assays. Dendritic cells may, of course, be engineered to express specific cell-surface receptors or ligands that are not commonly found on dendritic cells *in vivo* or *ex vivo*, and such modified  
10 dendritic cells are contemplated by the present invention. As an alternative to dendritic cells, secreted vesicles antigen-loaded dendritic cells (called exosomes) may be used within a vaccine (see Zitvogel et al., *Nature Med.* 4:594-600, 1998).

Dendritic cells and progenitors may be obtained from peripheral blood, bone marrow, tumor-infiltrating cells, peritumoral tissues-infiltrating cells, lymph  
15 nodes, spleen, skin, umbilical cord blood or any other suitable tissue or fluid. For example, dendritic cells may be differentiated *ex vivo* by adding a combination of cytokines such as GM-CSF, IL-4, IL-13 and/or TNF $\alpha$  to cultures of monocytes harvested from peripheral blood. Alternatively, CD34 positive cells harvested from peripheral blood, umbilical cord blood or bone marrow may be differentiated into  
20 dendritic cells by adding to the culture medium combinations of GM-CSF, IL-3, TNF $\alpha$ , CD40 ligand, LPS, flt3 ligand and/or other compound(s) that induce maturation and proliferation of dendritic cells.

Dendritic cells are conveniently categorized as "immature" and "mature" cells, which allows a simple way to discriminate between two well characterized  
25 phenotypes. However, this nomenclature should not be construed to exclude all possible intermediate stages of differentiation. Immature dendritic cells are characterized as APC with a high capacity for antigen uptake and processing, which correlates with the high expression of Fc $\gamma$  receptor, mannose receptor and DEC-205 marker. The mature phenotype is typically characterized by a lower expression of these  
30 markers, but a high expression of cell surface molecules responsible for T cell

activation such as class I and class II MHC, adhesion molecules (*e.g.*, CD54 and CD11) and costimulatory molecules (*e.g.*, CD40, CD80 and CD86).

APCs may generally be transfected with a polynucleotide encoding a ovarian carcinoma antigen (or portion or other variant thereof) such that the antigen, or  
5 an immunogenic portion thereof, is expressed on the cell surface. Such transfection may take place *ex vivo*, and a composition or vaccine comprising such transfected cells may then be used for therapeutic purposes, as described herein. Alternatively, a gene delivery vehicle that targets a dendritic or other antigen presenting cell may be administered to a patient, resulting in transfection that occurs *in vivo*. *In vivo* and *ex*  
10 *vivo* transfection of dendritic cells, for example, may generally be performed using any methods known in the art, such as those described in WO 97/24447, or the gene gun approach described by Mahvi et al., *Immunology and cell Biology* 75:456-460, 1997. Antigen loading of dendritic cells may be achieved by incubating dendritic cells or progenitor cells with the polypeptide, DNA (naked or within a plasmid vector) or RNA;  
15 or with antigen-expressing recombinant bacterium or viruses (*e.g.*, vaccinia, fowlpox, adenovirus or lentivirus vectors). Prior to loading, the polypeptide may be covalently conjugated to an immunological partner that provides T cell help (*e.g.*, a carrier molecule). Alternatively, a dendritic cell may be pulsed with a non-conjugated immunological partner, separately or in the presence of the polypeptide.

20

#### CANCER THERAPY

In further aspects of the present invention, the compositions described herein may be used for immunotherapy of cancer, such as ovarian cancer. Within such methods, pharmaceutical compositions and vaccines are typically administered to a  
25 patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human. A patient may or may not be afflicted with cancer. Accordingly, the above pharmaceutical compositions and vaccines may be used to prevent the development of a cancer or to treat a patient afflicted with a cancer. Within certain preferred embodiments, a patient is afflicted with ovarian cancer. Such cancer may be diagnosed  
30 using criteria generally accepted in the art, including the presence of a malignant tumor. Pharmaceutical compositions and vaccines may be administered either prior to or

following surgical removal of primary tumors and/or treatment such as administration of radiotherapy or conventional chemotherapeutic drugs.

Within certain embodiments, immunotherapy may be active immunotherapy, in which treatment relies on the *in vivo* stimulation of the endogenous  
5 host immune system to react against tumors with the administration of immuno response-modifying agents (such as tumor vaccines, bacterial adjuvants and/or cytokines).

Within other embodiments, immunotherapy may be passive immunotherapy, in which treatment involves the delivery of agents with established  
10 tumor-immune reactivity (such as effector cells or antibodies) that can directly or indirectly mediate antitumor effects and does not necessarily depend on an intact host immune system. Examples of effector cells include T lymphocytes (such as CD8<sup>+</sup> cytotoxic T lymphocytes and CD4<sup>+</sup> T-helper tumor-infiltrating lymphocytes), killer cells (such as Natural Killer cells and lymphokine-activated killer cells), B cells and  
15 antigen-presenting cells (such as dendritic cells and macrophages) expressing a polypeptide provided herein. T cell receptors and antibody receptors specific for the polypeptides recited herein may be cloned, expressed and transferred into other vectors or effector cells for adoptive immunotherapy. The polypeptides provided herein may also be used to generate antibodies or anti-idiotypic antibodies (as described above and  
20 in U.S. Patent No. 4,918,164) for passive immunotherapy.

Effector cells may generally be obtained in sufficient quantities for adoptive immunotherapy by growth *in vitro*, as described herein. Culture conditions for expanding single antigen-specific effector cells to several billion in number with retention of antigen recognition *in vivo* are well known in the art. Such *in vitro* culture  
25 conditions typically use intermittent stimulation with antigen, often in the presence of cytokines (such as IL-2) and non-dividing feeder cells. As noted above, immunoreactive polypeptides as provided herein may be used to rapidly expand antigen-specific T cell cultures in order to generate a sufficient number of cells for immunotherapy. In particular, antigen-presenting cells, such as dendritic, macrophage  
30 or B cells, may be pulsed with immunoreactive polypeptides or transfected with one or more polynucleotides using standard techniques well known in the art. For example,





antigen-presenting cells can be transfected with a polynucleotide having a promoter appropriate for increasing expression in a recombinant virus or other expression system. Cultured effector cells for use in therapy must be able to grow and distribute widely, and to survive long term *in vivo*. Studies have shown that cultured effector cells can be  
5 induced to grow *in vivo* and to survive long term in substantial numbers by repeated stimulation with antigen supplemented with IL-2 (*see*, for example, Cheever et al., *Immunological Reviews* 157:177, 1997).

Alternatively, a vector expressing a polypeptide recited herein may be introduced into stem cells taken from a patient and clonally propagated *in vitro* for  
10 autologous transplant back into the same patient.

Routes and frequency of administration, as well as dosage, will vary from individual to individual, and may be readily established using standard techniques. In general, the pharmaceutical compositions and vaccines may be administered by injection (*e.g.*, intracutaneous, intramuscular, intravenous or subcutaneous), intranasally  
15 (*e.g.*, by aspiration), orally or in the bed of a resected tumor. Preferably, between 1 and 10 doses may be administered over a 52 week period. Preferably, 6 doses are administered, at intervals of 1 month, and booster vaccinations may be given periodically thereafter. Alternate protocols may be appropriate for individual patients. A suitable dose is an amount of a compound that, when administered as described  
20 above, is capable of promoting an anti-tumor immune response, and is at least 10-50% above the basal (*i.e.*, untreated) level. Such response can be monitored by measuring the anti-tumor antibodies in a patient or by vaccine-dependent generation of cytolytic effector cells capable of killing the patient's tumor cells *in vitro*. Such vaccines should also be capable of causing an immune response that leads to an improved clinical  
25 outcome (*e.g.*, more frequent remissions, complete or partial or longer disease-free survival) in vaccinated patients as compared to non-vaccinated patients. In general, for pharmaceutical compositions and vaccines comprising one or more polypeptides, the amount of each polypeptide present in a dose ranges from about 100 µg to 5 mg per kg of host. Suitable dose sizes will vary with the size of the patient, but will typically  
30 range from about 0.1 mL to about 5 mL.

In general, an appropriate dosage and treatment regimen provides the active compound(s) in an amount sufficient to provide therapeutic and/or prophylactic benefit. Such a response can be monitored by establishing an improved clinical outcome (*e.g.*, more frequent remissions, complete or partial, or longer disease-free survival) in treated patients as compared to non-treated patients. Increases in preexisting immune responses to an ovarian carcinoma antigen generally correlate with an improved clinical outcome. Such immune responses may generally be evaluated using standard proliferation, cytotoxicity or cytokine assays, which may be performed using samples obtained from a patient before and after treatment.

10

## SCREENS FOR IDENTIFYING SECRETED OVARIAN CARCINOMA ANTIGENS

The present invention provides methods for identifying secreted tumor antigens. Within such methods, tumors are implanted into immunodeficient animals such as SCID mice and maintained for a time sufficient to permit secretion of tumor antigens into serum. In general, tumors may be implanted subcutaneously or within the gonadal fat pad of an immunodeficient animal and maintained for 1-9 months, preferably 1-4 months. Implantation may generally be performed as described in WO 97/18300. The serum containing secreted antigens is then used to prepare antisera in immunocompetent mice, using standard techniques and as described herein. Briefly, 50-100  $\mu$ L of sera (pooled from three sets of immunodeficient mice, each set bearing a different SCID-derived human ovarian tumor) may be mixed 1:1 (vol:vol) with an appropriate adjuvant, such as RIBI-MPL or MPL + TDM (Sigma Chemical Co., St. Louis, MO) and injected intraperitoneally into syngeneic immunocompetent animals at monthly intervals for a total of 5 months. Antisera from animals immunized in such a manner may be obtained by drawing blood after the third, fourth and fifth immunizations. The resulting antiserum is generally pre-cleared of *E. coli* and phage antigens and used (generally following dilution, such as 1:200) in a serological expression screen.

The library is typically an expression library containing cDNAs from one or more tumors of the type that was implanted into SCID mice. This expression library may be prepared in any suitable vector, such as  $\lambda$ -screen (Novagen). cDNAs that

30

encode a polypeptide that reacts with the antiserum may be identified using standard techniques, and sequenced. Such cDNA molecules may be further characterized to evaluate expression in tumor and normal tissue, and to evaluate antigen secretion in patients.

5           The methods provided herein have advantages over other methods for tumor antigen discovery. In particular, all antigens identified by such methods should be secreted or released through necrosis of the tumor cells. Such antigens may be present on the surface of tumor cells for an amount of time sufficient to permit targeting and killing by the immune system, following vaccination.

10

#### METHODS FOR DETECTING CANCER

In general, a cancer may be detected in a patient based on the presence of one or more ovarian carcinoma proteins and/or polynucleotides encoding such proteins in a biological sample (such as blood, sera, urine and/or tumor biopsies) obtained from the patient. In other words, such proteins may be used as markers to indicate the presence or absence of a cancer such as ovarian cancer. In addition, such proteins may be useful for the detection of other cancers. The binding agents provided herein generally permit detection of the level of protein that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding a tumor protein, which is also indicative of the presence or absence of a cancer. In general, an ovarian carcinoma-associated sequence should be present at a level that is at least three fold higher in tumor tissue than in normal tissue

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratory, 1988. In general, the presence or absence of a cancer in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

30           In a preferred embodiment, the assay involves the use of binding agent immobilized on a solid support to bind to and remove the polypeptide from the

remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent is indicative of the reactivity of the sample with the immobilized binding agent. Suitable polypeptides for use within such assays include full length ovarian carcinoma proteins and portions thereof to which the binding agent binds, as described above.

The solid support may be any material known to those of ordinary skill in the art to which the tumor protein may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass, fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for a suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of a plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about

10  $\mu\text{g}$ , and preferably about 100 ng to about 1  $\mu\text{g}$ , is sufficient to immobilize an adequate amount of binding agent.

Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with  
5 both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (*see, e.g.*, Pierce Immunotechnology Catalog and Handbook, 1991, at  
10 A12-A13).

In certain embodiments, the assay is a two-antibody sandwich assay. This assay may be performed by first contacting an antibody that has been immobilized on a solid support, commonly the well of a microtiter plate, with the sample, such that polypeptides within the sample are allowed to bind to the immobilized antibody.  
15 Unbound sample is then removed from the immobilized polypeptide-antibody complexes and a detection reagent (preferably a second antibody capable of binding to a different site on the polypeptide) containing a reporter group is added. The amount of detection reagent that remains bound to the solid support is then determined using a method appropriate for the specific reporter group.

20 More specifically, once the antibody is immobilized on the support as described above, the remaining protein binding sites on the support are typically blocked. Any suitable blocking agent known to those of ordinary skill in the art, such as bovine serum albumin or Tween 20™ (Sigma Chemical Co., St. Louis, MO). The immobilized antibody is then incubated with the sample, and polypeptide is allowed to  
25 bind to the antibody. The sample may be diluted with a suitable diluent, such as phosphate-buffered saline (PBS) prior to incubation. In general, an appropriate contact time (*i.e.*, incubation time) is a period of time that is sufficient to detect the presence of polypeptide within a sample obtained from an individual with ovarian cancer. Preferably, the contact time is sufficient to achieve a level of binding that is at least  
30 about 95% of that achieved at equilibrium between bound and unbound polypeptide. Those of ordinary skill in the art will recognize that the time necessary to achieve

equilibrium may be readily determined by assaying the level of binding that occurs over a period of time. At room temperature, an incubation time of about 30 minutes is generally sufficient.

Unbound sample may then be removed by washing the solid support  
5 with an appropriate buffer, such as PBS containing 0.1% Tween 20™. The second antibody, which contains a reporter group, may then be added to the solid support. Preferred reporter groups include those groups recited above.

The detection reagent is then incubated with the immobilized antibody-polypeptide complex for an amount of time sufficient to detect the bound polypeptide.  
10 An appropriate amount of time may generally be determined by assaying the level of binding that occurs over a period of time. Unbound detection reagent is then removed and bound detection reagent is detected using the reporter group. The method employed for detecting the reporter group depends upon the nature of the reporter group. For radioactive groups, scintillation counting or autoradiographic methods are  
15 generally appropriate. Spectroscopic methods may be used to detect dyes, luminescent groups and fluorescent groups. Biotin may be detected using avidin, coupled to a different reporter group (commonly a radioactive or fluorescent group or an enzyme). Enzyme reporter groups may generally be detected by the addition of substrate (generally for a specific period of time), followed by spectroscopic or other analysis of  
20 the reaction products.

To determine the presence or absence of a cancer, such as ovarian cancer, the signal detected from the reporter group that remains bound to the solid support is generally compared to a signal that corresponds to a predetermined cut-off value. In one preferred embodiment, the cut-off value for the detection of a cancer is  
25 the average mean signal obtained when the immobilized antibody is incubated with samples from patients without the cancer. In general, a sample generating a signal that is three standard deviations above the predetermined cut-off value is considered positive for the cancer. In an alternate preferred embodiment, the cut-off value is determined using a Receiver Operator Curve, according to the method of Sackett et al., *Clinical*  
30 *Epidemiology: A Basic Science for Clinical Medicine*, Little Brown and Co., 1985, p. 106-7. Briefly, in this embodiment, the cut-off value may be determined from a plot

of pairs of true positive rates (*i.e.*, sensitivity) and false positive rates (100%-specificity) that correspond to each possible cut-off value for the diagnostic test result. The cut-off value on the plot that is the closest to the upper left-hand corner (*i.e.*, the value that encloses the largest area) is the most accurate cut-off value, and a sample generating a  
5 signal that is higher than the cut-off value determined by this method may be considered positive. Alternatively, the cut-off value may be shifted to the left along the plot, to minimize the false positive rate, or to the right, to minimize the false negative rate. In general, a sample generating a signal that is higher than the cut-off value determined by this method is considered positive for a cancer.

10 In a related embodiment, the assay is performed in a flow-through or strip test format, wherein the binding agent is immobilized on a membrane, such as nitrocellulose. In the flow-through test, polypeptides within the sample bind to the immobilized binding agent as the sample passes through the membrane. A second, labeled binding agent then binds to the binding agent-polypeptide complex as a solution  
15 containing the second binding agent flows through the membrane. The detection of bound second binding agent may then be performed as described above. In the strip test format, one end of the membrane to which binding agent is bound is immersed in a solution containing the sample. The sample migrates along the membrane through a region containing second binding agent and to the area of immobilized binding agent.  
20 Concentration of second binding agent at the area of immobilized antibody indicates the presence of a cancer. Typically, the concentration of second binding agent at that site generates a pattern, such as a line, that can be read visually. The absence of such a pattern indicates a negative result. In general, the amount of binding agent immobilized on the membrane is selected to generate a visually discernible pattern when the  
25 biological sample contains a level of polypeptide that would be sufficient to generate a positive signal in the two-antibody sandwich assay, in the format discussed above. Preferred binding agents for use in such assays are antibodies and antigen-binding fragments thereof. Preferably, the amount of antibody immobilized on the membrane ranges from about 25 ng to about 1 $\mu$ g, and more preferably from about 50 ng to about  
30 500 ng. Such tests can typically be performed with a very small amount of biological sample.



Of course, numerous other assay protocols exist that are suitable for use with the tumor proteins or binding agents of the present invention. The above descriptions are intended to be exemplary only. For example, it will be apparent to those of ordinary skill in the art that the above protocols may be readily modified to use  
5 ovarian carcinoma polypeptides to detect antibodies that bind to such polypeptides in a biological sample. The detection of such ovarian carcinoma protein specific antibodies may correlate with the presence of a cancer.

A cancer may also, or alternatively, be detected based on the presence of T cells that specifically react with an ovarian carcinoma protein in a biological sample.  
10 Within certain methods, a biological sample comprising CD4<sup>+</sup> and/or CD8<sup>+</sup> T cells isolated from a patient is incubated with an ovarian carcinoma protein, a polynucleotide encoding such a polypeptide and/or an APC that expresses at least an immunogenic portion of such a polypeptide, and the presence or absence of specific activation of the T cells is detected. Suitable biological samples include, but are not limited to, isolated  
15 T cells. For example, T cells may be isolated from a patient by routine techniques (such as by Ficoll/Hypaque density gradient centrifugation of peripheral blood lymphocytes). T cells may be incubated *in vitro* for 2-9 days (typically 4 days) at 37°C with an ovarian carcinoma protein (*e.g.*, 5 - 25 µg/ml). It may be desirable to incubate another aliquot of a T cell sample in the absence of ovarian carcinoma protein to serve as a control. For  
20 CD4<sup>+</sup> T cells, activation is preferably detected by evaluating proliferation of the T cells. For CD8<sup>+</sup> T cells, activation is preferably detected by evaluating cytolytic activity. A level of proliferation that is at least two fold greater and/or a level of cytolytic activity that is at least 20% greater than in disease-free patients indicates the presence of a cancer in the patient.

25 As noted above, a cancer may also, or alternatively, be detected based on the level of mRNA encoding an ovarian carcinoma protein in a biological sample. For example, at least two oligonucleotide primers may be employed in a polymerase chain reaction (PCR) based assay to amplify a portion of an ovarian carcinoma protein cDNA derived from a biological sample, wherein at least one of the oligonucleotide primers is  
30 specific for (*i.e.*, hybridizes to) a polynucleotide encoding the ovarian carcinoma protein. The amplified cDNA is then separated and detected using techniques well

known in the art, such as gel electrophoresis. Similarly, oligonucleotide probes that specifically hybridize to a polynucleotide encoding an ovarian carcinoma protein may be used in a hybridization assay to detect the presence of polynucleotide encoding the tumor protein in a biological sample.

5 To permit hybridization under assay conditions, oligonucleotide primers and probes should comprise an oligonucleotide sequence that has at least about 60%, preferably at least about 75% and more preferably at least about 90%, identity to a portion of a polynucleotide encoding an ovarian carcinoma protein that is at least 10 nucleotides, and preferably at least 20 nucleotides, in length. Preferably,  
10 oligonucleotide primers and/or probes hybridize to a polynucleotide encoding a polypeptide described herein under moderately stringent conditions, as defined above. Oligonucleotide primers and/or probes which may be usefully employed in the diagnostic methods described herein preferably are at least 10-40 nucleotides in length. In a preferred embodiment, the oligonucleotide primers comprise at least 10 contiguous  
15 nucleotides, more preferably at least 15 contiguous nucleotides, of a DNA molecule having a sequence provided herein. Techniques for both PCR based assays and hybridization assays are well known in the art (*see, for example, Mullis et al., Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich ed., *PCR Technology*, Stockton Press, NY, 1989).

20 One preferred assay employs RT-PCR, in which PCR is applied in conjunction with reverse transcription. Typically, RNA is extracted from a biological sample such as a biopsy tissue and is reverse transcribed to produce cDNA molecules. PCR amplification using at least one specific primer generates a cDNA molecule, which may be separated and visualized using, for example, gel electrophoresis. Amplification  
25 may be performed on biological samples taken from a test patient and from an individual who is not afflicted with a cancer. The amplification reaction may be performed on several dilutions of cDNA spanning two orders of magnitude. A two-fold or greater increase in expression in several dilutions of the test patient sample as compared to the same dilutions of the non-cancerous sample is typically considered  
30 positive.

In another embodiment, ovarian carcinoma proteins and polynucleotides encoding such proteins may be used as markers for monitoring the progression of cancer. In this embodiment, assays as described above for the diagnosis of a cancer may be performed over time, and the change in the level of reactive polypeptide(s) evaluated. For example, the assays may be performed every 24-72 hours for a period of 6 months to 1 year, and thereafter performed as needed. In general, a cancer is progressing in those patients in whom the level of polypeptide detected by the binding agent increases over time. In contrast, the cancer is not progressing when the level of reactive polypeptide either remains constant or decreases with time.

Certain *in vivo* diagnostic assays may be performed directly on a tumor. One such assay involves contacting tumor cells with a binding agent. The bound binding agent may then be detected directly or indirectly via a reporter group. Such binding agents may also be used in histological applications. Alternatively, polynucleotide probes may be used within such applications.

As noted above, to improve sensitivity, multiple ovarian carcinoma protein markers may be assayed within a given sample. It will be apparent that binding agents specific for different proteins provided herein may be combined within a single assay. Further, multiple primers or probes may be used concurrently. The selection of tumor protein markers may be based on routine experiments to determine combinations that results in optimal sensitivity. In addition, or alternatively, assays for tumor proteins provided herein may be combined with assays for other known tumor antigens.

#### DIAGNOSTIC KITS

The present invention further provides kits for use within any of the above diagnostic methods. Such kits typically comprise two or more components necessary for performing a diagnostic assay. Components may be compounds, reagents, containers and/or equipment. For example, one container within a kit may contain a monoclonal antibody or fragment thereof that specifically binds to an ovarian carcinoma protein. Such antibodies or fragments may be provided attached to a support material, as described above. One or more additional containers may enclose elements, such as reagents or buffers, to be used in the assay. Such kits may also, or alternatively,

contain a detection reagent as described above that contains a reporter group suitable for direct or indirect detection of antibody binding.

Alternatively, a kit may be designed to detect the level of mRNA encoding an ovarian carcinoma protein in a biological sample. Such kits generally  
5 comprise at least one oligonucleotide probe or primer, as described above, that hybridizes to a polynucleotide encoding an ovarian carcinoma protein. Such an oligonucleotide may be used, for example, within a PCR or hybridization assay. Additional components that may be present within such kits include a second  
10 oligonucleotide and/or a diagnostic reagent or container to facilitate the detection of a polynucleotide encoding an ovarian carcinoma protein.

The following Examples are offered by way of illustration and not by way of limitation.

## EXAMPLES

Example 1Identification of Representative Ovarian Carcinoma Protein cDNAs

5

This Example illustrates the identification of cDNA molecules encoding ovarian carcinoma proteins.

Anti-SCID mouse sera (generated against sera from SCID mice carrying late passage ovarian carcinoma) was pre-cleared of E. coli and phage antigens and used  
10 at a 1:200 dilution in a serological expression screen. The library screened was made from a SCID-derived human ovarian tumor (OV9334) using a directional RH oligo(dT) priming cDNA library construction kit and the  $\lambda$ Screen vector (Novagen). A bacteriophage lambda screen was employed. Approximately 400,000 pfu of the amplified OV9334 library were screened.

15

196 positive clones were isolated. Certain sequences that appear to be novel are provided in Figures 1A-1S and SEQ ID NOs:1 to 71. Three complete insert sequences are shown in Figures 2A-2C (SEQ ID NOs:72 to 74). Other clones having known sequences are presented in Figures 15A-15EEE (SEQ ID NOs:82 to 310). Database searches identified the following sequences that were substantially identical to  
20 the sequences presented in Figures 15A-15EEE.

These clones were further characterized using microarray technology to determine mRNA expression levels in a variety of tumor and normal tissues. Such analyses were performed using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions. PCR amplification products were arrayed on slides, with  
25 each product occupying a unique location in the array. mRNA was extracted from the tissue sample to be tested, reverse transcribed and fluorescent-labeled cDNA probes were generated. The microarrays were probed with the labeled cDNA probes and the slides were scanned to measure fluorescence intensity. Data was analyzed using Synteni's provided GEMtools software. The results for one clone (13695, also referred  
30 to as O8E) are shown in Figure 3.

Example 2Identification of Ovarian Carcinoma cDNAs using Microarray Technology

5

This Example illustrates the identification of ovarian carcinoma polynucleotides by PCR subtraction and microarray analysis. Microarrays of cDNAs were analyzed for ovarian tumor-specific expression using a Synteni (Palo Alto, CA) microarray, according to the manufacturer's instructions (and essentially as described by Schena et al., *Proc. Natl. Acad. Sci. USA* 93:10614-10619, 1996 and Heller et al., *Proc. Natl. Acad. Sci. USA* 94:2150-2155, 1997).

A PCR subtraction was performed using a tester comprising cDNA of four ovarian tumors (three of which were metastatic tumors) and a driver of cDNA from five normal tissues (adrenal gland, lung, pancreas, spleen and brain). cDNA fragments recovered from this subtraction were subjected to DNA microarray analysis where the fragments were PCR amplified, adhered to chips and hybridized with fluorescently labeled probes derived from mRNAs of human ovarian tumors and a variety of normal human tissues. In this analysis, the slides were scanned and the fluorescence intensity was measured, and the data were analyzed using Synteni's GEMtools software. In general, sequences showing at least a 5-fold increase in expression in tumor cells (relative to normal cells) were considered ovarian tumor antigens. The fluorescent results were analyzed and clones that displayed increased expression in ovarian tumors were further characterized by DNA sequencing and database searches to determine the novelty of the sequences.

25

Using such assays, an ovarian tumor antigen was identified that is a splice fusion between the human T-cell leukemia virus type I oncoprotein TAX (*see* Jin et al., *Cell* 93:81-91, 1998) and an extracellular matrix protein called osteonectin. A splice junction sequence exists at the fusion point. The sequence of this clone is presented in Figure 4 and SEQ ID NO:75. Osteonectin, unspliced and unaltered, was also identified from such assays independently.

30

Further clones identified by this method are referred to herein as 3f, 6b, 8e, 8h, 12c and 12h. Sequences of these clones are shown in Figures 5 to 9 and SEQ ID NOs:76 to 81. Microarray analyses were performed as described above, and are presented in Figures 10 to 14. A full length sequence encompassing clones 3f, 6b, 8e and 12h was obtained by screening an ovarian tumor (SCID-derived) cDNA library. This 2996 base pair sequence (designated O772P) is presented in SEQ ID NO:311, and the encoded 914 amino acid protein sequence is shown in SEQ ID NO:312. PSORT analysis indicates a Type 1a transmembrane protein localized to the plasma membrane.

In addition to certain of the sequences described above, this screen identified the following sequences:

Sequence	Comments
OV4vG11 (SEQ ID NO:313)	human clone 1119D9 on chromosome 20p12
OV4vB11 (SEQ ID NO:314)	human UWGC:y14c094 from chromosome 6p21
OV4vD9 (SEQ ID NO:315)	human clone 1049G16 chromosome 20q12-13.2
OV4vD5 (SEQ ID NO:316)	human KIAA0014 gene
OV4vC2 (SEQ ID NO:317)	human KIAA0084 gene
OV4vF3 (SEQ ID NO:318)	human chromosome 19 cosmid R31167
OV4VC1 (SEQ ID NO:319)	novel
OV4vH3 (SEQ ID NO:320)	novel
OV4vD2 (SEQ ID NO:321)	novel
O815P (SEQ ID NO:322)	novel
OV4vC12 (SEQ ID NO:323)	novel
OV4vA4 (SEQ ID NO:324)	novel
OV4vA3 (SEQ ID NO:325)	novel
OV4v2A5 (SEQ ID NO:326)	novel
O819P (SEQ ID NO:327)	novel
O818P (SEQ ID NO:328)	novel
O817P (SEQ ID NO:329)	novel
O816P (SEQ ID NO:330)	novel
Ov4vC5 (SEQ ID NO:331)	novel

Sequence	Comments
21721 (SEQ ID NO:332)	human lumican
21719 (SEQ ID NO:333)	human retinoic acid-binding protein II
21717 (SEQ ID NO:334)	human26S proteasome ATPase subunit
21654 (SEQ ID NO:335)	human copine I
21627 (SEQ ID NO:336)	human neuron specific gamma-2 enolase
21623 (SEQ ID NO:337)	human geranylgeranyl transferase II
21621 (SEQ ID NO:338)	human cyclin-dependent protein kinase
21616 (SEQ ID NO:339)	human prepro-megakaryocyte potentiating factor
21612 (SEQ ID NO:340)	human UPH1
21558 (SEQ ID NO:341)	human RalGDS-like 2 (RGL2)
21555 (SEQ ID NO:342)	human autoantigen P542
21548 (SEQ ID NO:343)	human actin-related protein (ARP2)
21462 (SEQ ID NO:344)	human huntingtin interacting protein
21441 (SEQ ID NO:345)	human 90K product (tumor associated antigen)
21439 (SEQ ID NO:346)	human guanine nucleotide regulator protein (tim1)
21438 (SEQ ID NO:347)	human Ku autoimmune (p70/p80) antigen
21237 (SEQ ID NO:348)	human S-laminin
21436 (SEQ ID NO:349)	human ribophorin I
21435 (SEQ ID NO:350)	human cytoplasmic chaperonin hTRiC5
21425 (SEQ ID NO:351)	humanEMX2
21423 (SEQ ID NO:352)	human p87/p89 gene
21419 (SEQ ID NO:353)	human HPBR11-7
21252 (SEQ ID NO:354)	human T1-227H
21251 (SEQ ID NO:355)	human cullin I
21247 (SEQ ID NO:356)	kunitz type protease inhibitor (KOP)
21244-1 (SEQ ID NO:357)	human protein tyrosine phosphatase receptor F (PTPRF)
21718 (SEQ ID NO:358)	human LTR repeat
OV2-90 (SEQ ID NO:359)	novel



Sequence	Comments
Human zinc finger (SEQ ID NO:360)	
Human polyA binding protein (SEQ ID NO:361)	
Human pleiotrophin (SEQ ID NO:362)	
Human PAC clone 278C19 (SEQ ID NO:363)	
Human LLRep3 (SEQ ID NO:364)	
Human Kunitz type protease inhib (SEQ ID NO:365)	
Human KIAA0106 gene (SEQ ID NO:366)	
Human keratin (SEQ ID NO:367)	
Human HIV-1TAR (SEQ ID NO:368)	
Human glia derived nexin (SEQ ID NO:369)	
Human fibronectin (SEQ ID NO:370)	
Human ECMproBM40 (SEQ ID NO:371)	
Human collagen (SEQ ID NO:372)	
Human alpha enolase (SEQ ID NO:373)	
Human aldolase (SEQ ID NO:374)	
Human transf growth factor BIG H3 (SEQ ID NO:375)	
Human SPARC osteonectin (SEQ ID NO:376)	
Human SLP1 leucocyte protease (SEQ ID NO:377)	
Human mitochondrial ATP synth (SEQ ID NO:378)	
Human DNA seq clone 461P17 (SEQ ID NO:379)	
Human dbpB pro Y box (SEQ ID NO:380)	
Human 40 kDa keratin (SEQ ID NO:381)	
Human arginosuccinate synth (SEQ ID NO:382)	
Human acidic ribosomal phosphoprotein (SEQ ID NO:383)	
Human colon carcinoma laminin binding pro (SEQ ID NO:384)	

This screen further identified multiple forms of the clone O772P, referred to herein as 21013, 21003 and 21008. PSORT analysis indicates that 21003 (SEQ ID NO:386; translated as SEQ ID NO:389) and 21008 (SEQ ID NO:387; translated as SEQ ID NO:390) represent Type Ia transmembrane protein forms of

O772P. 21013 (SEQ ID NO:385; translated as SEQ ID NO:388) appears to be a truncated form of the protein and is predicted by PSORT analysis to be a secreted protein.

Additional sequence analysis resulted in a full length clone for O8E  
5 (2627 bp, which agrees with the message size observed by Northern analysis; SEQ ID NO:391). This nucleotide sequence was obtained as follows: the original O8E sequence (OrigO8Econs) was found to overlap by 33 nucleotides with a sequence from an EST clone (IMAGE#1987589). This clone provided 1042 additional nucleotides upstream of the original O8E sequence. The link between the EST and O8E was confirmed by  
10 sequencing multiple PCR fragments generated from an ovary primary tumor library using primers to the unique EST and the O8E sequence (ESTxO8EPCR). Full length status was further indicated when anchored PCR from the ovary tumor library gave several clones (AnchoredPCR cons) that all terminated upstream of the putative start methionine, but failed to yield any additional sequence information. Figure 16 presents  
15 a diagram that illustrates the location of each partial sequence within the full length O8E sequence.

Two protein sequences may be translated from the full length O8E. For "a" (SEQ ID NO:393) begins with a putative start methionine. A second form "b" (SEQ ID NO:392) includes 27 additional upstream residues to the 5' end of the nucleotide  
20 sequence.

From the foregoing it will be appreciated that, although specific embodiments of the invention have been described herein for purposes of illustration, various modifications may be made without deviating from the spirit and scope of the invention. Accordingly, the invention is not limited except as by the appended claims.  
25

#### SUMMARY OF SEQUENCE LISTING

SEQ ID NOs:1-71 are ovarian carcinoma antigen polynucleotides shown in Figures 1A-1S.

SEQ ID NOs:72-74 are ovarian carcinoma antigen polynucleotides  
30 shown in Figures 2A-2C.

SEQ ID NO:75 is the ovarian carcinoma polynucleotide 3g (Figure 4).

SEQ ID NO:76 is the ovarian carcinoma polynucleotide 3f (Figure 5).

SEQ ID NO:77 is the ovarian carcinoma polynucleotide 6b (Figure 6).

SEQ ID NO:78 is the ovarian carcinoma polynucleotide 8e (Figure 7A).

SEQ ID NO:79 is the ovarian carcinoma polynucleotide 8h (Figure 7B).

5      SEQ ID NO:80 is the ovarian carcinoma polynucleotide 12e (Figure 8).

SEQ ID NO:81 is the ovarian carcinoma polynucleotide 12h (Figure 9).

SEQ ID NOs:82-310 are ovarian carcinoma antigen polynucleotides  
shown in Figures 15A-15EEE.

10      SEQ ID NO:311 is a full length sequence of ovarian carcinoma  
polynucleotide O772P.

SEQ ID NO:312 is the O772P amino acid sequence.

SEQ ID NOs:313-384 are ovarian carcinoma antigen polynucleotides.

SEQ ID NOs:385-390 present sequences of O772P forms.

15      SEQ ID NO:391 is a full length sequence of ovarian carcinoma  
polynucleotide O8E.

SEQ ID NOs:392-393 are protein sequences encoded by O8E.

## CLAIMS

1. An isolated polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (a) polynucleotides recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391; and
- (b) complements of the foregoing polynucleotides.

2. A polypeptide according to claim 1, wherein the polypeptide comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (a) polynucleotides recited in any one of 1-81, 313-331, 359, 366, 379, 385-387 or 391; and
- (b) complements of such polynucleotides.

3. An isolated polynucleotide encoding at least 5 amino acid residues of a polypeptide according to claim polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein, or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (a) polynucleotides recited in any one of SEQ ID NOs:1-81, 319-331, 359, 385-387 or 391; and
- (b) complements of the foregoing polynucleotides

4. A polynucleotide according to claim 3, wherein the polynucleotide encodes an immunogenic portion of the polypeptide.
5. A polynucleotide according to claim 3, wherein the polynucleotide comprises a sequence recited in any one of SEQ ID NOs:1-81, 319-331, 359, 385-387, 391 or a complement of any of the foregoing sequences.
6. An isolated polynucleotide complementary to a polynucleotide according to claim 3.
7. An expression vector comprising a polynucleotide according to claim 3 or claim 6.
8. A host cell transformed or transfected with an expression vector according to claim 7.
9. A pharmaceutical composition comprising a polypeptide according to claim 1, in combination with a physiologically acceptable carrier.
10. A pharmaceutical composition according to claim 9, wherein the polypeptide comprises an amino acid sequence encoded by a polynucleotide that comprises a sequence recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391.
11. A vaccine comprising a polypeptide according to claim 1, in combination with a non-specific immune response enhancer.
12. A vaccine according to claim 11, wherein the polypeptide comprises an amino acid sequence encoded by a polynucleotide that comprises a sequence recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391.
13. A pharmaceutical composition comprising:

(a) a polynucleotide encoding an ovarian carcinoma polypeptide, wherein the polypeptide comprises at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-81, 319-331, 359, 385-387 or 391; and

(ii) complements of the foregoing polynucleotides; and

(b) a physiologically acceptable carrier.

14. A pharmaceutical composition according to claim 13, wherein the polynucleotide comprises a sequence recited in any one of SEQ ID NOs:1-81, 319-331, 359, 385-387, 391 or a complement of any of the foregoing sequences.

15. A vaccine comprising:

(a) a polynucleotide encoding an ovarian carcinoma polypeptide, wherein the polypeptide comprises at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391; and

(ii) complements of the foregoing polynucleotides; and

16. A vaccine according to claim 15, wherein the polynucleotide comprises a sequence recited in any one of SEQ ID NOs:1-81, 319-331, 359, 385-387 or 391.

17. A pharmaceutical composition comprising:

(a) an antibody that specifically binds to an ovarian carcinoma protein, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-81, 313-331, 359, 366, 379, 385-387 or 391; and

(ii) complements of such polynucleotides; and

(b) a physiologically acceptable carrier.

18. A method for inhibiting the development of ovarian cancer in a patient, comprising administering to a patient an effective amount of an agent selected from the group consisting of:

(a) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of such polynucleotides;

(b) a polynucleotide encoding a polypeptide as recited in (a); and

(c) an antibody that specifically binds to an ovarian carcinoma protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of such polynucleotides;

and thereby inhibiting the development of ovarian cancer in the patient.

19. A method according to claim 18, wherein the agent is present within a pharmaceutical composition according to any one of claims 9, 13 or 17.
20. A method according to claim 18, wherein the agent is present within a vaccine according to any one of claims 11, 15 or 18.
21. A fusion protein comprising at least one polypeptide according to claim 1.
22. A polynucleotide encoding a fusion protein according to claim 21.
23. A pharmaceutical composition comprising a fusion protein according to claim 21 in combination with a physiologically acceptable carrier.
24. A vaccine comprising a fusion protein according to claim 21 in combination with a non-specific immune response enhancer.
25. A pharmaceutical composition comprising a polynucleotide according to claim 22 in combination with a physiologically acceptable carrier.
26. A vaccine comprising a polynucleotide according to claim 22 in combination with a non-specific immune response enhancer.
27. A method for inhibiting the development of ovarian cancer in a patient, comprising administering to a patient an effective amount of a pharmaceutical composition according to claim 23 or claim 25.
28. A method for inhibiting the development of ovarian cancer in a patient, comprising administering to a patient an effective amount of a vaccine according to claim 23 or claim 26.



29. A pharmaceutical composition, comprising:

(a) an antigen presenting cell that expresses an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of such polynucleotides; and

(b) a pharmaceutically acceptable carrier or excipient.

30. A vaccine, comprising:

(a) an antigen presenting cell that expresses an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of such polynucleotides; and

(b) a non-specific immune response enhancer.

31. A vaccine comprising:

(a) an anti-idiotypic antibody or antigen-binding fragment thereof that is specifically bound by an antibody that specifically binds to an ovarian carcinoma protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

- (ii) complements of such polynucleotides; and
- (b) non-specific immune response enhancer.

32. A vaccine according to claim 30 or claim 31, wherein the immune response enhancer is an adjuvant.

33. A pharmaceutical composition, comprising:

(a) a T cell that specifically reacts with an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

- (ii) complements of such polynucleotides; and
- (b) a physiologically acceptable carrier.

34. A vaccine, comprising:

(a) a T cell that specifically reacts with an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

- (ii) complements of such polynucleotides; and
- (b) a non-specific immune response enhancer.

35. A method for inhibiting the development of ovarian cancer in a patient, comprising administering to the patient an effective amount of a pharmaceutical composition according to claim 29 or claim 33.

36. A method for inhibiting the development of ovarian cancer in a patient, comprising administering to the patient an effective amount of a vaccine according to any one of claims 30, 31 or 34.

37. A method for stimulating and/or expanding T cells, comprising contacting T cells with:

(a) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of such polynucleotides;

(b) a polynucleotide encoding such a polypeptide; and/or

(c) an antigen presenting cell that expresses such a polypeptide under conditions and for a time sufficient to permit the stimulation and/or expansion of T cells.

38. A method according to claim 37, wherein the T cells are cloned prior to expansion.

39. A method for stimulating and/or expanding T cells in a mammal, comprising administering to a mammal a pharmaceutical composition comprising:

(a) one or more of:

(i) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one

or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

complements of such polynucleotides;

(ii) a polynucleotide encoding an ovarian carcinoma polypeptide;

or

(iii) an antigen-presenting cell that expresses an ovarian carcinoma polypeptide; and

(b) a physiologically acceptable carrier or excipient;  
and thereby stimulating and/or expanding T cells in a mammal.

40. A method for stimulating and/or expanding T cells in a mammal, comprising administering to a mammal a vaccine comprising:

(a) one or more of:

(i) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

complements of such polynucleotides;

(ii) a polynucleotide encoding an ovarian carcinoma polypeptide;

or

(iii) an antigen-presenting cell that expresses an ovarian carcinoma polypeptide; and

- (b) a non-specific immune response enhancer;  
and thereby stimulating and/or expanding T cells in a mammal.

41. A method for inhibiting the development of ovarian cancer in a patient, comprising administering to a patient T cells prepared according to the method of claim 39 or claim 40.

42. A method for inhibiting the development of ovarian cancer in a patient, comprising the steps of:

- (a) incubating CD4<sup>+</sup> T cells isolated from a patient with one or more of:
  - (i) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:
    - polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and
    - complements of such polynucleotides;
  - (ii) a polynucleotide encoding an ovarian carcinoma polypeptide;or
  - (iii) an antigen-presenting cell that expresses an ovarian carcinoma polypeptide;
  - such that T cells proliferate; and
- (b) administering to the patient an effective amount of the proliferated T cells, and therefrom inhibiting the development of ovarian cancer in the patient.

43. A method for inhibiting the development of ovarian cancer in a patient, comprising the steps of:

- (a) incubating CD4<sup>+</sup> T cells isolated from a patient with one or more of:

(i) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

complements of such polynucleotides;

(ii) a polynucleotide encoding an ovarian carcinoma polypeptide;  
or

(iii) an antigen-presenting cell that expresses an ovarian carcinoma polypeptide;

such that T cells proliferate;

(b) cloning one or more proliferated cells; and

(c) administering to the patient an effective amount of the cloned T cells.

44. A method for inhibiting the development of ovarian cancer in a patient, comprising the steps of:

(a) incubating CD8<sup>+</sup> T cells isolated from a patient with one or more of:

(i) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

complements of such polynucleotides;

- (ii) a polynucleotide encoding an ovarian carcinoma polypeptide;
  - or
  - (iii) an antigen-presenting cell that expresses an ovarian carcinoma polypeptide;
- such that T cells proliferate; and
- (b) administering to the patient an effective amount of the proliferated T cells, and therefrom inhibiting the development of ovarian cancer in the patient.

45. A method for inhibiting the development of ovarian cancer in a patient, comprising the steps of:

- (a) incubating CD8<sup>+</sup> T cells isolated from a patient with one or more of:
  - (i) an ovarian carcinoma polypeptide comprising at least an immunogenic portion of an ovarian carcinoma protein or a variant thereof that differs in one or more substitutions, deletions, additions and/or insertions such that the ability of the variant to react with antigen-specific antisera is not substantially diminished, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

- complements of such polynucleotides;
- (ii) a polynucleotide encoding an ovarian carcinoma polypeptide;
  - or
  - (iii) an antigen-presenting cell that expresses an ovarian carcinoma polypeptide;

such that the T cells proliferate;

- (b) cloning one or more proliferated cells ; and
- (c) administering to the patient an effective amount of the cloned T cells.

46. A method for identifying a secreted tumor antigen, comprising the steps of:

- (a) implanting tumor cells in an immunodeficient mammal;
- (b) obtaining serum from the immunodeficient mammal after a time sufficient to permit secretion of tumor antigens into the serum;
- (c) immunizing an immunocompetent mammal with the serum;
- (d) obtaining antiserum from the immunocompetent mammal; and
- (e) screening a tumor expression library with the antiscrum, and therefrom identifying a secreted tumor antigen.

47. A method according to claim 46, wherein the immunodeficient mammal is a SCID mouse and wherein the immunocompetent mammal is an immunocompetent mouse.

48. A method for identifying a secreted ovarian carcinoma antigen, comprising the steps of:

- (a) implanting ovarian carcinoma cells in a SCID mouse;
- (b) obtaining serum from the SCID mouse after a time sufficient to permit secretion of ovarian carcinoma antigens into the serum;
- (c) immunizing an immunocompetent mouse with the serum;
- (d) obtaining antiserum from the immunocompetent mouse; and
- (e) screening an ovarian carcinoma expression library with the antiserum, and therefrom identifying a secreted ovarian carcinoma antigen.

49. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

- (a) contacting a biological sample obtained from a patient with a binding agent that binds to an ovarian carcinoma protein, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:



- (i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and
- (ii) complements of the foregoing polynucleotides;
- (b) detecting in the sample an amount of polypeptide that binds to the binding agent; and
- (c) comparing the amount of polypeptide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

50. A method according to claim 49, wherein the binding agent is an antibody.

51. A method according to claim 50, wherein the antibody is a monoclonal antibody.

52. A method according to claim 49, wherein the cancer is ovarian cancer.

53. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

- (a) contacting a biological sample obtained from a patient at a first point in time with a binding agent that binds to an ovarian carcinoma protein, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

- (ii) complements of the foregoing polynucleotides;

- (b) detecting in the sample an amount of polypeptide that binds to the binding agent;

- (c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polypeptide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

54. A method according to claim 53, wherein the binding agent is an antibody.

55. A method according to claim 54, wherein the antibody is a monoclonal antibody.

56. A method according to claim 53, wherein the cancer is ovarian cancer.

57. A method for determining the presence or absence of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes an ovarian carcinoma protein, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide; and

(c) comparing the amount of polynucleotide that hybridizes to the oligonucleotide to a predetermined cut-off value, and therefrom determining the presence or absence of a cancer in the patient.

58. A method according to claim 57, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

59. A method according to claim 57, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

60. A method for monitoring the progression of a cancer in a patient, comprising the steps of:

(a) contacting a biological sample obtained from a patient with an oligonucleotide that hybridizes to a polynucleotide that encodes an ovarian carcinoma protein, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

(i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and

(ii) complements of the foregoing polynucleotides;

(b) detecting in the sample an amount of a polynucleotide that hybridizes to the oligonucleotide;

(c) repeating steps (a) and (b) using a biological sample obtained from the patient at a subsequent point in time; and

(d) comparing the amount of polynucleotide detected in step (c) to the amount detected in step (b) and therefrom monitoring the progression of the cancer in the patient.

61. A method according to claim 60, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a polymerase chain reaction.

62. A method according to claim 60, wherein the amount of polynucleotide that hybridizes to the oligonucleotide is determined using a hybridization assay.

63. A diagnostic kit, comprising:

(a) one or more antibodies or antigen-binding fragments thereof that specifically bind to an ovarian carcinoma protein that comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:

- (i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and
    - (ii) complements of the foregoing polynucleotides.; and
  - (b) a detection reagent comprising a reporter group.
64. A kit according to claim 63, wherein the antibodies are immobilized on a solid support.
65. A kit according to claim 63, wherein the solid support comprises nitrocellulose, latex or a plastic material.
66. A kit according to claim 63, wherein the detection reagent comprises an anti-immunoglobulin, protein G, protein A or lectin.
67. A kit according to claim 63, wherein the reporter group is selected from the group consisting of radioisotopes, fluorescent groups, luminescent groups, enzymes, biotin and dye particles.
68. A diagnostic kit, comprising:
- (a) an oligonucleotide comprising 10 to 40 nucleotides that hybridize under moderately stringent conditions to a polynucleotide that encodes an ovarian carcinoma protein, wherein the ovarian carcinoma protein comprises an amino acid sequence that is encoded by a polynucleotide sequence selected from the group consisting of:
    - (i) polynucleotides recited in any one of SEQ ID NOs:1-387 or 391; and
    - (ii) complements of the foregoing polynucleotides; and
  - (b) a diagnostic reagent for use in a polymerase chain reaction or hybridization assay.

## SEQUENCE LISTING

&lt;110&gt; Corixa Corporation

<120> COMPOSITIONS AND METHODS FOR THE THERAPY AND  
DIAGNOSIS OF OVARIAN CANCER

&lt;130&gt; 210121.462PC

&lt;140&gt; PCT

&lt;141&gt; 1999-12-17

&lt;160&gt; 393

&lt;170&gt; FastSEQ for Windows Version 3.0

&lt;210&gt; 1

&lt;211&gt; 461

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 1

ttagagaggc acagaaggaa gaagagttaa aagcagcaaa gccggggttt tttgttttgt	60
tttgttttgt tttgttttga gatggagtct cactctgttg cccaagctgg agtacaacgg	120
catgatctca gctcgtgca acctccgcct cccacgttca agtgattctc ctgcctcagc	180
ctcccaagta gctgggatta caggcgcccg ccaccacgct cagctaattt tttttgtatt	240
tttagtagag acagggtttc accagggttg ccaggctgct cttgaactcc tgacctcagg	300
tgatccaccc gcctcggcct cccaaagtgc tgggattaca ggcgtagcc accacgcccg	360
gccccaaaag ctgtttcttt tgtcttttagc gtaaagctct cctgccatgc agtatctaca	420
taactgacgt gactgccagc aagctcagtc actccgtggt c	461

&lt;210&gt; 2

&lt;211&gt; 540

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 2

taggatgtgt tggaccctct gtgtcaaaaa aaacctcaca aagaatcccc tgctcattac	60
agaagaagat gcatttaaaa tatgggttat tttcaacttt ttatctgagg acaagtatcc	120
attaattatt gtgtcagaag agattgaata cctgcttaag aagcttacag aagctatggg	180
aggagggttg cagcaagaac aatttgaaca ttataaaatc aactttgatg acagtaaaaa	240
tggcctttct gcatgggaac ttattgagct tattggaaat ggacagttta gcaaaggcat	300
ggaccggcag actgtgtcta tggcaattaa tgaagtcttt aatgaactta tattagatgt	360
gttaaagcag ggtaacatga tgaaaaaggg ccacagacgg aaaaactgga ctgaaagatg	420
gtttgtacta aaacccaaca taatttctta ctatgtgagt gaggatctga aggataagaa	480
aggagacatt ctcttgatg aaaattgctg tgtagagtcc ttgcctgaca aagatggaaa	540

&lt;210&gt; 3

&lt;211&gt; 461

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 3

```

ttagagaggc acagaaggaa gaagagttaa aagcagcaaa gccgggtttt tttgttttgt      60
tttgttttgt tttgttttga gatggagtct cactctgttg cccaagctgg agtacaacgg      120
catgatctca gctcgctgca acctccgcct ccacagttca agtgattctc ctgcctcagc      180
ctcccaagta gctgggatta caggcgcccg ccaccagct cagctaattt tttttgtatt      240
tttagtagag acagggtttc accaggttgg ccaggtgctg cttgaactcc tgacctcagg      300
tgatccaccc gcctcggcct cccaaagtgc tgggattaca ggcgtgagcc accacgcccg      360
gcccccaaag ctgtttcttt tgtcttttag gtaaagctct cctgccatgc agtatctaca      420
taactgacgt gactgccagc aagctcagtc actccgtggt c                                461

```

```

<210> 4
<211> 531
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(531)
<223> n = A,T,C or G

```

```

<400> 4
tctttttctt tgcatttcct tcaatttgct acgtttgatt ttatgaagtt gttcaagggc      60
taactgctgt gtattatagc tttctctgag ttccctcagc tgattgttaa atgaatccat      120
ttctgagagc ttagatgcag tttcttttcc aagagcatct aattgttctt taagtctttg      180
gcataattct tctttttctg atgacttttt atgaagtaaa ctgatccctg aatcaggtgt      240
gttactgagc tgcattgttt taattctttc gtttaatagc tgcttctcag ggaccagata      300
gataagctta ttttgatatt ccttaagctc ttgttgaagt tgtttgattt ccataatttc      360
caggtcacac tgtttatcca aaacttctag ctcagtcttt tgtgtttgct ttctgatttg      420
gacatcttgt agtctgcctg agatctgctg atgntttcca ttcactgctt ccagttccag      480
gtggagactt tnccttcttg agctcagcct gacaatgcct tcttgntccc t                                531

```

```

<210> 5
<211> 531
<212> DNA
<213> Homo sapien

```

```

<400> 5
agccagatgg ctgagagctg caagaagaag tcaggatcat gatggctcag tttcccacag      60
cgatgaatgg agggccaaat atgtgggcta ttacatctga agaacgtact aagcatgata      120
aacagtttga taacctcaaa ccttcaggag gttacataac aggtgatcaa gcccgactt      180
ttttcctaca gtcaggctct ccggcccccg ttttagctga aatatgggccc ttatcagatc      240
tgaacaagga tgggaagatg gaccagcaag agttctctat agctatgaaa ctcacaaagt      300
taaagtgtga gggccaacag ctgcctgtag tctccctccc tatcatgaaa caacccctta      360
tgttctctcc actaatctct gctcgttttg ggatgggaag catgcccaat ctgtccattc      420
atcagccatt gcctccagtt gcacctatag caacaccctt gtcttctgct acttcaggga      480
ccagtattcc tcccctaagt atgcctgctc ccctagtgcc ttctgttagt a                                531

```

```

<210> 6
<211> 531
<212> DNA
<213> Homo sapien

```

```

<400> 6
aatagattta atgcagagtg tcaacttcaa ttgattgata gtggctgcct agagtgtctgt      60
gttgagttagg tttctgagga tgcacctggg cttgaagaga aagactggca ggattaacaa      120
tatctaaaat ctcacttgta ggagaaacca caggcaccag agctgccact ggtgctggca      180

```

```
ccagctccac caaggccagc gaagagccca aatgtgagag tggcggtcag gctggcacca 240
gcaactgaagc caccactggt gctggcactg gcaactggcac tgttattggt actggctactg 300
gcaccagtgc tggcactgcc actctcttgg gctttggctt tagcttctgc tcccgcctgg 360
atccgggctt tggcccaggg tccgatatca gcttcgtccc agttgcaggg cccggcagca 420
ttctccgagc cgagcccaat gcccatctga gctctaactc cggccctagc cttggcttca 480
gctgcagcct cagctgcagc cttcaaatec gcttccatcg cctctcggtta c 531
```

<210> 7  
<211> 531  
<212> DNA  
<213> Homo sapien

```
<400> 7
gccaaagaaag ccgaaaggt gaagcatctg gatggggaag aggatggcag cagtgatcag 60
agtcaggctt ctggaaccac aggtggccga aggtgtctca aggcctaata ggcctcaatg 120
gcccgcaggg cttcaagggg tcccatagcc ttttgggcc gcagggcatc aaggactcgg 180
ttggctgctt gggcccgag agccttgctc tccctgagat cacctaaagc ccgtaggggc 240
aaggctcgcc gtagagctgc caagctccag tcatccaag agcctgaagc accaccacct 300
cgggatgtgg cccttttgca agggagggca aatgatttgg tgaagtacct tttggctaaa 360
gaccagacga agattcccat caagcgctcg gacatgctga aggacatcat caaagaatac 420
actgatgtgt accccgaaat cattgaacga gcaggctatt ccttggagaa ggtatttggg 480
attcaattga aggaaattga taagaatgac cacttgtaca ttcttctcag c 531
```

<210> 8  
<211> 531  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(531)  
<223> n = A,T,C or G

```
<400> 8
gaggtctcac tatgttggcc aggtgttct tgaactcctg ggatcaagca atccacccat 60
gttggctccc aaaagtgtg ggatcatagg cgtgagccac ctacccagc caccaatttt 120
caatcaggaa gactttttcc ttcttcaaga agtgaagggt ttccagagta tagctacact 180
attgcttgcc tgagggtgac tacaaaattg cttgctaaaa ggtaggatg ggtaaagaat 240
tagattttct gaatgcaaaa ataaaatgtg aactaatgaa ctttaggtaa tacatattca 300
taaaataatt attcacatat ttcttgattt atcacagaaa taatgtatga aatgctttga 360
gtttcttgga gtaaaactcca ttactcatcc caagaaacca tattataagt atcactgata 420
ataagaacaa caggaccttg tcataaattc tggataagag aaatagtctc tgggtgtttg 480
ntcttaattg ataaaattta cttgtccatc ttttagtcca gaatcacaaa a 531
```

<210> 9  
<211> 531  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(531)  
<223> n = A,T,C or G

<400> 9

aagcggaaat gagaaaggag ggaaatcat gtggtattga gcggaaaact gctggatgac 60  
agggtcagtc cctgttggag aactctgggt ggtgctgtag aacagggcc ctcacagtgg 120  
ggtgcacaga ccagcacggc tctgtgacct gtttgttaca ggtccatgat gaggtaaaca 180  
atacactgag tataagggtt ggtttagaaa ctcttacagc aatttgacaa agtaatcttc 240  
tgtgcagtga atctaagaaa aaaattgggg ctgtatttgt atgttccttt ttttcatttc 300  
atgttctgag ttacctattt ttattgcatt ttacaaaagc atccttccat gaaggaccgg 360  
aagttaaaaa caaagcaggt cctttatcac agcactgtcg tagaacacag ttcagagtta 420  
tccacccaag gagccaggga gctgggctaa accaaagaat tttgcttttg gttaatcatc 480  
aggtaactga gttggaattg ttttaatccc atcattacca ggctggangt g 531

<210> 10

<211> 861

<212> DNA

<213> Homo sapien

<400> 10

ccgcggctcc tgtccagacc ctgacctcc ctccaaggc tcaaccgtcc cccaacaacc 60  
gccagccttg tactgatgtc ggctgcgaga gctgtgctt aagtaagaat caggccttat 120  
tggagacatt caagcaaagg ttggacaact acttttccag aacagaaagg aaactcatgc 180  
atcagaaaaa gtgactaata aaggtaccag aagaatatgg ctgcacaaat accagaatct 240  
gatcagataa aacagtttaa ggaatttctg gggacctaca ataaacttac agagacctgc 300  
tttttgact gtgttagaga cttcacaaca agagaagtaa aacctgaaga gaccacctgt 360  
tcagaaacatt gcttacagaa atatttaaaa atgacacaaa gaatatccat gagatttcag 420  
gaatatcata ttcagcagaa tgaagccctg gcagccaaa caggactcct tggccaacca 480  
cgatagagaa gtccctgatg atgaactttt gatgaaagat tgccaacagc tgctttattg 540  
gaaatgagga ctcactgatg agaatcccct gaaagcagta gccaccatgt tcaaccatct 600  
gtcatgactg tttggcaaat ggaaccgct ggagaaacaa aattgctatt taccaggaat 660  
aatcacataa gaaggtctta ttgttcagt aaataataag atgcaacatt tgttgaggcc 720  
ttatgattca gcagcttgg cacttgatta gaaaaataaa ccattgtttc ttcaattgtg 780  
actgttaatt ttaaagcaac ttatgtgttc gatcatgtat gagatagaaa aatttttatt 840  
actcaaagta aaataaatgg a 861

<210> 11

<211> 541

<212> DNA

<213> Homo sapien

<400> 11

gaaaaaaat ataaaacaca cttttgcgaa aacggtggcc ctaaaagagg aaaagaattt 60  
caccaatata aatccaattt tatgaaaact gacaatttaa tccaagaatc acttttgtaa 120  
atgaagctag caagtgatga tatgataaaa taaacgtgga ggaaataaaa acacaagact 180  
tggcataaga tatatccact tttgatatta aacttgtgaa gcatattctt cgacaaattg 240  
tgaaagcgtt cctgatcttg cttgttctcc atttcaaata aggaggcata tcacatccca 300  
agagtaacag aaaaagaaaa aagacatttt tgcattttga gatgaaccaa agacacaaaa 360  
caaaacgaac aaagtgtcat gtctaattct agcctctgaa ataaaccttg aacatctcct 420  
acaaggcacc gtgatttttg taattctaac ctgaagaaat gtgatgactt ttgtggacat 480  
gaaaatcaga tgagaaaact gtggtctttc caaagcctga actcccctga aaacctttgc 540  
a 541

<210> 12

<211> 541

<212> DNA

<213> Homo sapien

<400> 12



```
ctgggatcat ttctcttgat gtcataaaag actcttcttc ttctctttca tctctttctt 60
catcctcttc tgtacagtgc tgccgggtac aacggctatc ttgtcttta tccgagatg 120
aagatgatgc ttctgtttct cctaccataa ctgaagaaat ttcgctggaa gtcgtttgac 180
tggctgtttc tctgacttca ccttctttgt caaacctgag tctttttacc tcatgccct 240
cagcttccac agcatcttca tctggatgtt ttttttcaa agggctcact gaggaactt 300
ctgattcaga ggtcgaagag tcactgtgat ttttctctc attttgctgc aaatttgct 360
ctttgctgtc tgtgctctca ggcaacccat ttgttgctat gggggctgac aaagaaacct 420
ttggtcgatt aagtggcctg ggtgtccag gccatttat attagacctc tcagtatagc 480
ttggtgaatt tccaggaaac ataacaccat tcattcgatt taaactattg gaattggttt 540
t 541
```

<210> 13  
<211> 441  
<212> DNA  
<213> Homo sapien

```
<400> 13
gagggttggt ggtagcggct tggggagggtg ctgctctgt cggtcttctt ctctgcacg 60
cttcccccg ctcccttcgt ttccccccc cggctgcctg cgtgccggag tgtgtgcgag 120
ggagggggag ggcgtcgggg ggggtggggg aggcgttccg gtccccaaga gaccgcgga 180
gggaggcgga ggctgtgagg gactccggga agccatggac gtcgagaggc tccaggaggc 240
gctgaaagat ttgagaaga ggggaaaaa ggaagttgt cctgtcctgg atcagtttct 300
ttgtcatgta gccaaactg gagaacaat gattcagtgg tcccaattta aaggctatct 360
tattttcaa ctggagaaag tgatggatga ttccagaact tcagctcctg agccaagagg 420
tctcccaac ctaatgtcg a 441
```

<210> 14  
<211> 131  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(131)  
<223> n = A,T,C or G

```
<400> 14
aagcaggcgg ctcccgcgct cgcagggccg tgccacctgc ccgcccggcc gtcgctcgc 60
tcgcccgcg cgccgcgctg ccgaccgcca gcatgctgcc gagagtgggc tgcccgcgc 120
tgccgntgcc g 131
```

<210> 15  
<211> 692  
<212> DNA  
<213> Homo sapien

```
<400> 15
atctcttgta tgccaaatat ttaataataa tctttgaaac aagttcagat gaaataaaaa 60
tcaaagtttg caaaaacgtg aagattaaat taattgtcaa atattcctca ttgccccaaa 120
tcagtatttt ttttatttct atgcaaaagt atgccttcaa actgcttaaa tgatatatga 180
tatgatacac aaaccagttt tcaaatagta aagccagtca tcttgcaatt gtaagaaata 240
ggtaaaagat tataagacac cttacacaca cacacacaca cacacacgtg tgcacgccaa 300
tgacaaaaaa caatttgcc tctcctaaaa taagaacatg aagaccctta attgctgcc 360
ggagggaaca ctgtgtcacc cctccctaca atccaggtag tttcctttaa tccaatagca 420
aatctgggca tatttgagag gagtgttct gacagccacg ttgaaatcct gtggggaacc 480
```

attcatgtcc acccactggt gccctgaaaa aatgccaaata atttttcgct cccacttctg 540  
ctgctgtctc ttccacatcc tcacatagac cccagaccgg ctggccctcg gctgggcatc 600  
gcattgctgg tagagcaagt cataggctctc gtctttgacg tcacagaagc gatacaccaa 660  
attgctggt cggtcattgt cataaccaga ga 692

<210> 16

<211> 728

<212> DNA

<213> Homo sapien

<400> 16

cagacggggt ttcactatgt tggctaggct ggtcttgaac tcttgacttc aggtgatctg 60  
cctgccttgg cctcccaaag tgctgggatt acaggcataa gccactgcgc ccggtgatc 120  
tgatggtttc ataaggcttt tccccctttt gctcagcact tctccttctt gccgccatgt 180  
gaagaaggac atgtttgctt ccccttccac cacgattgta agttgtttcc tgaggcctcc 240  
ccggccatgc tgaactgtga gtcaattaaa cctctttcct ttataaatta tccagttttg 300  
ggtagtgtctt tattagtaga atgagaacag actaatataa cccttaaagg agactgacgg 360  
agaggattct tcttgatcc cagcacttcc tctgaatgct actgacattc ttcttgagga 420  
ctttaaactg ggagatagaa aacagattcc atggctcagc agcctgagag cagggagggg 480  
gccaagctat agatgacatg ggcagcctcc cctgaggcca ggtgtggccg aacctgggca 540  
gtgctgccac ccacccacc agggccaaagt cctgtccttg gagagccaag cctcaatcac 600  
tgctagcctc aagtgtcccc aagccacagt ggctaggggg actcaggga cagtccag 660  
tctgccctac ttctcttacc ttacccttc atacctcaa agtagaccat gttcatgag 720  
tccaaaagg 728

<210> 17

<211> 531

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(531)

<223> n = A,T,C or G

<400> 17

aagcgaggaa gccactgcgg ctcttggtcg aaaagcggcg ccaggctcgg gaacagaggg 60  
aacgcgaaga acaggagcgg aagctgcagg ctgaaaaggga caagcgaatg cgagaggagc 120  
agctggcccc ggaggctgaa gcccggtctg aacgtgaggc cgaggcgagg agacgggagg 180  
agcaggaggc tcgagagaag gcgcaggctg agcaggagga gcaggagcga ctgcagaagc 240  
agaaaaggga agccgaagcc cggctccggg aagaagctga gcgccagcgc caggagcggg 300  
aaaagcactt tcagaaggag gaacaggaga gacaagagcg aagaaagcgg ctggaggaga 360  
taatgaagag gactcggaaa tcagaagccg ccgaaaccaa gaagcaggat gcaaaggaga 420  
ccgcagctaa caattccggc ccagaccctt gtgaaagctg tagagactcg gccctctggg 480  
cttcagaaa ggattctatt gcagaaagga aggagctngg cccccangg a 531

<210> 18

<211> 1041

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1041)

<223> n = A,T,C or G

&lt;400&gt; 18

ctctgtggaa	aactgatgag	gaatgaattt	accattaccc	atgttctcat	ccccaaagcaa	60
agtgtctgggt	ctgattactg	caacacagag	aacgaagaag	aacttttctc	catacaggat	120
cagcagggcc	tcatcacact	gggtctggatt	catactcacc	ccacacagac	cgcgtttctc	180
tccagtgtcg	acctacacac	tcaactgctct	taccagatga	tggtgccaga	gtcagtagcc	240
attgtttgct	cccccaagtt	ccaggaaact	ggattcttta	aactaactga	ccatggacta	300
gaggagattt	cttcctgtcg	ccagaaagga	tttcatccac	acagcaagga	tccacctctg	360
ttctgtagct	gcagccacgt	gactgttggtg	gacagagcag	tgaccatcac	agaccttcga	420
tgagcgtttg	agtccaacac	cttccaagaa	caacaaaacc	atatcagtg	actgtagccc	480
cttaatttaa	gctttctaga	aagctttgga	agtttttgta	gatagtagaa	aggggggcat	540
cacntgagaa	agagctgatt	ttgtatttca	ggtttgaaaa	gaaataactg	aacatatttt	600
ttaggcaagt	cagaaagaga	acatggtcac	ccaaaagcaa	ctgtaactca	gaaattaagt	660
tactcagaaa	ttaagtagct	cagaaattaa	gaaagaatgg	tataatgaac	ccccatatac	720
ccttccttct	ggattcacca	attgttaaca	tttttttctc	ctcagctatc	cttctaattt	780
ctctctaatt	tcaatttggt	tatatttacc	tctgggctca	ataagggcat	ctgtgcagaa	840
atttggaagc	catttagaaa	atcttttgga	tttctctgtg	gtttatggca	atatgaatgg	900
agcttattac	tggggtgagg	gacagcttac	tccatttgac	cagattgttt	ggctaacaca	960
tcccgaagaa	tgattttgtc	aggaattatt	gttattta	aaatatttca	ggatattttt	1020
cctctacaat	aaagtaacaa	t				1041

&lt;210&gt; 19

&lt;211&gt; 1043

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 19

ctctgtggaa	aactgatgag	gaatgaattt	accattaccc	atgttctcat	ccccaaagcaa	60
agtgtctgggt	ctgattactg	caacacagag	aacgaagaag	aacttttctc	catacaggat	120
cagcagggcc	tcatcacact	gggtctggatt	catactcacc	ccacacagac	cgcgtttctc	180
tccagtgtcg	acctacacac	tcaactgctct	taccagatga	tggtgccaga	gtcagtagcc	240
attgtttgct	cccccaagtt	ccaggaaact	ggattcttta	aactaactga	ccatggacta	300
gaggagattt	cttcctgtcg	ccagaaagga	tttcatccac	acagcaagga	tccacctctg	360
ttctgtagct	gcagccacgt	gactgttggtg	gacagagcag	tgaccatcac	agaccttcga	420
tgagcgtttg	agtccaacac	cttccaagaa	caacaaaacc	atatcagtg	actgtagccc	480
cttaatttaa	gctttctaga	aagctttgga	agtttttgta	gatagtagaa	aggggggcat	540
cacctgagaa	agagctgatt	ttgtatttca	ggtttgaaaa	gaaataactg	aacatatttt	600
ttaggcaagt	cagaaagaga	acatggtcac	ccaaaagcaa	ctgtaactca	gaaattaagt	660
tactcagaaa	ttaagtagct	cagaaattaa	gaaagaatgg	tataatgaac	ccccatatac	720
ccttccttct	ggattcacca	attgttaaca	tttttttctc	ctcagctatc	cttctaattt	780
ctctctaatt	tcaatttggt	tatatttacc	tctgggctca	ataagggcat	ctgtgcagaa	840
atttggaagc	catttagaaa	atcttttgga	tttctctgtg	gtttatggca	atatgaatgg	900
agcttattac	tggggtgagg	gacagcttac	tccatttgac	cagattgttt	ggctaacaca	960
tcccgaagaa	tgattttgtc	aggaattatt	gttattta	aaatatttca	ggatattttt	1020
cctctacaat	aaagtaacaa	tta				1043

&lt;210&gt; 20

&lt;211&gt; 448

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 20

ggacgacaag	gccatggcga	tatcggatcc	gaattcaagc	ctttggaatt	aaataaacct	60
ggaacagggg	aggtgaaagt	tggagtgaga	tgtcttccat	atctatacct	ttgtgcacag	120
ttgaatggga	actgtttggg	tttagggcat	cttagagttg	attgatggaa	aaagcagaca	180

```
ggaactggtg ggaggtcaag tggggaagtt ggtgaatgtg gaataactta cctttgtgct 240
ccacttaaac cagatgtgtt gcagctttcc tgacatgcaa ggatctactt taattccaca 300
ctctcattaa taaattgaat aaaagggaat gttttggcac ctgatataat ctgccaggct 360
atgtgacagt aggaaggaaat ggttccctt aacaagccca atgcactggg ctgactttat 420
aaattattta ataaaatgaa ctattatc 448
```

```
<210> 21
<211> 411
<212> DNA
<213> Homo sapien
```

```
<400> 21
ggcagtgaca ttcaccatca tgggaaccac cttccctttt cttcaggatt ctctgtagtg 60
gaagagagca ccagtggttg ggctgaaaac atctgaaagt agggagaaga acctaaaata 120
atcagtatct cagagggctc taaggtgcca agaagtctca ctggacattt aagtgccaac 180
aaaggcatac tttcggaatc gccaaagtcaa aactttctaa cttctgtctc tctcagagac 240
aagtgagact caagagtcta ctgctttagt ggcaactaca gaaaactggg gttacccaga 300
aaaacaggag caattagaaa tggttccaat atttcaaagc tccgcaaaca ggatgtgctt 360
tcctttgccc atttagggtt tcttctcttt cctttctctt tattaaccac t 411
```

```
<210> 22
<211> 896
<212> DNA
<213> Homo sapien
```

```
<220>
<221> misc_feature
<222> (1)...(896)
<223> n = A,T,C or G
```

```
<400> 22
tgcgctgaaa acaacggcct cctttactgt taaaatgcag ccacaggtgc ttagccgtgg 60
gcatctcaac caccagcctc tgtggggggc aggtgggcgt ccctgtgggc ctctgggccc 120
acgtccagcc tctgtcctct gccttccgtt cttcgacagt gtccccggca tccctgggtca 180
cttggtactt ggcgtggggc tctgtgtctg ctccagcagc tctccaggn ggtcggcccg 240
cttcaccgca gcctcatgtt gtgtccggag gctgtcacg gcctcctcct tctcgcgag 300
ggctgtcttc acctccggn gcaectcctc cagctccagc tgcgtggcgg cctgcagcgt 360
ggccagctcg gccttggcct gccgcgtctc ctccctcarag gctgccagcc ggtcctcgaa 420
ctcctggcgg atcacctggg ccaggttgct gcgctcgcta gaaagctgct cgttcaccgc 480
ctgcgcaccc tccagcggcc gctcctctg cgcacaaagg ccctgcagac gcagattctc 540
gccctcggcc tccccaagct ggcccttcag ctccgagcac cgtcctgaa gcttccgctc 600
cgactgtctc agctcggaga gctcggcctc gtacttgtcc cgtaagcgtc tgatgcggct 660
ctcggcagcc ttctcactct cctccttggc cagcgccatg tcggcctcca gccggtgaat 720
gaccagctca atctccttgt cccggccttt ccggatttct tccctcagct cctgttcccg 780
gttcagcagc cagcctcct ccttctgtgt gcggcgggcc tcccaagcct gcctctccag 840
ctccagctgc tgcttcaggg tattcagctc catctggcgg gcctgcagcg tggcca 896
```

```
<210> 23
<211> 111
<212> DNA
<213> Homo sapien
```

```
<400> 23
caacttatta cttgaaatta taatatagcc tgcctgtttg ctgtttccag gctgtgatat 60
attttcttag tggtttgact ttaaaaataa ataaggttta attttctccc c 111
```

<210> 24  
<211> 531  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(531)  
<223> n = A,T,C or G

<400> 24  
tgcaagtcac gggagtttat ttatttaatt tttttcccca gatggagact ctgtcgccca 60  
ggctggagtg caatggtgtg atcttggtc actgcaacct ccacctcctg ggttcaageg 120  
attctcctgc cacagcctcc cgagtagctg ggattacagg tgcccgccac cacaccagc 180  
taatttttat atttttagta aagacagggt ttccccatgt tggccaggct ggtcttgaaac 240  
ttctgacctc aggtgatcca cctgcctcgg cctcccaaag tgttgggatt acaggcgtga 300  
gctaccctgt cctggccagc cactggagtt taaaggacag tcatgttggc tccagcctaa 360  
ggcggcattt tcccccatca gaaagcccg cgtcctgtta cctcaaaata gggcacctgt 420  
aaagtcagtc agtgaagtct ctgctctaac tggccaccgg gggccattgg cntctgacac 480  
agccttgcca ggangcctgc atctgcaaaa gaaaagttca cttcctttcc g 531

<210> 25  
<211> 471  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(471)  
<223> n = A,T,C or G

<400> 25  
cagagaatct kagaaagatg tcgcgttttc ttttaatgaa tgagagaagc ccatttgtat 60  
ccctgaatca ttgagaaaag gcggcggtgg cgacagcggc gacctaggga tcgatctgga 120  
gggaacttgg gagcgtgcag agacctctag ctcgagcgcg agggacctcc cgccgggatg 180  
cctggggagc agatggaccc tactggaagt cagttggatt cagatttctc tcagcaagat 240  
actccttgcc tgataattga agattctcag cctgaaagcc aggttctaga ggatgattct 300  
ggttctcact tcagtatgct atctcgacac cttcctaata tccagacgca caaagaaaat 360  
cctgtgttgg atgttgngtc caatccttga acaaacagct ggagaagaac gaggagaccg 420  
gtaatatgtg gttcaatgaa catttgaaag aaaaccaggt tgcagaccct g 471

<210> 26  
<211> 541  
<212> DNA  
<213> Homo sapien

<400> 26  
gactgtcctg aacaaggagc ctctgaccag agagctgcag gagatgcaga gtggtggcag 60  
gagtgggaagc caaagaacac ccaccttctt cccttgaagg agtagagcaa ccatacagaag 120  
atactgtttt attgctctgg tcaaacaagt cttcctgagt tgacaaaacc tcaggctctg 180  
gtgacttctg aatctgcagt ccactttcca taagttcttg tgcagacaac tgttcttttg 240  
cttccatagc agcaacagat gctttggggc taaaaggcat gtcctctgac cttgcagggtg 300  
gtggattttg ctcttttaca acatgtacat ccttactggg ctgtgtctgc acagggatgt 360  
ccttgctgga ctgttctgct atggggatat cttcgttgga ctgttcttca tgcttaattg 420

cagtattagc atccacatca gacagcctgg tataaccaga gttggtggtt actgattgta 480  
gctgctcttt gtccattca tatggcaca gtattttcct caacatcctg gctctgggaa 540  
g 541

<210> 27  
<211> 461  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(461)  
<223> n = A,T,C or G

<400> 27  
gaaatgtata tttaatcatt ctcttgaacg atcagaactc traaatcagt tttctataac 60  
arcatgtaat acagtcaccg tggctccaag gtccaggaag gcagtgggta acacatgaag 120  
agtgtgggaa gggggtgga aacaaagtat tcttttcctt caaagcttca ttcctcaagg 180  
cctcaattca agcagtcatt gtccttgctt tcaaaagtct gtgtgtgctt catggaaggt 240  
atatgtttgt tgccttaatt tgaattgtgg ccaggaaggg tctggagatc taaattcaga 300  
gtaagaaaac ctgagctaga actcagcatt ttctcttaca gaacttggct tgcagggtag 360  
aatgaangga aagaaactta gaagctcaac aagctgaaga taatcccatc aggcatttcc 420  
cataggcctt gcaactctgt tcactgagag atgttatcct g 461

<210> 28  
<211> 541  
<212> DNA  
<213> Homo sapien

<400> 28  
agtctggagt gagcaaaca gagcaagaaa caarragaag ccaaaagcag aaggctccaa 60  
tatgaacaag ataaatctat cttcaaagac atattagaag ttgggaaaat aattcatgtg 120  
aactagacaa gtgtgttaag agtgataagt aaaatgcacg tggagacaag tgcattccca 180  
gatctcaggg acctccccct gectgtcacc tggggagtga gaggacagga tagtgcatgt 240  
tctttgtctc tgaattttta gttatatgtg ctgtaatgtt gctctgagga agcccttgga 300  
aagtctatcc caacatatcc acatcttata ttccacaaat taagctgtag tatgtaccct 360  
aagacgctgc taattgactg ccacttcgca actcaggggc ggctgcattt tagtaatggg 420  
tcaaattgatt cactttttat gatgcttccc aagggtgcctt ggcttctctt cccaactgac 480  
aaatgcccaa gttgagaaaa atgatcataa ttttagcata aaccgagcaa tcggcgaccc 540  
c 541

<210> 29  
<211> 411  
<212> DNA  
<213> Homo sapien

<400> 29  
tagctgtctt cctcactctt atggcaatga ccccatatct taatggatta agataatgaa 60  
agtgtatttc ttacactctg tatctatcac cagaagctga ggtgatagcc cgcttgcatt 120  
tgtcatccat attctgggac tcaggcggga actttctgga atattgccag ggagcatggc 180  
agagggggac agtgattctt gggggaatgc acattggctc agcctgggta atgagtata 240  
tacattacct ctgttcacaa ctcatgccc agcaccagtc acaaggcccc accaaatacc 300  
agagcccaag aaatgtagtc ctgttgatat ggttttgctg tgtcccaacc caaatctcat 360  
cttgaattgt aagctcccat aattcccatg tgttgaggga gggacctggt g 411

<210> 30  
<211> 511  
<212> DNA  
<213> Homo sapien

<400> 30  
atcatgagga tgttaccaaa gggatggtac taaaccattt gtattcgtct gttttcacac 60  
tgctttgaag atactacctg agactgggta atttataaac aaaagagatt taattgactc 120  
acagttctgc atggctgaag aggcctcagg aaacttacag tcatgggtgga aggcaaaagg 180  
ggagcaaggc atgtcttaca tgtcagtagg agagagagcg agagcaggag aacctgccac 240  
ttataaacca ttcatgatctc ataactccct atcatgagaa aaacatggag gaaaccaccc 300  
tcatgatcca atcacctccc gccaggtccc tccctcgaca cgtggggatt ataattcagg 360  
attagaggga cacagagaca aaccatatca tcattcatga gaaatccacc ctcatagtcc 420  
aatcagctcc taccaggccc cacctccaac actggggatt gcaattcaac atgagatttg 480  
gatggggaca cagattcaaa ccatatcata c 511

<210> 31  
<211> 827  
<212> DNA  
<213> Homo sapien

<400> 31  
catggccttt ctcccttagag gccagaggtg ctgccctggc tgggagtga gctccaggca 60  
ctaccagctt tccctgatttt cccgtttggt ccatgtgaag agctaccacg agccccagcc 120  
tcacagtgtc cactcaaggg cagcttggtc ctcttgctct gcagaggcag gctgggtgtga 180  
ccctgggaac ttgacccggg aacaacaggt ggcccagagt gagtgtggcc tggccctca 240  
acctagtgtc cgtcctcctc tctcctggag ccagtcttga gtttaaaggc attaatgtgt 300  
agatacaagc tccttggtggc tggaaaaaca cccctctgct gataaagctc agggggcact 360  
gaggaagcag agggcccttg ggggtgccct cctgaagaga gcgtcaggcc atcagctctg 420  
tcctctggt gctccacgt ctgttcctca cctccatct ctgggagcag ctgcacctga 480  
ctggccacgc gggggcagtg gaggcacagg ctacagggtg ccgggctacc tggcaccta 540  
tggtttacaa agtagagttg gccagtttc ctccacctg aggggagcac tctgactcct 600  
aacagtcttc cttgccctgc catcatctgg ggtggctggc tgtcaagaaa ggccgggcat 660  
gctttctaaa cacagccaca ggaggcttg agggcatctt ccagggtggg aaacagtctt 720  
agataagtaa ggtgacttgc ctaaggcctc ccagcaccct tgatcttggg gtctcacagc 780  
agactgcatg tsaacaactg gaaccgaaaa catgcctcag tataaaa 827

<210> 32  
<211> 291  
<212> DNA  
<213> Homo sapien

<400> 32  
ccagaacctc cttctctttg gagaatggg aggcctcttg gagacacaga gggtttcacc 60  
ttggatgacc tctagagaaa ttgcccaaga agcccacctt ctggtcccaa cctgcagacc 120  
ccacagcagt cagtgggtca ggccctgctg tagaagggtca cttggtccca ttgctgctt 180  
ccaaccaatg ggcaggagag aaggccttta tttctcgccc accattctc ctgtaccagc 240  
acctccgttt tcagtcaagy ttgtccagca acggtaccgt ttacacagtc a 291

<210> 33  
<211> 491  
<212> DNA  
<213> Homo sapien

<400> 33

```

tgcattgtagt tttatttatg tgttttsgtc tggaaaaacca agtgtcccag cagcatgact      60
gaacatcact cacttcccct acttgatcta caaggccaac gccgagagcc cagaccagga      120
ttccaaacac actgcacgag aatattgtgg atccgctgtc aggttaagtgt ccgtcactga      180
cccaracgct gttacgtggc acatgactgt acagtgccac gtaacagcac tgtacttttc      240
tcccatgaac agttacctgc catgtatcta catgattcag aacattttga acagttaatt      300
ctgacacttg aataatccca tcaaaaaccg taaaatcact ttgatgtttg taacgacaac      360
atagcatcac tttacgacag aatcatctgg aaaaacagaa caacgaatac atacatctta      420
aaaaatgctg gggtagggcca ggacacagct cagcctgtga atcccagcac tttgggaggg      480
ttaagcgggt g

```

```

<210> 34
<211> 521
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(521)
<223> n = A,T,C or G

```

```

<400> 34
tggggcgga aagaagccaag gccaaaggagc tggtagggca gctgcagctg gagggcgagg      60
agcagaggaa gcagaagaag cggcagagtg tgtcgggcct gcacagatac cttcacttgc      120
tggatggaaa tgaaaattac ccgtgtcttg tggatgcaga cgggtgatgtg atttccttcc      180
caccaataac caacagttag aagacaaaag ttaagaaaac gacttctgat ttgttttttg      240
aagtaacaag tgccaccagt ctgcagattt gcaaggatgt catggatgcc ctcattctga      300
aaatggcaag aaatgaaaaa gtacacttta gaaaataaag aggaaggatc actctcagat      360
actgaagccg atgcagtctc tggacaactt ccagatccca caacgaatcc cagtgtctga      420
aaggacgggc ctttccttct ggtggtggaa cangtcccg tggtaggatc tggaanggaa      480
cctgaangtg gtgtaccccg tccaaggccg accttggcca c

```

```

<210> 35
<211> 161
<212> DNA
<213> Homo sapien

<220>
<221> misc_feature
<222> (1)...(161)
<223> n = A,T,C or G

```

```

<400> 35
tcccgcgctc gcagggcneg tgccacctgc cygtccgccc gctcgcctgc tcgcccgcgc      60
cgccgcgctg ccgaccgyca gcatgetgcc gagagtgggc tgcccgcgcg tgccgctgcc      120
gccgcccgcg ctgctgccgc tgctgccgct gctgctgctg c

```

```

<210> 36
<211> 341
<212> DNA
<213> Homo sapien

```

```

<400> 36
ggcgggtagg catggaactg agaagaacga agaagctttc agactacgtg gggaagaatg      60
aaaaaaccaa aattatcgcc aagattcagc aaaggggaca gggagctcca gcccgagagc      120
ctattattag cagtgaggag cagaagcagc tgatgctgta ctatcacaga agacaagagg      180

```



agctcaagag attggaagaa aatgatgatg atgcctatatt aaactcacca tgggcgggata 240  
acactgcttt gaaaagacat tttcatggag tgaaagacat aaagtggaga ccaagatgaa 300  
gttcaccagc tgatgacact tccaaagaga ttagctcacc t 341

<210> 37  
<211> 521  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(521)  
<223> n = A,T,C or G

<400> 37  
tctgaagggtt aaatgtttca tctaaatagg gataatgrta aacacctata gcatagagtt 60  
gtttgagatt aaatgagata atacatgtaa aattatgtgc ctggcataca gcaagattgt 120  
tggtgtgtgt gatgatgatg atgatgatga taatattttt ctatccccag tgcacaactg 180  
cttgaaccta ttagataatc aatacatgtt tcttgaactg agatcaattt ccccatgttg 240  
tctgactgat gaagccctac attttcttct agaggagatg acatttgagc aagatcttaa 300  
agaaaatcag atgccttcac ctgaccactg cttggtgatc ccatggcact ttgtacatct 360  
ctccattagc tctcatctca ccagcccatc attattgtat gtgctgcctt ctgaagcttg 420  
cagctggcta ccatcmggta gaataaaaat catcctttca taaaatagtg accctccttt 480  
tttatttgca tttcccaaag ccaagcaccg tggganggta g 521

<210> 38  
<211> 461  
<212> DNA  
<213> Homo sapien

<400> 38  
tatgaagaag ggaaaagaag ataatttgtg aaagaaatgg gtccagttac tagtctttga 60  
aaagggtcag tctgtagctc ttcttaatga gaataggcag ctttcagttg ctcaagggtca 120  
gatttcctta gtggtgtatc taatcacagg aaacatctgt ggttccctcc agtctctttc 180  
tgggggactt gggccactt ctcatctcat ttaattagag gaaatagaac tcaaagtaca 240  
atttactgtt gtttaacaat gccacaaaaga catggttggg agctatttct tgatttgtgt 300  
aaaatgctgt ttttgtgtgc tcataatggt tccaaaaatt ggggtgctggc caaagagaga 360  
tactgttaca gaagccagca agaagacctc tgttcattca caccctccgg gatatcagga 420  
attgactcca gtgtgtgcaa atccagtttg gcctatcttc t 461

<210> 39  
<211> 769  
<212> DNA  
<213> Homo sapien

<400> 39  
tgagggactg attggtttgc tctctgctat tcaattcccc aagccactt gttcctgcag 60  
cgtcctcctt ctcatccctt ttagttgtac cctctctttc atctgagacc tttccttctt 120  
gatgtgcctt tttcttcttc ttgcttttct tgatgttctg ctacagcatgt tctgggtgct 180  
tctcatctgc atcattcctt tcagatgctg tagcttcttc ctctcttttc tgctccttt 240  
tctttttctt ttttttgggg ggcttgctct ctgactgcag ttgaggggccc ccagggtcct 300  
ggcctttgag acgagccagg aaggcctgct cctgggcctc taggcgagca agcttggcct 360  
tcattgtgat cccaagacgg gcagccttgt gtgctgttgc cccctcacag gcttggagca 420  
gcattctatc agtcagaatc tttggggact tggaccctg gttgtcgtca tcaactgcagc 480  
tctccaagtc tttgtttggc ttctctccac ctgaagtcaa tgtagccatc ttcacaaact 540

tctgatacag	caagttgggc	ttgggatgat	tataacgggt	ggtctcctta	gaaaggctcc	600
ttatctgtac	tccatcctgc	ccagtttcca	ctaccaagtt	ggccgcagtc	ttggtgaaga	660
gctcattcca	ccagtgggtt	gtgaactcct	tggcagggtc	atgtcctacc	ccatgagtgt	720
cttgcttcag	ygtcaccctg	agagcctgag	tgataccatt	ctccttccg		769

&lt;210&gt; 40

&lt;211&gt; 292

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 40

gacaacatga	aataaatcct	agaggacaaa	attaaactca	atagagtgtg	gtctagttaa	60
aaactcgaaa	aatgagcaag	tctgggtgga	gtggaggaag	ggctatacta	taaatccaag	120
tgggcctcct	gatcttaaca	agccatgctc	attatacaca	tctctgaact	ggacatacca	180
cctttacgca	ggaaacaggg	cttggaaact	ctaagggaaa	ttaacatgca	ccacccacat	240
ctaacctacc	tgccgggtag	gtaccatccc	tgcttcgctg	aaatcagtc	tc	292

&lt;210&gt; 41

&lt;211&gt; 406

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 41

ttggaattaa	ataaacctgg	aacagggaag	gtgaaagttg	gagtggatg	tcttccatat	60
ctataccttt	gtgcacagtt	gaatgggaac	tggttggtt	tagggcatct	tagagtgtg	120
tgttggaata	agcagacagg	aactgggtgg	aggccaagt	gggaagtgg	tgaatgtgga	180
ataacttacc	tttgtgctcc	acttaaacca	gatgtgttgc	agctttcctg	acatgcaagg	240
atctaactta	attccacact	ctcattaata	aattgaataa	aagggaatgt	tttggcacct	300
gatataatct	gccaggctat	gtgacagtag	gaagggaatg	tttccctaa	caagcccaat	360
gcaactggct	gactttataa	attatttaata	aaaatgaact	attatc		406

&lt;210&gt; 42

&lt;211&gt; 381

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 42

aaactggacc	tgcaacaggg	acatgaattt	actgcarggt	ctgagcaagc	tcagcccctc	60
tacctcaggg	ccccacagcc	atgactacct	ccccaggag	cgggaggggtg	aagggggcct	120
gtctctgcaa	gtggagccag	agtggaggaa	tgagctctga	agacacagca	cccagccttc	180
tgcaccagc	caagccttaa	ctgcctgcct	gacctgaac	cagaacccag	ctgaactgcc	240
cctccaaggg	acaggaaggc	tgggggaggg	agtttacaac	ccaagccatt	ccaccccctc	300
ccctgctggg	gagaatgaca	catcaagctg	ctaacaattg	ggggaagggg	aaggaagaaa	360
actctgaaaa	caaaatcttg	t				381

&lt;210&gt; 43

&lt;211&gt; 451

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 43

catgcgtttc	accactgttg	gccaggctgg	tctcgaactc	ctggcctcaa	gcaatccacc	60
cgcctcagcc	tccaaaagt	ctgggattac	agatgtgagc	catggcacca	tgccaaaagg	120
ctatattcct	ggctctgtgt	ttccgagact	gcttttaate	ccaacttctc	tacatttaga	180
ttaaaaaata	ttttattcat	ggtcaatctg	gaacataatt	actgcatctt	aagtttccac	240

tgatgtatat agaaggctaa aggcacaatt tttatcaaat ctagtagagt aaccaaacat 300  
aaaatcatta attactttca acttaataac taattgacat tcctcaaaag agctgttttc 360  
aatcctgata gggtctttat tttttcaaaa tatatttgcc atgggatgct aatttgcaat 420  
aaggcgata atgagaatac cccaaactgg a 451

&lt;210&gt; 44

&lt;211&gt; 521

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 44

gttggaaccc cagggactgg aaagacactt cttgcccgag ctgtggcggg agaagctgat 60  
gttccttttt attatgcttc tggatccgaa tttgatgaga tgtttggtgg tgtgggagcc 120  
agccgtatca gaaatctttt tagggaagca aaggcgaatg ctccctgtgt tatattttatt 180  
gatgaattag attctgttgg tgggaagaga attgaatctc caatgcatcc atattcaagg 240  
cagaccataa atcaacttct tgctgaaatg gatggtttta aacccaatga aggagttatc 300  
ataataggag ccacaaactt cccagaggca ttagataatg ccttaatacc gtccctggctg 360  
ttttgacatg caagttacag ttccaaggcc agatgtaaaa ggtcgaacag aaattttgaa 420  
atggtatctc aataaaataa agtttgatca atcccgttga tccagaaatt atagcctcga 480  
gggtactggtg gcttttccgg aagcagagtt gggagaatct t 521

&lt;210&gt; 45

&lt;211&gt; 585

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 45

gcctacaaca tccagaaaga gtctaccctg cacctggtgc tscgtctcag aggtgggatg 60  
cagatcttcg tgaagaccct gactggtaag accatcactc tcgaagtggg gccgagtgac 120  
accatygaga acgtcaaagc aaagatccar gacaagggaag gcrtycctcc tgaccagcag 180  
agggtgatct ttgccggaaa gcagctggaa gatggdcgca ccctgtctga ctacaacatc 240  
cagaaagagt cyaccctgca cctgggtgctc cgtctcagag gtgggatgca ratcttcgtg 300  
aagaccctga ctggttaagac catcaccctc gaggtggagc ccagtgacac catcgagaat 360  
gtcaaggcaa agatccaaga taaggaaggc atccctcctg atcagcagag gttgatcttt 420  
gctgggaaac agctggaaga tggagcgacc ctgtctgact acaacatcca gaaagagtcc 480  
actctgcact tggctctgcg cttgaggggg ggtgtctaag tttccccttt taaggtrtcm 540  
acaaatttca ttgcacttcc ctttcaataa agttgttgca ttccc 585

&lt;210&gt; 46

&lt;211&gt; 481

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 46

gaactgggcc ctgagcccaa gtcattgctt gtgtccgcat ctgccgtgtc acctctgtkc 60  
ctgccctca cccctccctc ctggtcttct gagccagcac catctccaaa tagcctattc 120  
cttctgcaa atcacacaca catgctggcc acacatacct gctgccctgg agatggggaa 180  
gtaggagaga tgaatagagg ccatacatt gtacagaagg aggggcaggt gcagataaaa 240  
gcagcagacc cagcggcagc tgaggtgcat ggagcaggt tggggccggc attgggctga 300  
gcacctgatg ggcctcatct cgtgaatcct cgaggcagcg ccacagcaga ggagttaagt 360  
ggcaccctgg ccgagcagag caggagactg agggtcagag tggaggctaa gctgccctgg 420  
aactcctcaa tcttgctgct cccctagtat gaagccccct tccctgccct acaattcctg 480  
a 481

&lt;210&gt; 47

<211> 461  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(461)  
<223> n = A,T,C or G

<400> 47  
atggatctta ctttgcacc cagggttgag tgcagtgtg caatcttggc tcaactgcagc 60  
cttaacctcc caggctcaag ctatcctcct gccaaagcct tccacatagc tgggactaca 120  
ggtacacngc caccacaccc agctaaaatt tttgtatatt ttgtagagac gggatctcgc 180  
cacgttgccc aggttggtcc catctgacc tcaagcagat ctgccacac cagcccccca 240  
acgtgctagg attacaggcg tgagccaccg caccagcct ttgttttgct tttaatggaa 300  
tcaccagtcc ccctccgtgt ctcagcagca gctgtgagaa atgctttgca tctgtgacct 360  
ttatgaaggg gaacttccat gctgaatgag ggtaggatta catgtcctg tttcccgagg 420  
gtcaagaaag ctcagactc cagcatgata agcagggtga g 461

<210> 48  
<211> 571  
<212> DNA  
<213> Homo sapien

<400> 48  
ataggggctt taaggaggga attcagggtc aatgaggtcg taaggccagg gctcttatcc 60  
agtaagactg gggtccttag atgagaaaga gacaccgag gtcccttctc ctgccgtgtg 120  
aggatgcatc aagaaggcgg ccgtctgcaa gcgaaggaga gccgcacca gaaaccgaca 180  
ccttcactct ggacttgag cctctagaac tgagaaaata actgtctgtt ggttaagcca 240  
cccagtttgt agtattctct tatggcttcc taagcagact aacaaacaaa caccctaat 300  
taactgatgg cttcgtgtc ttctgtaaaa attgctatga gagaacttt cactcactgt 360  
tttgacgttt ctccctcagt ccctgggtct ttcttctcac ataatcccaa tttcaattta 420  
tagttcatgg ccaggcaga gtcatcctc acggcatctc ctgagctaaa ccagcacctg 480  
ctctgtcac ttcttgactg gctgtcctc atcagccctc ttgcagagat ttcatttctc 540  
cccgtgccag gtacttcacg caecaagctc a 571

<210> 49  
<211> 511  
<212> DNA  
<213> Homo sapien

<400> 49  
ggataatgaa gttgttttat ttagcttgga caaaaaggca tattcctcta tttctttata 60  
caacaaatat ccccaaaata aagcaagcat atatatcttg aatgtgtaat aatccagtga 120  
taaacaagag cagtacttta aaagaaaaaa aaatatgtat ttctgtcagg ttaaaatgag 180  
aatcaaaacc atttactctg ctaactcatt attttttgct ttctttttgg ttaagagagg 240  
caatgcaata cactgaaaaa ggtttttatc ttatctggca ttggaattag acatattcaa 300  
acccagcccc ccatttccaa actttaagac cacaaacaag taatttactt ttctgaacat 360  
tggttttttc tggaaaatgg gaattataaa atagactttg cagactctta tgagattaaa 420  
taagataatg tatgaaatc tttcttcttt tttccttttt gagatggagt 480  
ctcaccctcg caccaggtg ggagtacagt g 511

<210> 50  
<211> 561  
<212> DNA

<213> Homo sapien

<400> 50

ccactgcact	ccagcctggg	tgacggagtg	agactctgtc	tcaaaaaaac	aaacaaacaa	60
acaaacaaaa	aactgaaaag	gaaatagagt	tcctctttcc	tcatatatga	atatattatt	120
tcaacagatt	gttgatcacc	taccatattg	ttggtattgt	tctaattgct	ggggatacag	180
caagaggttc	tgacagaactt	catggagcat	gaaagtaa	aaacaaagtt	aatttcaagg	240
ccaggcatgg	ttgctcacac	ctttagtc	agcactttgg	gaggctgagg	cagggtggatc	300
acttggggcc	aggagttaa	ggctgcagtg	agccaagatt	gtgccactac	tctccaggct	360
gggcaacaga	gcaagacct	gtctcagggg	gaacaaaaag	ttaatttcag	attttgtaa	420
gtgctgtaaa	ggaagtaa	aggttgatat	tcaagagagc	acctgaaggc	caggcgtggt	480
ggctcacgcc	tgtggtctaa	cgctttggga	agcccgagcg	ggcggatcac	aagggtcagga	540
gaattttggc	caggcatggt	g				561

<210> 51

<211> 451

<212> DNA

<213> Homo sapien

<400> 51

agaatccatt	tattgggttt	taactagtt	acacaactga	aatcagtttg	gcactacttt	60
atacagggat	tacgcctgtg	tatgccgaca	cttaaatact	gtaccaggac	cactgctgtg	120
cttaggtctg	tattcagtca	ttcagcatgt	agatactaaa	aatatactgt	agtgttcctt	180
taaggaagac	tgtacagggt	gtgttgcaag	atgacattca	ccaatttttg	aattatttca	240
accagaaga	tacctttcac	tctataaact	tgtcataggc	aaacatgtgg	tgttagcatt	300
gagagatgca	cacaaaaatg	ttacataaaa	gttcagacat	tctaattgata	agtgaactga	360
aaaaaaaaaa	aacccacat	ctcaattttt	gtaacaagat	aaagaaaata	atttaaaaaa	420
acaaaaaatg	gcattcagtg	ggtacaaaagc	c			451

<210> 52

<211> 682

<212> DNA

<213> Homo sapien

<400> 52

caaatattta	atataaatct	ttgaaacaag	ttcagakgaa	ataaaaaatca	aagtttgcaa	60
aaacgtgaag	attaacttaa	ttgtcaaata	ttcctcattg	ccccaaatca	gtattttttt	120
tattttctatg	caaaagtatg	ccttcaaaact	gcttaaatga	tatatgatat	gatacacaaa	180
ccagtttttca	aatagtaaaag	ccagtcattct	tgcaattgta	agaaataggt	aaaagattat	240
aagacacctt	acacacacac	acacacacac	acacacacgt	gtgcaccgcc	aatgacaaaa	300
aacaatttgg	cctctcctaa	aataagaaca	tgaagacctt	taattgctgc	caggagggaa	360
cactgtgtca	cccctcccta	caatccaggt	agtttccttt	aatccaatag	caaactctggg	420
catatttgag	aggagtgatt	ctgacagcca	csgttgaaat	cctgtgggga	accattcatg	480
tccacccact	ggtgccctga	aaaaatgcc	ataatttttc	gtcctccactt	ctgctgctgt	540
ctcttcacata	tcctcacata	gacccagac	ccgctggccc	ctggctgggc	atcgcatgct	600
tggtagagca	agtcataaggt	ctcgtctttg	acgtcacaga	agcgatacac	caaattgcct	660
ggtcggtcat	tgtcataacc	ag				682

<210> 53

<211> 311

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

&lt;222&gt; (1)...(311)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 53

```

tttgacttta gtaggggtct gaactattta ttttactttg ccmgtaatat ttaraccyta      60
tatatctttc attatgcat cttatcttct aatgbcaagg gaacagwtgc taamctggct      120
tctgcattwa tcacattaaa aatggctttc ttggaaaatc ttcttgatat gaataaagga      180
tcttttavag ccatcattta aagcmggnnt ctctccaaca cgagtctgct sasggggggk      240
gagctgtgaa ctctggctga aggctttccc atacacactg caatgacmtg gtttctgacc      300
agbgtgagtt a                                     311

```

&lt;210&gt; 54

&lt;211&gt; 561

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 54

```

agagaagccc cataaatgca atcagtgtgg gaaggccttc agtcagagct caagcctttt      60
cctccatcat cgggttcata ctggagagaa accctatgta tgtaatgaat gcgcgagagc      120
cttttggttt aactctcatc ttactgaaca cgtaaggatt cacacaggag aaaaacccta      180
tgtttgtaat gagtgcggca aagcctttcg tcggagttcc actcttgttc agcatcgaag      240
agttcacact ggggagaagc cctaccagtg cgttgaatgt gggaaagctt tcagccagag      300
ctcccagctc accctacatc agccgagttc acactggaga gaagccctat gactgtggtg      360
actgtgggaa ggccttcagc cggagggtcaa ccctcattca gcatcagaaa gttcacagcg      420
gagagactcg taagtgcaga aaacatggtc cagcctttgt tcatggctcc agcctcacag      480
cagatggaca gattcccact ggagagaagc acggcagaac cttaaccat ggtgcaaadc      540
tcattctgcg ctggacagtt c                                     561

```

&lt;210&gt; 55

&lt;211&gt; 811

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 55

```

gagacagggc ctactttgt caccagggc ggaatgcagt ggtgcgatct tacgtagctc      60
actgcagccc tgacctctg gactcaaaca attctcctgc ctcagccctg caagtagctg      120
ggactgtggg tgcattgccac catgcctggc taacttttgt agtttttgta aagatgggg      180
tttgccatgt tgcacatgct ggtcttgaac tcctgagctc aaacgatctg cccacctcgg      240
cctcccagaa tgttgggatt acaggggtaa accaccaagc ctggcccat tagggatttc      300
ttagcatcca cttgctcact gagattaatc ataagagatg ataagcactg gaagaaaaaa      360
atttttacta ggctttggat atttttttcc tttttcagct ttatacagag gattggatct      420
ttagttttcc ttttaactgat aataaaacat tgaaaggaaa taagtttacc tgagattcac      480
agagataacc ggcatactc ccttgctcaa ttccagtctt taccacatca attattttca      540
gaggtgcagg ataaaggcct ttagtctgct ttgcgacttt ttcttccact tttttgtaaa      600
cctgttgctt gacaaatgga attgacagcg tatgccatga ctattccatt tgtcaggcat      660
acgctgtcaa tttttccacc aatcccttgt ctctcttttg agagatcttc ttatcagcta      720
gtcctttggc aaaagtaatt gcaactctt ctaggatttc tattgtccgt tccactgggtg      780
gaacccctgg gaccaggact aaaacctcca g                                     811

```

&lt;210&gt; 56

&lt;211&gt; 591

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

<221> misc\_feature  
<222> (1)...(591)  
<223> n = A,T,C or G

<400> 56  
atctcatata tatatttctt cctgacttta ttgtcttgct tctgncaagc atttaaaata 60  
tcacagagac caaaatagag cggttttctg gtggaacgca tggcagtcac aggacaaaat 120  
acaaaactag ggggtctctg cttctcatac atcatacaat tttcaagtat tttttttatg 180  
tacaaagagc tactctatct gaaaaaaaat taaaaaataa atgagacaag atagtttatg 240  
catcctagga agaaagaatg ggaagaaaga acggggcagt tgggtacaga ttcctgtccc 300  
ctgttcccag ggaccactac cttctgcca ctgagttccc ccacagcctc acccatcatg 360  
tcacagggca agtgccaggg taggtgggga ccagtggaga caggaaccag caacatactt 420  
tggcctggaa gataaggaga aagtctcaga aacacactgg tgggaagcaa tcccacnggc 480  
cgtgccccan gagcttccca cctgctgctg gctccctggg tggctttggg aacagcttgg 540  
gcaggccctt ttgggtgggg nccaactggg cctttgggcc cgtgtggaaa g 591

<210> 57  
<211> 481  
<212> DNA  
<213> Homo sapien

<400> 57  
aaacattgag atggaatgat agggtttccc agaatcaggt ccatatttta actaaatgaa 60  
aattatgatt tatagccttc tcaaatacct gccatacttg atatctcaac cagagctaata 120  
tttacctctt tacaaattaa ataagcaagt aactggatcc acaatttata atacctgtca 180  
atTTTTtctg tattaaacct ctatcatagt ttaagcctat tagggactt aatccttaca 240  
aataaacagg tttaaaatca cctcaatagg caactgccct tctggttttc ttctttgact 300  
aaacaatctg aatgcttaag attttccact ttgggtgcta gcagtacaca gtgttacact 360  
ctgtattcca gacttcttaa attatagaaa aaggaaatgta cactttttgt attctttctg 420  
agcagggccg ggaggcaaca tcacttacca tggtagggac ttgtatgcat ggactacttt 480  
a 481

<210> 58  
<211> 141  
<212> DNA  
<213> Homo sapien

<400> 58  
actctgtcgc ccaggctgga gcccabtggm gcgatctcga ctccctgcaa gctmcgcctc 60  
acaggwtcat gccattctcc tgctcagca tctggagtag ctgggactac aggcgccagc 120  
caccatgccc agctaatttt t 141

<210> 59  
<211> 191  
<212> DNA  
<213> Homo sapien

<400> 59  
accttaaaga cataggagaa ttatactgg gagagaaagc ttacaaatgt aaggtttctg 60  
acaagacttg ggagtgattc acacctggaa caacatactg gacttcacac tggabagaaa 120  
ccttacaagt gtaatgagtg tggcaagcc tttggcaagc agtcaacact tattcaccat 180  
caggcaattc a 191

<210> 60  
<211> 480

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 60

agtcaggatc atgatggctc agtttccac agcgatgaat ggagggccaa atatgtgggc	60
tattacatct gaagaacgta ctaagcatga taaacagttt gataacctca aaccttcagg	120
aggttacata acaggtgatc aagcccgta ttttttccca cagtcaggtc tgccggcccc	180
ggttttagct gaaatatggg ccttatcaga tctgaacaag gatgggaaga tggaccagca	240
agagttctct atagctatga aactcatcaa gttaaagtgg cagggccaac agctgcctgt	300
agtcctccct cctatcatga aacaaccccc tatgttctct ccactaatct ctgctcgttt	360
tgggatggga agcatgcca atctgtccat tcatcagcca ttgcctccag ttgcacctat	420
agcaacaccc ttgtcttctg ctacttcagg gaccagtatt cctccctaata gatgcctgct	480

&lt;210&gt; 61

&lt;211&gt; 381

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 61

ctttcgattt cttcaattt gtcacgtttg attttatgaa gttgttcaag ggctaactgc	60
tgtgtattat agctttctct gagttccttc agctgattgt taaatgaatc catttctgag	120
agcttagatg cagtttcttt ttcaagagca tctaattgtt ctttaagtct ttggcataat	180
tcttcttttt ctgatgactt tetatgaagt aaactgatcc ctgaatcagg tgtgttactg	240
agctgcatgt ttttaattct ttcgtttaat agctgcttct cagggaccag atagataagc	300
ttattttgat attccttaag ctcttggtga agttgttcga ttcccataat ttccaggta	360
caactggttat cccaaacttc t	381

&lt;210&gt; 62

&lt;211&gt; 906

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 62

gtggagggtga aacggaggca agaaaggggg ctacctcagg agcgaggggac aaagggggcg	60
tgaggcacct aggcgcgggc accccggcga caggaagccg tcctgaaccg ggctaccggg	120
taggggaagg gcccgcgtag tcctcgcagg gccccagagc tggagtcggc tccacagccc	180
cgggcccgtcg gcttctcact tcctggacct ccccggcgcc cgggacctgag gactggctcg	240
gcggaggggag aagaggaaac agacttgagc agctccccgt tgtctcgcaa ctccactgcc	300
gaggaaactct catttcttcc ctgcctcctt caccceccac ctcatgtaga aaggtgctga	360
agcgtccgga gggaagaaga acctgggcta ccgtcctggc cttccmccc ccttcccggg	420
gcgcttttgt gggcggtggag ttgggggttg ggggggtggg ggggggttctt ttttgagtg	480
ctgggggaact ttttccctt cttcaggta ggggaaaggg aatgcccaat tcagagagac	540
atggggggcaa gaaggacggg agtggaggag ctcttggaac ttgacagccg tcatcgggag	600
gcggcagctc taacagcaga gacggtcacc gcttggtatc gaagcacaag cggcataagt	660
ccaaacactc caaagacatg ggggttggtga ccccggaagc agcatccctg ggcacagtta	720
tcaaaccttt ggtggagtat gatgatatca gctctgattc cgacaccttc tccgatgaca	780
tggccttcaa actagaccga agggagaacg acgaacgtcg tggatcagat cggagcgacc	840
gcctgcacaa acatcgtcac caccagcaca ggcgttcccc ggacttacta aaagctaaac	900
agaccg	906

&lt;210&gt; 63

&lt;211&gt; 491

&lt;212&gt; DNA

&lt;213&gt; Homo sapien



&lt;400&gt; 63

gacatgtttg	cctgcagggg	accagagaca	atgggattag	ccagtgtctca	ctgttcttta	60
tgcttcagag	gaggatgggg	acagctctca	ggtcagaatc	caggctgaga	aggccatgct	120
ggttgggggc	ccccggaagc	acggtccgga	tcctccctgg	catcagcgta	gacccgctgc	180
tcaggcttgg	ggtaccaaac	tcagtctctg	tactgttttg	gccccatgcg	gtgagaggaa	240
aacctagaaa	aagatttggtc	gtgctaagga	atcagctgcc	ccctcatcct	ccgcatccaa	300
tgctggtgac	aacatatctc	ctctcccagg	acacagactc	ggtgactcca	cactgggctg	360
agtggcctct	ggaggctcgt	ggcctaaggc	agggctccgt	aaggctgata	ggctgaactg	420
ggtggggtga	gggtttctga	cccttcgctt	cccatcccat	aaccgctgtc	aatgagctca	480
cactgtgggtc	a					491

&lt;210&gt; 64

&lt;211&gt; 511

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 64

gatggcatgg	tcgttgctaa	tgtgcctgct	gggatggagc	acttcctcct	gtgagcccag	60
gggacccgcc	tgccctgga	gcttggggca	aggagggag	agtgatacca	ggaaggtggg	120
gctgcagcca	ggggccagag	tcagtccagg	gagtggctct	cgccctcaa	agctcctccg	180
gggactgtct	aggagtgtg	gtgccctgga	gtttcccca	acttccttgg	ccaccctgga	240
aggtgcctgg	ctgtctcagg	cctctaggct	gggctgatgg	gtttctccag	gacacaagta	300
tcattaaagc	cacctctctc	tcagcttgct	agggcgacac	tgtgggacag	gctgtgctca	360
caacccctct	gcctgccttg	ccctccatca	ggaggagcca	gtggaacctt	cggaagctc	420
ccagcatctc	agcagccctc	aaaagtcgtc	ctggggcaag	ctctggttct	cctgactgga	480
ggtcatctgg	gcttggcctg	ctctctctcg	c			511

&lt;210&gt; 65

&lt;211&gt; 394

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 65

taaaaaagt	taacaaaggt	ttatttagac	tttcttcatg	ccccagatc	caggatgtct	60
atgtaaacgg	ttatcttaca	aagaaagcac	aatatttgg	ataaactaag	tcagtgactt	120
gcttaactga	aatagcgtcc	atccaaaagt	gggtttaagg	taaaactacc	tgacgatatt	180
ggcggggata	ctgcagtttg	gactgcttgc	cggtttgtc	cagggttccg	ggtctgttct	240
tggcactcat	ggggacaggc	atcctgtctg	tctgtggggc	cccgtggag	cccttacgtg	300
aagctgaagg	tatcgaccst	agggggctct	agggcagtgg	gaccttcata	cggaactaac	360
aagggtcggg	gagaggcctc	ttgggctatg	tggg			394

&lt;210&gt; 66

&lt;211&gt; 359

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 66

caagcgttcc	tttatggatg	taaattcaaa	cagtcattgt	gagccatccc	gggctgacag	60
tcacgttwa	gacactaggt	cgggcgccac	agtgccaccc	aaggagaaga	agaatttgga	120
atttttccat	gaagatgtac	ggaaatctga	tgttgaatat	gaaaatggcc	cccaaattgga	180
attccaaaag	gttaccacag	gggctgtgag	acctagtgtc	cctcctaagt	gggaaagagg	240
aatggagaat	agtatttctg	atgcatcaag	aacatcagaa	tataaaactg	agatcataat	300
gaaggaaaa	tccatatcca	atatgagttt	actcagagac	agtagaaact	attcccagg	359

&lt;210&gt; 67

&lt;211&gt; 450

<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(450)  
<223> n = A,T,C or G

<400> 67  
taggaataac aaatgtttat tcagaaatgg ataagtaata cataatcacc cttcatctct 60  
taatgcccct tcctctcctt ctgcacagga gacacagatg ggtaacatag aggcattggga 120  
agtggaggag gacacaggac tagcccacca ctttctcttc ccggtctccc aagatgactg 180  
cttatagagt ggaggaggca aacagggtccc ctcaatgtac cagatggcca cctatagcac 240  
cagctccaga tggccacgtg gttgcagctg gactcaatga aactctgtga caaccagaag 300  
atacctgctt tgggatgaga gggaggataa agccatgcag ggaggatatt taccatccct 360  
accctaagca cagtgcacgc agtgagcccc cggtctcccag tacctgaaaa accaaggcct 420  
actgnccttt ggatgctctc ttgggccacg 450

<210> 68  
<211> 511  
<212> DNA  
<213> Homo sapien

<400> 68  
aagcctcctg ccctggaaat ctggagcccc ttggagctga gctggacggg gcaggagggg 60  
gctgagaggc aagaccgtct ccctcctgct gcagctgctt cccagcagc cactgctggg 120  
cacagcagaa acgccagcag agaaaatggg agccagagat ccttagccct ggagctgagg 180  
ctgcctctgg gctgaccgcg tggctgtacg tggccagAAC tggggttggc atctggcatc 240  
catttgaggc cagggtggag gaaagggagg ccaacagagg aaaacctatt cctgctgtga 300  
caacacagcc cttgtccac gcagcctaag tgcagggagc gtgatgaagt caggcagcca 360  
gtcggggagg acgaggtaac tcagcagcaa tgcacctg tagcctatgc gctcaatggc 420  
ccggaggggc agcaaccccc cgcacacgtc agccaacagc agtgccctctg caggcaccaa 480  
gagagcgatg atggacttga gcgcctgtt c 511

<210> 69  
<211> 511  
<212> DNA  
<213> Homo sapien

<400> 69  
gtttggcaga agacatgttt aataacattt tcatatttaa aaaatacagc aacaattctc 60  
tatctgtcca ccatcttgcc ttgcccttcc tggggctgag gcagacaaag gaaaggtaat 120  
gaggttaggg cccccaggcg ggttaagtgc tattggcctg ctctgtctca aagagagcca 180  
tagccagctg ggcacggccc cctagcccct ccaggttgct gaggcggcag cgggtgtaga 240  
gttcttctact gagccgtggg ctgcagctc gcaggagaa cttctgcacc agccctggct 300  
ctacggcccc aaagaggtgg agccctgaga accggaggaa aacatccatc acctccagcc 360  
cctccagggc ttctctctt tcctggcctg ccagttcacc tgccagccgg gctcgggccc 420  
ccaggtagtc agcgtttag aagcagccct ccgcagaagc ctgccgttca aatctccccg 480  
ctataggagc cccccgggag ggtcagcac c 511

<210> 70  
<211> 511  
<212> DNA  
<213> Homo sapien

&lt;400&gt; 70

caagttgaac	gtcaggcttg	gcagaggtgg	agtgtagatg	aaaacaaagg	tgtgattatg	60
aagaggatgt	gagtcctttg	ggtgtaggag	agaaaggctg	ttgagcttct	atttcaagat	120
acttttacct	gtgcaaaaag	cacattttcc	acctccttct	catggcattt	gtgtaagggtg	180
agtatgattc	ctattccatc	tgcattttag	agggtgaaga	taacgtacaa	gggattcagt	240
gattagcaag	ggacccctca	ctaagtgttg	atggagttag	gacagagctc	agctgtttga	300
atctcagagc	ccaggcagct	ggagctgggt	aggatcctgg	agctggcact	aatgtgaggt	360
gcattccctc	caacccaggc	tcagatccgg	aacctgaccg	tgctgacccc	cgaaggggag	420
gcagggctga	gctggcccgt	tgggctccct	gctcctttca	caccacactc	tcgctttgag	480
gtgctgggct	gggactactt	cacagagcag	c			511

&lt;210&gt; 71

&lt;211&gt; 511

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 71

tggcctgggc	aggattggga	gagaggtagc	tacccggatg	cagtcctttg	ggatgaagac	60
tatagggtat	gaccccatca	tttcccaga	ggtctcggcc	tcctttgggtg	ttcagcagct	120
gcccctggag	gagatctggc	ctctctgtga	tttcatcact	gtgcacactc	ctctcctgcc	180
ctccacgaca	ggcttgctga	atgacaacac	ctttgccca	tgcaagaagg	gggtgcgtgt	240
ggtgaactgt	gcccgtggag	ggatcgtgga	cgaaggcgcc	ctgctccggg	ccctgcagtc	300
tggccagtgt	gccggggctg	cactggacgt	gtttacggaa	gagccgccac	gggaccgggc	360
cttggtggac	catgagaatg	tcacagctg	tcccacctg	ggtgccagca	ccaaggaggc	420
tcagagccgc	tgtggggagg	aaattgetgt	tcagttcgtg	gacatgggtg	aggggaaatc	480
tctcacgggg	gttgtgaatg	cccaggccct	t			511

&lt;210&gt; 72

&lt;211&gt; 2017

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 72

agccagatgg	ctgagagctg	caagaagaag	tcaggatcat	gatggctcag	tttcccacag	60
cgatgaatgg	agggccaaat	atgtgggcta	ttacatctga	agaacgtact	aagcatgata	120
aacagtttga	taacctcaaa	ccttcaggag	gttacataac	aggatgataa	gcccgtactt	180
ttttctctaca	gtcaggctctg	ccggcccggg	ttttagctga	aatatgggcc	ttatcagatc	240
tgaacaagga	tgggaagatg	gaccagcaag	agttctctat	agctatgaaa	ctcatcaagt	300
taaagtgtga	gggccaacag	ctgcctgtag	tcctccctcc	tatcatgaaa	caacccccta	360
tgtttctctcc	actaatctct	gctcgttttg	ggatgggaag	catgcccaat	ctgtccattc	420
atcagccatt	gcctccagtt	gcacctatag	caacaccctt	gtcttctgct	acttcaggga	480
ccagtattcc	tcccctaattg	atgcctgtct	ccctagtgcc	ttctgttagt	acatccctcat	540
taccaaattgg	aactgccagt	ctcattcagc	ctttatccat	tccttattct	tcttcaacat	600
tgcctcatgc	atcatcttac	agcctgatga	tgggaggatt	tggtggtgct	agtatccaga	660
aggcccagtc	tctgattgat	ttaggatcta	gtagctcaac	ttcctcaact	gcttccctct	720
cagggaaactc	acctaagaca	gggacctcag	agtgggcagt	tcctcagcct	tcaagattaa	780
agtatcgga	aaaatttaat	agtctagaca	aaggcatgag	cggatacctc	tcagggtttc	840
aagctagaaa	tgcccttctt	cagtcaaata	tctctcaaac	tcagctagct	actatttgga	900
ctctggctga	catcgatggg	gacggacagt	tgaagctga	agaattttat	ctggcgatgc	960
acctcactga	catggccaaa	gctggacagc	cactaccact	gacgttgccct	cccagccttg	1020
tcctccatc	tttcagaggg	ggaaaagcaa	tgattctgt	taatggaact	ctgccttcat	1080
atcagaaaac	acaagaagaa	gagcctcaga	agaaactgcc	agttactttt	gaggacaaac	1140
ggaaagccaa	ctatgaacga	ggaaacatgg	agctggagaa	gcgacgccaa	gtgttgatgg	1200
agcagagca	gagggaggct	gaacgcaaa	cccagaaa	gaaggaagag	tgggagcgga	1260
aacagagaga	actgcaagag	caagaatgga	agaagcagct	ggagttggag	aaacgccttg	1320

agaaacagag	agagctggag	agacagcggg	aggaagagag	gagaaaggag	atagaaagac	1380
gagaggcagc	aaaacaggag	cttgagagac	aacgccgttt	agaatgggaa	agactccgtc	1440
ggcaggagct	gtcagtcag	aagaccaggg	aacaagaaga	cattgtcagg	ctgagctcca	1500
gaaagaaaag	tctccacctg	gaactggaag	cagtgaatgg	aaaacatcag	cagatctcag	1560
gcagactaca	agatgtccaa	atcagaaagc	aaacacaaaa	gactgagcta	gaagttttgg	1620
ataaacagtg	tgacctggaa	attatggaaa	tcaacaact	tcaacaagag	cttaagggaat	1680
atcaaaataa	gcttatctat	ctggtccctg	agaagcagct	attaaacgaa	agaattaaaa	1740
acatgcagct	cagtaacaca	cctgattcag	ggatcagttt	acttcataaa	aagtcacag	1800
aaaaggaaga	attatgcaa	agacttaaag	aacaattaga	tgctcttgaa	aaagaaactg	1860
catctaagct	ctcagaaatg	gattcattta	acaatcagct	gaaggaactc	agagaaagct	1920
ataatacaca	gcagttagcc	cttgaacaac	ttcataaaat	caaacgtgac	aaattgaagg	1980
aatcgaag	aaaaagatta	gagcaaaaaa	aaaaaa			2017

&lt;210&gt; 73

&lt;211&gt; 414

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 73

atggcagtg	cattcaccat	catgggaacc	accttccctt	ttcttcagga	ttctctgtag	60
tggagagag	cacccagtgt	tgggctgaaa	acatctgaaa	gtaggagaa	gaacctaaaa	120
taatcagtat	ctcagagggc	tctaagggtc	caagaagtct	cactggacat	ttaagtcca	180
acaaaggcat	actttcggaa	tcgccaagtc	aaaactttct	aacttctgtc	tctctcagag	240
acaagtgaga	ctcaagagtc	tactgcttta	gtggcaacta	cagaaaactg	gtgttaccca	300
gaaaaacagg	agcaattaga	aatggttcca	atatttcaaa	gctccgcaaa	caggatgtgc	360
ttctcttgc	ccatttaggg	tttcttctct	ttctttctc	tttattaacc	acta	414

&lt;210&gt; 74

&lt;211&gt; 1567

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 74

atatctagaa	gtctggagtg	agcaacaag	agcaagaac	aaaaagaagc	caaaagcaga	60
aggctccaat	atgaacaaga	taaatctatc	ttcaaagaca	tattagaagt	tgggaaaata	120
attcatgtga	actagacaag	tgtgttaaga	gtgataagta	aaatgcacgt	ggagacaagt	180
gcatccccag	atctcaggga	cctccccctg	cctgtcacct	ggggagtgg	aggacaggat	240
agtgcagtgt	ctttgtctct	gaatttttag	ttatatgtgc	tgtaatgttg	ctctgaggaa	300
gcccctggaa	agtcctatccc	aacatatcca	catcttatat	tccacaaatt	aagctgtagt	360
atgtacccta	agacgctgct	aattgactgc	cacttcgcaa	ctcaggggag	gctgcatttt	420
agtaatgggt	caaatgattc	actttttatg	atgcttccaa	agggtgccttg	gcttctcttc	480
ccaactgaca	aatgccaaag	ttgagaaaaa	tgatcataat	tttagcataa	acagagcagt	540
cggcgacacc	gattttataa	ataaactgag	caccttcttt	ttaaacaac	aaatgcgggt	600
ttatttctca	gatgatgttc	atccgtgaat	gggccaggga	aggacctttc	accttgacta	660
tatggcatta	tgtcatcaca	agctctgagg	cttctccttt	ccatcctgcg	tggacagcta	720
agacctcagt	tttcaatagc	atctagagca	gtgggactca	gctgggggtga	tttcgcccc	780
catctccggg	ggaatgtctg	aagacaattt	tgttacctca	atgagggagt	ggaggaggat	840
acagtgttac	taccaactag	tggataaagg	ccagggatgc	tgctcaacct	cctaccatgt	900
acaggacgtc	tcccattac	aactaccaa	tccgaagtgt	caactgtgtc	aggactaaga	960
aaccctggtt	ttgagtagaa	aagggcctgg	aaagagggga	gccacaacat	ctgtctgctt	1020
cctcacatta	gtcattggca	aataagcatt	ctgtctcttt	ggctgtgtcc	tcagcacaga	1080
gagccagaac	tctatcgggc	accaggataa	catctctcag	tgaacagagt	tgacaaggcc	1140
tatgggaaat	gcctgatggg	attatcttca	gcttgttgag	cttctaagtt	tctttccctt	1200
cattctaccc	tgcaagccaa	gttctgtaag	agaaatgcct	gagttctagc	tcaggttttc	1260
ttactctgaa	tttagatctc	cagacccttc	ctggccacaa	ttcaaattaa	ggcaacaaac	1320

```
atataccttc catgaagcac acacagactt ttgaaagcaa ggacaatgac tgcttgaatt 1380
gaggccttga ggaatgaagc tttgaaggaa aagaatactt tgtttccagc ccccttccca 1440
cactcttcat gtgttaacca ctgccttcct ggaccttgga gccacgggtga ctgtattaca 1500
tggtgttata gaaaactgat tttagagttc tgatcgttca agagaatgat taaatataca 1560
tttctta 1567
```

<210> 75  
<211> 240  
<212> DNA  
<213> Homo sapien

<400> 75

```
tcgagcggcc gcccgggcag gtccttcaga cttggactgt gtcacactgc caggcttcca 60
gggctccaac ttgcagacgg cctgttgttg gacagtctct gtaatcgcg aagcaaccat 120
ggaagacctg ggggaaaaca ccatggtttt atccacctg agatctttga acaacttcat 180
ctctcagcgt gcggaggag gctctggact ggatatttct acctcggccg cgaccacgct 240
```

<210> 76  
<211> 330  
<212> DNA  
<213> Homo sapien

<220>

<221> misc\_feature  
<222> (1)...(330)  
<223> n = A,T,C or G

<400> 76

```
tagcgyggtc gcggccgagg yctgcttytc tgtccagccc agggcctgtg gggtcagggc 60
ggtaggtgca gatggcatcc actccggtgg cttcccatc tttctctggc ctgagcaagg 120
tcagcctgca gccagagtac agagggccaa cactgggtgtt cttgaacaag ggccttagca 180
ggcctgaag grccctctct gtagtggtga acttctctga gccaggccac atgttctcct 240
cataccgcag gytagygatg gtgaagttga ggggtgaaata gtattmangr agatggctgg 300
caracctgcc cgggcggccg ctcsaaatcc 330
```

<210> 77  
<211> 361  
<212> DNA  
<213> Homo sapien

<400> 77

```
agcgtggctg cggccgaggt gtccttcagg gtctgcttat gcccttggtc aagaacacca 60
gtgtcagctc tctgtactct ggttgacagac tgaccttgct caggcctgag aaggatgggg 120
cagccaccag agtggatgct gtctgcaccc atcgtcctga ccccaaaagc cctggactgg 180
acagagagcg gctgtactgg aagctgagcc agctgaccca cggcactact gagctggggc 240
cctacacctt ggacagggac agtctctatg tcaatggttt caccatcgag agctctgtac 300
ccaccaccag caccgggggtg gtcagcgagg agccattcaa cctgcccggg cggccgctcg 360
a 361
```

<210> 78  
<211> 356  
<212> DNA  
<213> Homo sapien

<220>

<221> misc\_feature  
<222> (1)...(356)  
<223> n = A,T,C or G

<400> 78

ttggggnttt	mgagcgccg	cccgggcagg	taccggggtg	gtcagcgagg	agccattcac	60
actgaacttc	accatcaaca	acctgcggtg	tgaggagaac	atgcagcacc	ctggctccag	120
gaagttcaac	accacggaga	gggtccttca	gggcctgctc	aggtccctgt	tcaagagcac	180
cagtgttggc	cctctgtact	ctggctgcag	actgactttg	ctcagacttg	agaaacatgg	240
ggcagccact	ggagtggacg	ccatctgcac	cctccgcctt	gatcccaactg	gtcctgggact	300
ggacagagag	cggtataact	gggagctgag	ccagtcctct	ggcgngacn	ccnctt	356

<210> 79  
<211> 226  
<212> DNA  
<213> Homo sapien

<400> 79

agcgtggtcg	cgcccgaggt	ccagtcgcag	catgctcttt	ctcctgcca	ctggcacagt	60
gaggaagatc	tctgctgtca	gtgagaaggc	tgtcatccac	tgagatggca	gtcaaaagtg	120
catttaatac	acctaacgta	tcgaacatca	tagcttgccc	caggttatct	catatgtgct	180
cagaacactt	acaatagcct	gcagacctgc	ccgggcggcc	gctcga		226

<210> 80  
<211> 444  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(444)  
<223> n = A,T,C or G

<400> 80

tgtggtgttg	aacttctctg	agncagggtg	acccatgtcc	tcccataact	gcaggttggt	60
gatggtgaag	ttgaggggtg	atggtaccag	gagagggcc	gcagccataa	ttgtsgrgck	120
gsmgmssgag	gmwggwgtyy	cwgaggttcy	rarrtccact	gtggagggtc	caggagtgt	180
ggtggtgggc	acagagstcy	gatgggtgaa	accattgaca	tagagactgt	tcctgtccag	240
ggtgtagggg	cccagctctt	yratgycatt	ggycagttkg	ctyagctccc	agtacagccr	300
ctctckgyyg	mgwccagsgc	ttttggggtc	aagatgatgg	atgcagatgg	catccactcc	360
agtggctgct	ccatccttct	cggacctgag	agaggtcagt	ctgcagccag	agtacagagg	420
gccaacactg	gtgttctttg	aata				444

<210> 81  
<211> 310  
<212> DNA  
<213> Homo sapien

<400> 81

tcgagcggcc	gcccgggcag	gtcaggaagc	acattggtct	tagagccact	gcctcctgga	60
ttccacctgt	gctgcggaca	tctccaggga	gtgcagaagg	gaagcaggtc	aaactgtctc	120
gatcagtcag	actggctggt	ctcagttctc	acctgagcaa	ggtcagtctg	cagccagagt	180
acagagggcc	aacactgggt	ttcttgaaca	agggcttgag	cagaccctgc	agaaccctct	240
tccgtggtgt	tgaacttctt	ggaaaccagg	gtgttgcatg	tttttctca	taatgcaagg	300
ttggtgatgg						310

<210> 82  
<211> 571  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(571)  
<223> n = A,T,C or G

<400> 82  
acggtttcaa tggacacttt tattgtttac ttaatggatc atcaattttg tctcactacc 60  
tacaatgga atttcactct gtttccatgc tgagtagtga aacagtgaca aagctaataca 120  
taataaccta catcaaaaaga gaactaagct aacactgctc actttctttt taacaggcaa 180  
aatataaata tatgcactct anaatgcaca atggtttagt cactaaaaaa ttcaaatggg 240  
atcttgaaga atgtatgcaa atccagggtg cagtgaagat gagctgagat gctgtgcaac 300  
tgtttaaggg ttcttgccac tgcactctct ggccactagc tgaatcttga catggaaggt 360  
tttagctaata gccaaagtga gatgcagaaa atgctaagtt gacttagggg ctgtgcacag 420  
gaactaaaag gcaggaaagt actaaatatt gctgagagca tccaccccag gaaggacttt 480  
accttccagg agctccaaac tggcaccacc cccagtgtct acatggctga ctttatcctc 540  
cgtgttccat ttggcacagc aagtggcagt g 571

<210> 83  
<211> 551  
<212> DNA  
<213> Homo sapien

<400> 83  
aaggctgggt ggtttttgat cctgctggag aacctccgct ttcattgtga ggaagaagg 60  
aagggaaaag atgcttcttg gaacaagggt aaagccgagc cagccaaaat agaagctttc 120  
cgagcttcac ttccaagct aggggatgtc tatgtcaatg atgcttttgg cactgctcac 180  
agagcccaca gctccatggt aggagtcaat ctgccacaga aggctggtgg gtttttgatg 240  
aagaaggagc tgaactactt tgcaaaaggc ttggagagcc cagagcgacc cttcctggcc 300  
atcctggggc gagctaaagt tgcaagacaag atccagctca tcaataatat gctggacaaa 360  
gtcaatgaga tgattatttg tgggtgaatg gcttttacct tccttaaggt gctcaacaac 420  
atggagattg gcacttctct gtttgatgaa gagggagcca agattgtcaa agacctaatg 480  
tccaaagctg agaagaatgg tgtgaagatt accttgccctg ttgactttgt cactgctgac 540  
aagtttgatg a 551

<210> 84  
<211> 571  
<212> DNA  
<213> Homo sapien

<400> 84  
tttgttcctt acatttttct aaagagttac ttaaatcagt caactggtct ttgagactct 60  
taagttctga ttccaactta gtaattcat tctgagaact gtggtatagg tggcgtgtct 120  
cttctagctg ggacaaaagt tctttgtttt cccctgtag agtatcacag accttctgct 180  
gaagctggac ctctgtctgg gccttgact cccaaatctg cttgtcatgt tcaagcctgg 240  
aaatgttaat ctttaattct tccatatgga tggacatctg tctaagttga tccttttagaa 300  
cactgcaatt atcttctttg agtctaattt cttcttctt gctttgaatc gcatcactaa 360  
acttctctc ccaatttctta gcttcatcta tcaccctgtc acgatcatcc tggagggaag 420  
acatgctctt agtaaaggct gcaagctggg tcacagtact gtccaagttt tcctgaagtt 480  
gctgaacttc cttgtcttct ttgttcaaag taacctgaat ctctccaatt gtctcttcca 540

agtggacttt ttctctgcgc aaagcatcca g

571

<210> 85  
 <211> 561  
 <212> DNA  
 <213> Homo sapien

<400> 85

tcattgcctg tgatggcatc tggaatgtga tgagcagcca ggaagtgtga gatttcattc	60
aatcaaaagg ttcagcatgt ggtggaagct gtgaggcaag agaaacaaga actgtatggc	120
aagttaagaa gcacagaggc aaacaagaag gagacagaaa agcagttgca ggaagctgag	180
caagaaatgg aggaaatgaa agaaaagatg agaaagtgtg ctaaactctaa acagcagaaa	240
atcctagagc tggaagaaga gaatgaccgg cttagggcag aggtgcaccc tgcaggagat	300
acagctaaag agtgtatgga aacacttctt tcttccaatg ccagcatgaa ggaagaactt	360
gaaagggtea aaatggagta tgaaccctt tctaagaagt ttcagtcttt aatgtctgag	420
aaagactctc taagtgaaga ggttcaagat ttaaagcatc agatagaagg taatgtatct	480
aaacaagcta acctagaggc caccgagaaa catgataacc aaacgaatgt cactgaagag	540
ggaacacagt ctataccagg t	561

<210> 86  
 <211> 795  
 <212> DNA  
 <213> Homo sapien

<400> 86

aagccaataa tcaccattta ttacttaata tatgcccaacc actgtacttg gcagttcaca	60
aattctcacc gttacaacaa ccccatgagg tatattattcc cattctatag atagggaaac	120
cacagctcaa gtaagttagg aaactgagcc aagtatacac agaatacga gtggcaaaac	180
tagaaggaaa gactgacact gctatctgct ggccctccagt gtcctggctc ttttcacacg	240
ggttcaatgt ctccagcgct gctgctgctg ctgcattacc atgcctcat tgttttctt	300
cctctggtgt tcaactgcat ccttcaaaga atctaactca ttccagagac cacttatttc	360
tttctctctt tctgaaatta cttttaataa ttcttcatga gggggaaaag aagatgctg	420
ttggtagttt tgtgttttaa gctgctcaat ttgggactta aacaatttgt tttcatcttg	480
tacatcctgt aacagctgtg ttttgctaga aagatcactc tcctctctt ttagcatggc	540
ttctaaccctc ttcaattcat tttccttttc tttcaacaca atctcaagtt cttcaaactg	600
tgatgcagaa gaggcctctt tcaagttatg ttgtgctact tcctgaacat gtgcttttaa	660
agattcattt tcttcttgaa gatcctgtaa ccacttcctt gtattggcta ggtctttctc	720
tttctcttcc aaaacagcct tcatggtatt catctgttcc tcttttctt ttaataagtt	780
caggagcttc agaac	795

<210> 87  
 <211> 594  
 <212> DNA  
 <213> Homo sapien

<400> 87

caagcttttt tttttttttt aaaaagtgtt agcattaatg ttttattgtc acgcagatgg	60
caactgggtt tatgtcttca tattttatat ttttgtaaatt taaaaaatt acaagtttta	120
aatagccaat ggctggttat attttcagaa aacatgatta gactaattca ttaatgggtg	180
cttcaagctt ttccttattg gctccagaaa attcaccac cttttgtccc ttcttaaaaa	240
actggaatgt tggcatgcat ttgacttcac actctgaagc aacatcctga cagtcattcca	300
catctacttc aaggaatata acgttggaat acttttcaga gagggaaatga aagaaaggct	360
tgatcatttt gcaaggccca caccacgtgg ctgagaagtc aactactaca agtttatcac	420
ctgcagcgtc caaggcttcc tgaagagcag tcttgctctc gatctgcttc accatcttgg	480
ctgctggagt ctgacgagcg gctgtaagga ccgatggaaa tggatccaaa gcaccaaaca	540



gagcttcaag actcgcgtgct tggcttgaat tcggatccga tatcgccatg gcct 594

<210> 88  
<211> 557  
<212> DNA  
<213> Homo sapien

<400> 88  
aagtgttagc attaatgttt tattgtcacg cagatggcaa ctgggtttat gtcttcatat 60  
tttatatttt tgtaaattaa aaaaattmca agtttttaaat agccaatggc tggttatatt 120  
ttcagaaaac atgattagac taattcatta atgggtgctt caagcttttc cttattggct 180  
ccagaaaatt caccacactt ttgtcccttc ttaaaaaact ggaatgttgg catgcatttg 240  
acttcacact ctgaagcaac atcctgacag tcatccacat ctacttcaag gaatatcacg 300  
ttggaatact tttcagagag ggaatgaaag aaaggcttga tcattttgca aggccacac 360  
cacgtggctg agaagtcaac tactacaagt ttatcacctg cagcgtccaa ggcttcctga 420  
aaagcagtct tgctctcgat ctgcttcacc atcttggctg ctggagtctg acgagcggct 480  
gtaaggaccg atggaaatgg atccaaagca ccaaacagag cttcaagact cgctgcttgg 540  
catgaattcg gatccga 557

<210> 89  
<211> 561  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(561)  
<223> n = A,T,C or G

<400> 89  
tacaaacttt attgaaacgc acacgcgcac acacacaaac acccctgttg atagggaana 60  
gcacctggcc acagggtcca ctgaaacggg gaggggatgg cagcttgtaa tgtggctttt 120  
gccacaaccc ccttctgaca gggaaggcct tagattgagg cccacactcc catggtgatg 180  
gggagctcag aatgggggtcc agggagaatt tggttagggg gaggtgctag ggaggcatga 240  
gcagagggca ccctccgagt ggggtcccga gggtgcaga gtcttcagta ctgtccctca 300  
cagcagctgt ctcaaggctg ggtccctcaa aggggcgtcc cagcgcgggg cctccctgcg 360  
caaacacttg gtaccctgg ctgcgcagcg gaagccagca ggacagcagt ggcgcgatc 420  
agcacaacag acgccctggc ggtagggaca gcaggcccag cctgtcggg tgtctcggca 480  
gcaggtctgg ttatcatggc agaagtgtcc ttccacact tcacgtcctt cacacccacg 540  
tgaaggctac nggcaggaa g 561

<210> 90  
<211> 561  
<212> DNA  
<213> Homo sapien

<400> 90  
cccgtgggtg ccatccacgg agttgttacc tgatcttttg aagcaggatc gcccgctctgc 60  
actgcagtgg aagccccgtg ggcagcagtg atggccatcc ccgcatgcc cggcctctgg 120  
gaaggggag caactggaag tccctgagac ggtaaagatg caggagtggc cggcagagca 180  
gtgggcatca acctggcagg ggcaccccag atgcctgctc agtgttggg gccatttgtc 240  
cagaagggga cggcagcagc tgtagctggc tcctccgggg tccaggcagc aggccacagg 300  
gcagaactga ccattctggc accgcgttcc agccaccagc cctgctgtta aggccacca 360  
gtcaccagg gtccacatgg tctgcctgcg tccgactccg cggtccttgg gccctgatgg 420  
ttctacctgc tgtgagctgc ccagtgggaa gtatggctgc tgccaatgcc caacgccacc 480

tgtgtgctccg atcacctgca ctgctgcccc aagacactgt gtgtgacctg atccagagta 540  
agtgcctctc caaggagaac g 561

<210> 91  
<211> 541  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(541)  
<223> n = A,T,C or G

<400> 91  
gaatcacctt tctggttttag ctagtacttt gtacagaaca atgaggtttc ccacagcgga 60  
gtctccctgg gctctgtttg gctctcggtt aggcaggcct acaccttttc ctctcctcta 120  
tggagagggg aatatgcatt aaggtgaaaa gtcaccttcc aaaagtgaga aagggttcg 180  
attgctgctt caggactgtg gaattatttg gaatgtttta caaatgggtg ctacaaaaca 240  
acaaaaaagg taattacaaa atgtgtacat cacaacatgc tttttaaaga cattatgcat 300  
tgtgtctaca ttcccttaaa tgttgtttcc aaagggtgctc agcctctagc ccagctggat 360  
tctccgggaa gaggcagaga cagtttgagg aaaaagacac agggaaggag ggggtggtga 420  
aaggagaaag cagccttcca gttaaagatc agccttcagt taaaggtcag cttcccgcan 480  
gctggcctca ngcggagtct gggtcagagg gaggagcagc agcagggtgg gactggggcg 540  
t 561

<210> 92  
<211> 551  
<212> DNA  
<213> Homo sapien

<400> 92  
aaccggagcg cgagcagtag ctgggtgggc accatggctg ggatcaccac catcgaggcg 60  
gtgaagcgca agatccaggt tctgcagcag caggcagatg atgcagagga gcgagctgag 120  
cgctccagc gagaagttga gggagaaagg cgggcccggg aacaggctga ggctgagggtg 180  
gcctccttga accgtaggat ccagctgggtt gaagaagagc tggaccgtgc tcaggagcgc 240  
ctggccactg ccctgcaaaa gctggaagaa gctgaaaaag ctgctgatga gagtgaagaa 300  
ggtatgaagg ttattgaaaa cegggcctta aaagatgaag aaaagatgga actccaggaa 360  
atccaaacta aagaagctaa gcacattgca gaagaggcag ataggaagta tgaagaggtg 420  
gctcgtaagt tggatgatcat tgaaggagac ttggaacgca cagaggaacg agctgagctg 480  
gcagagtcctc gttgccgaga gatggatgag cagattagac tgatggacca gaacctgaag 540  
tgtctgagtg c 551

<210> 93  
<211> 531  
<212> DNA  
<213> Homo sapien

<400> 93  
gagaacttgg cctttattgt gggcccagga gggcaciaag gtcaggaggc ccaaggaggg 60  
gatctggttt tctggatagc caggatcatg catgggtatc agtaggaatc cgctgtagct 120  
gcacaggcct cacttgctgc agttccgggg agaacacctg cactgcatgg cgttgatgac 180  
ctcgtggtac acgacagagc cattgggtgca gtgcaagggc acgcgcatgg gctccgtcct 240  
cgagggcagg cagcaggagc attgctcctg cacatcctcg atgtcaatgg agtacacagc 300  
tttgctggca cactttccct ggcagtaatg aatgtccact tcctcttggg acttacaatc 360  
tcccactttg atgtactgca ccttggctgt gatgtctttg caatcaggct cctcacatgt 420

gtcacagcag gtgcctggaa ttttcacgat tttgcctcct tcagccagac acttgtgttc 480  
atcaaatggt gggcagcccg tgacctctt ctcccatg tactctctc t 531

<210> 94  
<211> 531  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(531)  
<223> n = A,T,C or G

<400> 94  
gcctggacct tgcggatca gtgccacaca gtgacttgct tggcaaatgg ccagaccttg 60  
ctgcagagtc atcgtgtcaa ttgtgacct ggaccccgcc cttcatgtgc caacagccag 120  
tctcctgttc ggggtggagga gacgtgtggc tgccgctgga cctgcccttg tgtgtgcacg 180  
ggcagttcca ctccggacat cgtcaccttc gatgggcaga atttcaagct tactggtagc 240  
tgctcctatg tcatctttca aaacaaggag caggaccttg aagtgtcct ccacaatggg 300  
gcctgcagcc ccggggcaaa acaagcctgc atgaagtcca ttgagattaa gcatgctggc 360  
gtctctgtg agctgcacag taacatggag atggcagtg atgggagact ggtccttgcc 420  
ccgtacgttg gtgaaaacat ggaagtcagc atctacggcg ctatcatgta tgaagtcagg 480  
tttaccatc ttggccacat cctcacatac accgccncaa aacaacgagt t 531

<210> 95  
<211> 605  
<212> DNA  
<213> Homo sapien

<400> 95  
agatcaacct ctgctgggca ggaggaatgc ctctcttgct ttggatcttt gctttgacgt 60  
tctcgatagt rwcaactkkr ytsramskma agkgyratgr wmttksywgv rasyktmwwm 120  
rsgraraytt agacaycccm cctcwagagc gsagkaccar gtgcagaggt ggactctttc 180  
tggatgttgt agtcagacag ggtgcgtcca tcttcagct gtttccagc aaagatcaac 240  
ctctgctgat caggagggat gccttctta tcttgatct ttgccttgac attctcgatg 300  
gtgtcactgg gctccacctc gaggggtgatg gtcttaccag tcagggtctt cacgaagaty 360  
tgcatccac ctctgagacg gagcaaccagg tgagggtg actctttctg gatgtttag 420  
tcagacaggg tgcgyccatc ttccagctgc ttccsagca aagatcaacc tctgctggtc 480  
aggaggratg ccttcttgt cytgatctt tgcyttgacr ttctcratg tgctactcgg 540  
ctccacttcg agagtgatgg tcttaccagt cagggtcttc acgaagatct gcatccacc 600  
tctaa 605

<210> 96  
<211> 531  
<212> DNA  
<213> Homo sapien

<400> 96  
aagtcacaaa cagacaaaga ttattaccag ctgcaagcta tattagaagc tgaacgaaga 60  
gacagaggtc atgattctga gatgattgga gaccttcaag ctccaattac atctttacaa 120  
gaggaggtga agcatctcaa acataatctc gaaaaagtgg aaggagaaag aaaagaggct 180  
caagacatgc ttaatcactc agaaaaggaa aagaataatt tagagataga tttaaactac 240  
aaacttaaat cattacaaca acgggttagaa caagaggtaa atgaacacaa agtaacacaa 300  
gctcgtttaa ctgacaaaca tcaatctatt gaagaggcaa agtctgtggc aatgtgtgag 360  
atggaaaaaa agctgaaaga agaaagagaa gctcgagaga aggtgaaaa tcgggttgtt 420

cagattgaga aacagtgttc catgctagac gttgatctga agcaatctca gcagaaacta 480  
gaacatttga ctggaaataa agaaaggatg gaggatgaag ttaagaatct a 531

<210> 97

<211> 1017

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(1017)

<223> n = A,T,C or G

<400> 97

cgcctccacc atgtccatca gggtagacca gaagtccctac aaggtgtcca cctctgcccc 60  
ccgggcttcc agcagccgct cctacacgag tgggcccggg tcccgcacatca gctcctcgag 120  
cttctcccga gtgggcagca gcaactttcg cggtagcctg ggcggcggct atggtggggc 180  
cagcggcatg ggaggcatca ccgcagttac ggtcaaccag agcctgctga gcccccttgt 240  
cctggaggtg gaccccaaca tccaggccgt gcgcaccag gagaaggagc agatcaagac 300  
cctcaacaac aagtttgctt ccttcataga caaggtacgg ttcttgagc agcagaacaa 360  
gatgctggag accaagtgga gcctcctgca gcagcagaag acggctcgaa gcaacatgga 420  
caacatgttc gagagctaca tcaacarcct taggcggcag ctggagactc tgggccaggga 480  
gaagctgaag ctggaggcgg agcttgcaa catgcagggg ctggtggagg acttcaagaa 540  
caagtatgag gatgagatca ataagcgtac agagatggag aacgaatttg tcctcatcaa 600  
gaaggatgtg gatgaagctt acatgaacaa ggtagagctg gagtctcgcc tgggaaggct 660  
gaccgacgag atcaacttcc tcaggcagct gtatgaagag gagatccggg agctgcagtc 720  
ccagatctcg gacacatctg tgggtgctgc catggacaac agccgctccc tggacatgga 780  
cagcatcatt gctgaggtca aggcacagta cgaggatatt gccaacccga gccgggctga 840  
ggctgagagc atgtaccagg tcaagtatga ggagctgcag agcctggctg ggaagcacgg 900  
ggatgacctg cggcgacaaa agactgagat ctctgagatg aaccgggaac atcagcccg 960  
ctncaggctg agattgaggg cctcaaaggc caganggctt ncctggangn ccgccat 1017

<210> 98

<211> 561

<212> DNA

<213> Homo sapien

<400> 98

cccgagacca gccaacgagc ggaaaatggc agacaatttt tcgctccatg atgcgttatc 60  
tgggtctgga aacccaaacc ctcaaggatg gcctggcgca tgggggaacc agcctgctgg 120  
ggcagggggc taccagggg ctccctatcc tggggcctac cccgggcagg ccccccagg 180  
ggcttatcct ggacaggcac ctccaggcgc ctaccctgga gcacctggag cttatcccgg 240  
agcacctgca cctggagtct acccagggcc acccagcggc cctggggcct acccatcttc 300  
tggacagcca agtgccaccg gagcctacct tgccactggc ccctatggcg cccctgctgg 360  
gccactgatt gtgccttata acctgccttt gcctggggga gtggtgcctc gcatgctgat 420  
aacaattctg ggcacggtga agcccaatgc aaacagaatt gcttttagatt tccaaagagg 480  
gaatgatgtt gccttccact ttaaccacg cttcaatgag aacaacagga gagtcattgg 540  
ttgcaatata aagctggata a 561

<210> 99

<211> 636

<212> DNA

<213> Homo sapien

<400> 99

gggaatgcaa caactttatt gaaaggaaag tgcaatgaaa tttgttgaaa ccttaaaaagg 60  
ggaaacttag acaccccccc tcragecmag kaccargtgc aragggtggac tctttctgga 120  
tgttgtagtc agacagggttr cgwccatctt ccagctgttt yccrgcaaaag atcaacctct 180  
gctgatcagg aggratgcct tccttatctt ggatctttgc cttgacattc tcgatgggtg 240  
cactgggctc cactcagagg gtgatgggtc taccagtcag ggtcttcacg aagatytgca 300  
tcccacctct gagacggagc accagggtgca gggtrgactc tttctggatg ttgtagtcag 360  
acagggtgag yccatcttcc agctgctttc csagcaaaaga tcaacctctg ctgggtcagga 420  
gggatgcctt ccttgctcyg gatctttgcy ttgacrttct caatgggtgc actcgggtcc 480  
acttcgagag tgatgggtctt accagtcagg gtcttcacga agatctgcat cccacctcta 540  
agacggagca ccagggtcag ggtggactct ttctggatgg ttgtagtcag acagggtgag 600  
tccatcttcc agctgtttcc cagcaaaagat caacct 636

&lt;210&gt; 100

&lt;211&gt; 697

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 100

agggtgatct ttgctgggaa acagctggaa gatggacgca ccctgtctga ctacaacctat 60  
ccagaaagag tccaccctgc acctgggtgct ccgtcttaga ggtgggatgc agatcttctgt 120  
gaagaccctg actggttaaga ccatcactct cgaagtggag ccgagtgcac ccattgagaa 180  
ygtcaargca aagatccarg acaaggaaag catycctcct gaccagcaga ggttgatctt 240  
tgctsggaaa gcagctggaa gatgggagca ccctgtctga ctacaacctc cagaaagagt 300  
cyaccctgca cctgggtgctc cgtctcagag gtgggatgca ratcttctgt aagaccctga 360  
ctggaagac catcaccctc gaggtggagc ccagtgacac catcgagaat gtcaaggcaa 420  
agatccaaga taaggaaagg atccctctg atcagcagag gttgatcttt gctgggaaac 480  
agctggaaga tggacgcacc ctgtctgact acaacatcca gaaagagtcc acctytgcac 540  
ytggtmctbc gtctyagagg kgggrtgcaa atctwmgtkw agacactcac tkkyaagryy 600  
atcamcmwtg akktcgakys castkwact wtcrakaamg tyrwwgcawa gatccmagac 660  
aaggaaggca ttctctctga ccagcagagg ttgatct 697

&lt;210&gt; 101

&lt;211&gt; 451

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 101

atggagtctc actctgtcga ccaggctgga gcgctgtggt gcgatatcgg ctcaactgcag 60  
tctccacttc ctgggttcaa gcgatctctc tgctcagcc tcccagtag ctgggactac 120  
aggcaggcgt caccataatt tttgtatttt tagtagagac atggtttcgc catgttggt 180  
gggtgtgtct cgaactcctg acctcaagt atctgtctg gcctcccaa gtgttggtg 240  
tacaggcgaa agccaacgct cccggccagg gaacaacttt agaataagg aaatatgcaa 300  
aagaacatca catcaaggat caattaatta ccatctatta attactatat gtgggtaatt 360  
atgactattt cccaagcatt ctacgttgac tgcttgagaa gatgtttgtc ctgcatgggtg 420  
gagagtggag aagggccagg attcttaggt t 451

&lt;210&gt; 102

&lt;211&gt; 571

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 102

agcgcggtct tccggcgaga gaaagctgaa ggtgatgtgg ccgccctcaa ccgacgcac 60  
cagctcgttg aggaggagtt ggacagggtc caggaacgac tggccacggc cctgcagaag 120  
ctggaggagg cagaaaaagc tgcagatgag agtgagagag gaatgaagg gatagaaaac 180

cgggccatga	aggatgagga	gaagatggag	attcaggaga	tgcaactcaa	agaggccaag	240
cacattgcgg	aagaggctga	ccgcaaatac	gaggaggtag	ctcgtaaagt	ggatcatcctg	300
gaggggtgagc	tggaaggggc	agaggagcgt	gcggaggtgt	ctgaactaaa	atgtgggtgac	360
ctggaagaag	aactcaagaa	tggtactaac	aatctgaaat	ctctggaggc	tgcatctgaa	420
aagtattctg	aaaaggagga	caaatatgaa	gaagaaatta	aacttctgtc	tgacaaactg	480
aaagaggctg	agaccctgtc	tgaatttgca	gagagaacgg	ttgcaaaact	ggaaaagaca	540
attgatgacc	tggaagagaa	acttgcccag	c			571

&lt;210&gt; 103

&lt;211&gt; 451

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 103

gtgcacaggt	cccatttatt	gtagaaaata	ataataatta	cagtgatgaa	tagctcttct	60
taaattacaa	aacagaaacc	acaaagaagg	aagaggaaaa	acccaggac	ttccaagggg	120
gaagctgtcc	cctcctccct	gccaccctcc	caggctcatt	agtgtccttg	gaaggggcag	180
aggactcaga	gggatcagt	ctccaggggc	cctgggctga	agcgggtgag	gcagagagtc	240
ctgaggccac	agagctgggc	aacctgagcc	gcctctcttg	ccccctccc	caccactgcc	300
caaacctgtt	tacagcacct	tcgcccctcc	cctctaaacc	cgtccatcca	ctctgcactt	360
cccaggcagg	tggtggggcc	aggcctcagc	catactcctg	ggcgcggtt	tcggtgagca	420
aggcacagtc	ccagaggtga	tatcaaggcc	t			451

&lt;210&gt; 104

&lt;211&gt; 441

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 104

gcaaggaact	ggtctgctca	cacttgtctg	cttgccgcatc	aggactggct	ttatctcctg	60
actcacggtg	caaagggtga	ctctgcgaac	gttaagtccg	tccccagcgc	ttggaatcct	120
acggccccca	cagccggatc	ccctcagcct	tccaggctcct	caactcccgt	ggacgctgaa	180
caatggcctc	catggggcta	caggtaatgg	gcacgcgcgt	ggcgcgtcctg	ggctggctgg	240
ccgtcatgct	gtgctgcgcg	ctgcccatgt	ggcgcgtgac	ggccttcac	ggcagcaaca	300
ttgtcacctc	gcagaccatc	tgggagggcc	tatggatgaa	ctgcgtgggtg	cagagcaccg	360
gccagatgca	gtgcaagggtg	tacgactcgc	tgctggcact	gccgcaggac	ctgcaggcgg	420
cccgcgcct	cgtcatcatc	a				441

&lt;210&gt; 105

&lt;211&gt; 509

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(509)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 105

tgcaaaagg	acacaggggt	tcaaaaataa	aaatttctct	tccccctccc	caaacctgta	60
ccccagctcc	ccgaccacaa	cccccttccc	ccccgggga	aagcaagaag	gagcaggtgt	120
ggcatctgca	gctgggaaga	gagaggccgg	ggaggtgccg	agctcgggtg	tggtctcttt	180
ccaaatataa	atacntgtgt	cagaactgga	aaatcctcca	gcacccacca	cccaagcact	240
ctccgttttc	tgccggtgtt	tggagagggg	cggggggcag	ggcgccagg	caccggctgg	300
ctgcggtcta	ctgcatccgc	tgggtgtgca	ccccgcgagc	ctcctgctgc	tcattgtaga	360

agagatgaca ctccgggtcc ccccgatgg tgggggctcc ctggatcagc ttcccgggtgt 420  
tgggggtcac acaccagcac tccccacgct gcccgttcag agacatcttg cactgtttga 480  
ggttgtacag gccatgcttg tcacagtgg 509

<210> 106

<211> 571

<212> DNA

<213> Homo sapien

<400> 106

gggttgagg gactggttct ttatttcaaa aagacacttg tcaatattca gtatcaaaac 60  
agttgcacta ttgatttctc tttctcccaa tcggcccaa agagaccaca taaaaggaga 120  
gtacatttta agccaataag ctgcaggatg tacacctaac agacctcta gaaaccttac 180  
cagaaaatgg ggactgggta ggaaggaaa cttaaaagat caacaaactg ccagcccacg 240  
gactgcagag gctgtcacag ccagatgggg tggccagggt gccacaaacc caaagcaaag 300  
tttcaaaata atataaaatt taaaagttt tgtacataag ctattcaaga tttctccagc 360  
actgactgat acaaagcaca attgagatgg cacttctaga gacagcagct tcaaaccag 420  
aaaagggtga tgagatgagt ttcacatggc taaatcagtg gcaaaaacac agtcttcttt 480  
ctttctttct ttcaaggagg caggaaagca attaagtggc cacctcaaca taagggggac 540  
atgatccatt ctgtaagcag ttgtgaagg g 571

<210> 107

<211> 555

<212> DNA

<213> Homo sapien

<400> 107

caggaaccgg agcgcgagca gtagctgggt gggcaccatg gctgggatca ccaccatcga 60  
ggcggtgaaq cgcaagatcc aggttctgca gcagcaggca gatgatgcag aggagcgagc 120  
tgagcgctc cagcgagaag ttgaggaga aaggcgggcc cgggaacagg ctgaggctga 180  
ggtggcctcc ttgaaccgta ggatccagct ggttgaagaa gagctggacc gtgctcagga 240  
gcgcttgccc actgccctgc aaaagctgga agaagctgaa aaagctgctg atgagagtga 300  
gagaggtatg aaggttattg aaaaccgggc cttaaaagat gaagaaaaga tggaaactcca 360  
ggaaatccaa ctcaaagaag ctaagcacat tgcagaagag gcagatagga agtatgaaga 420  
ggtggctcgt aagttggtga tcattgaagg agacttgga cgcacagagg aacgagctga 480  
gctggcagag tcccgttgcc gagagatgga tgagcagatt agactgatgg accagaacct 540  
gaagtgtctg agtgc 555

<210> 108

<211> 541

<212> DNA

<213> Homo sapien

<400> 108

atctacgtca tcaatcaggc tggagacacc atgttcaatc gagctaagct gctcaatatt 60  
ggctttcaag aggccttgaa ggactatgat tacaactgct ttgtgttcag tgatgtggac 120  
ctcattccga tggacgaccg taatgcctac aggtgttttt cgcagccacg gcacatttct 180  
gttgcaatgg acaagttcgg gtttagcctg ccatatgttc agtatttttg aggtgtctct 240  
gctctcagta aacaacagtt tcttgccatc aatggattcc ctaataatta ttggggttgg 300  
ggaggagaag atgacgacat ttttaacaga ttagttcata aaggcatgtc tatatcacgt 360  
ccaaatgctg tagtagggag gtgtcgaatg atccggcatt caagagacaa gaaaaatgag 420  
cccaatcctc agaggtttga ccggtcgcata catacaaagg aaacgatgcg cttcgatgg 480  
ttgaactcac ttacctacaa ggtgttgat gtcagagata cccgttatat acccaaatca 540  
c 541

<210> 109  
<211> 411  
<212> DNA  
<213> Homo sapien

<400> 109  
ctagacctct aattaaaaagg cacaatcatg ctggagaatg aacagtctga ccccgagggc 60  
cacagcgaat tttaggggaag gaggcaaaga ggtgagaagg gaaaggaaaag aaggaaggaa 120  
ggagaacaat aagaactgga gacgttgggt gggtcaggga gtgtggtgga ggctcggaga 180  
gatggtaaac aaacctgact gctatgagtt ttcaacccca tagtctaggg ccatgagggc 240  
gtcagttctt ggtggctgag ggtccttcca cccagcccac ctgggggaggt ggagtgggga 300  
gttctgccag gtaagcagat gttgtctccc aagttcctga cccagatgtc tggcaggata 360  
acgctgacct gttccctcaa caagggacct gaaagtaatt ttgctcttta c 411

<210> 110  
<211> 451  
<212> DNA  
<213> Homo sapien

<400> 110  
ccgaattcaa gcgtcaacga tccytccctt accatcaaat caattggcca ccaatggtac 60  
tgaacctacg agtacaccga ctacgggcgg actaatcttc aactcctaca tacttcccc 120  
attattccta gaaccaggcg acctgcgact ccttgacgtt gacaatcgag tagtactccc 180  
gattgaagcc cccattcgta taataattac atcacaaagac gtcttgcaact catgagctgt 240  
ccccacatta ggcttaaaaa cagatgcaat tcccggacgt ctaagccaaa ccactttcac 300  
cgctacacga ccgggggtat actacgggtca atgctctgaa atctgtggag caaaccacag 360  
tttcatgccc atcgtcctag aattaattcc cctaaaaatc tttgaaatag ggcccgtatt 420  
taccctatag caccctctct accccctcta g 451

<210> 111  
<211> 541  
<212> DNA  
<213> Homo sapien

<400> 111  
gctcttcaca cttttattgt taattctctt cacatggcag atacagagct gtcgtcttga 60  
agaccaccac tgaccaggaa atgccacttt tacaaaatca tcccccttt tcatgattgg 120  
aacagttttc ctgaccgtct gggagcgttg aagggtgacc agcacatttg cacatgcaaa 180  
aaaggagtga cccaagggcc tcaaccacac ttcccagagc tcaccatggg ctgcagggtga 240  
cttgccaggt ttggggttcg tgagctttcc ttgctgctgc ggtggggagg ccctcaagaa 300  
ctgagaggcc ggggtatgct tcatgagtgt taacatttac gggacaaaag cgcattcatta 360  
ggataaggaa cagccacagc acttcatgct tgtgaggggt agctgtagga gcgggtgaaa 420  
ggattccagt ttatgaaaat ttaaagcaaa caacggtttt tagctgggtg ggaaacagga 480  
aaactgtgat gtcggccaat gaccaccatt tttctgcca tgtgaaggtc cccatgaaac 540  
c 541

<210> 112  
<211> 521  
<212> DNA  
<213> Homo sapien

<400> 112  
caagcgcttg gcgtttggac ccagttcagt gaggttcttg ggttttgtgc ctttggggat 60  
tttggtttga cccaggggtc agccttagga aggtcttcag gaggaaggcc agttccccctt 120  
cagtaccacc cctctctccc cactttccct ctcccggcaa catctctggg aatcaacaga 180



atattgacac	gttgagccg	agcctgaaca	tgcccctcgg	ccccagcaca	tggaaaaccc	240
ccttccttgc	ctaaggtgtc	tgagtttctg	gctcttgagg	catttccaga	cttgaaattc	300
tcatacgtcc	attgctcttg	agtctttgca	gagaacctca	gatcaggtgc	acctgggaga	360
aagactttgt	ccccacttac	agatctatct	cctcccttgg	gaagggcagg	gaatggggac	420
ggtgtatgga	ggggaaggga	tctcctgcgc	ccttcattgc	cacacttggg	gggacctga	480
acatctttag	tgtctgagct	tctcaaatta	ctgcaatagg	a		521

&lt;210&gt; 113

&lt;211&gt; 568

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 113

agcgtcaaat	cagaatggaa	aagactcaaa	accatcatca	acaccaagat	caaaaggaca	60
agratccttc	aagaaacagg	aaaaaactcc	taaaacacca	aaaggacctc	gttctgtaga	120
agacattaaa	gcaaaaatgc	aagcaagtat	agaaaaaggt	ggttctcttc	ccaaagtgga	180
agccaaattc	atcaattatg	tgaagaattg	cttcgggatg	actgaccaag	aggctattca	240
agatctctgg	cagtggagga	agtctcttta	agaaaatagt	ttaaacaatt	tgtaaaaaaa	300
ttttccgtct	tatttcattt	ctgtaacagt	tgatatctgg	ctgtcctttt	tataatgcag	360
agtggaaact	ttccctaccg	tgtttgataa	atgttgtcca	ggttctattg	ccaagaatgt	420
gttggtccaaa	atgcctgttt	agtttttaaa	gatggaactc	caccctttgc	ttggttttaa	480
gtatgtatgg	aatgttatga	taggacatag	tagtagcggg	ggtcagacat	ggaaatgggtg	540
ggsmgacaaa	aatatacatg	tgaataaa				568

&lt;210&gt; 114

&lt;211&gt; 483

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 114

tccgaattcc	aagcgaatta	tggacaaaacg	attcctttta	gaggattact	tttttcaatt	60
tcgggttttag	taatctaggc	tttgccgtga	aagaatacaa	cgatggattt	taaatactgt	120
ttgtggaatg	tgtttaaaag	attgattcta	gaacctttgt	atatttgata	gtattttctaa	180
ctttcatttc	tttactgttt	gcagttaatg	ttcatgttct	gctatgcaat	cgttttatatg	240
cacgtttctt	taattttttt	agatttttct	ggatgtatag	tttaaacac	aaaaagtcta	300
tttaaaactg	tagcagtagt	ttacagttct	agcaaaagag	aaagtgtgtg	ggttaaactt	360
tgtattttct	ttcttataga	ggcttctaaa	aaggatattt	tatatgttct	ttttaacaaa	420
tattgtgtac	aaccttttaa	acatcaatgt	ttggatcaaa	acaagaccca	gcttattttc	480
tgc						483

&lt;210&gt; 115

&lt;211&gt; 521

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 115

tgtggtggcg	ggggctgagg	tggaggccca	ggactctgac	cctgcccctg	ccttcagcaa	60
ggccccgggc	agcgccggcc	actacgaact	gccgtgggtt	gaaaaatata	ggccagtaaa	120
gctgaatgaa	attgtcggga	atgaagacac	cgtgagcagg	ctagaggtct	ttgcaaggga	180
aggaaatgtg	cccaacatca	tcattgcggg	ccctccagga	accggcaaga	ccacaagcat	240
tctgtgcttg	gcccggggcc	tgtgtggccc	agcactcaaa	gatgccatgt	tggaaactcaa	300
tgcttcaaat	gacaggggca	ttgacgttgt	gaggaataaa	attaaaatgt	ttgctcaaca	360
aaaagtcaact	cttcccaaag	gccgacataa	gatcatcatt	ctggatgaag	cagacagcat	420
gaccgacgga	gcccagcaag	ccttgaggag	aaccatggaa	atctactcta	aaaccactcg	480
ttcgcccctg	cttghtaatgc	ttcgataaag	atcatcgagc	c		521

<210> 116  
<211> 501  
<212> DNA  
<213> Homo sapien

<400> 116  
ctttgcaaag cttttatttc atgtctgcgg catggaatcc acctgcacat ggcattcttag 60  
ctgtgaagga gaaagcagt cagcagaagg aatgagtggg cggaaccaac ggcctccaca 120  
agctgccttc cagcagcctg ccaaggccat ggagagaga gactgcaaac aaacacaagc 180  
aaacagagtc tcttcacagc tggagtctga aagctcatag tggcatgtgt gaattctgaca 240  
aaattaaaag tgtgcatagt ccattacatg cataaaacac taataataat cctgtttaca 300  
cgtgactgca gcaggcaggt ccagctccac cactgccctc ctgccacatc acatcaagt 360  
ccatggttta gagggttttt catatgtaat tcttttattc tgtaaaagg aacaaaatat 420  
acagaacaaa actttccctt tttaaaacta atgttataaa tctgtattat cacttgata 480  
taaatagtat ataagctgat c 501

<210> 117  
<211> 451  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(451)  
<223> n = A,T,C or G

<400> 117  
caagggatat atgttgaggg tacrgrgtga cactgaacag atcacaaagc acgagaaaca 60  
ttagttctct ccctcccag cgtctccttc gtctccctgg tttccgatg tccacagagt 120  
gagattgtcc ctaagtaact gcatgatcag agtgcgkct ttataagact cttcattcag 180  
cgtatccaat tcagcaattg cttcatcaaa tgccgttttt gccaggctac aggccttttc 240  
aggagagttt agaatctcat agtaaaagac tgagaaattt agtgccagac caagacgaat 300  
tgggtgtgta ggctgcattn ctttcttact aatttcaaat gcttccctgg aagcctgctg 360  
ggagtccgac acaagtgggt tgtttgttgc tccagatgcc acttcagaaa gatacctaaa 420  
ataatctcct ttcattttca aagtagaaca c 451

<210> 118  
<211> 501  
<212> DNA  
<213> Homo sapien

<400> 118  
tccggagccg gggtagtcgc cgccgccgcc gccggtgcag ccaactgcagg caccgctgcc 60  
gccgcctgag tagtgggctt aggaaggaag aggtcatctc gctcggagct tcgctcggaa 120  
gggtctttgt tccctgcagc cctcccacgg gaatgacaat ggataaaagt gagctggtag 180  
agaaagccaa actcgtgtag caggctgagc gatatgatga tatggctgca gccatgaagg 240  
cagtcacaga acaggggcat gaactctcca acgaagagag aaatctgctc tctgttgctt 300  
acaagaatgt ggtaaggccg ccgcccgtc ttcctggcgt gtcactctcca gcattgagca 360  
gaaaacagag aggaatgaga agaagcagca gatgggcaaa gaggaccgtg agaagataga 420  
ggcagaactg caggacatct gcaatgatgt tctggagcct gttggacaaa tatcttattc 480  
caatgctaca caaccagaa a 501

<210> 119  
<211> 391

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 119

aaaaagcagc	argttcaaca	caaaatagaa	atctcaaatg	taggatagaa	caaaaccaag	60
tgtgtgaggg	gggaagcaac	agcaaaagga	agaaatgaga	tgttgcaaaa	aagatggagg	120
aggggtcccc	tctcctctgg	ggactgactc	aaacactgat	gtggcagtat	acaccattcc	180
agagtcaggg	gtgttcattc	tttttgggga	gtaagaaaag	gtggggatta	agaagacggt	240
tctggaggct	tagggaccaa	ggctgggtctc	ttccccccct	cccaaccccc	ttgatccctt	300
tctctgatca	ggggaaagga	gctcgaatga	gggaggtaga	gttggaagag	gaaaggattc	360
cacttgacag	aatgggacag	actccttccc	a			391

&lt;210&gt; 120

&lt;211&gt; 421

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(421)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 120

tggcaatagc	acagccatcc	aggagctctt	cargcgcatc	tcggagcagt	tcaactgccat	60
gttccgccgg	aaggccttcc	tccactggta	cacaggcgag	ggcatggacg	agatggagtt	120
caccgaggct	gagagcaaca	tgaacgacct	cgtctctgag	tatcaagcag	taccaggatg	180
ccaccgcaga	agaggaggag	gatttcggtg	aggaggccga	agaggaggcc	taaggcagag	240
ccccatcac	ctcaggcttc	tcagttccct	tagccgtctt	actcaactgc	ccctttcctc	300
tccctcagaa	tttgtgtttg	ctgcctctat	cttggttttt	gttttttctt	ctgggggggt	360
ctagaacagt	gcctggcaca	tagtaggcgc	tcaataaata	cttggttgnt	gaatgtctcc	420
t						421

&lt;210&gt; 121

&lt;211&gt; 206

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 121

agctggcgct	agggctcggg	tgtgaaatac	agcgtrgtca	gcccttgccg	tcagtgtaga	60
aaccacagcc	tgtaaggctg	gtcttcgtcc	atctgctttt	ttctgaaata	cactaagagc	120
agccacaaaa	ctgtaacctc	aaggaaacca	taaagcttgg	agtgccttaa	tttttaacca	180
gtttccaata	aaacggttta	ctacct				206

&lt;210&gt; 122

&lt;211&gt; 131

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 122

ggagatgaag	atgaggaagc	tgagtcagct	acgggcargc	gggcagctga	agatgatgag	60
gatgacgatg	tcgataccaa	gaagcagaag	accgacgagg	atgactagac	agcaaaaaag	120
gaaaagttaa	a					131

&lt;210&gt; 123

&lt;211&gt; 231

<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(231)  
<223> n = A,T,C or G

<400> 123  
gatgaaaatt aaatacttaa attaatcaaa aggcactacg ataccaccta aaacctactg 60  
cctcagtggc agtakgctaa kgaagatcaa gctacagsac atyatctaata atgaatgtta 120  
gcaattacat akcargaagc atgtttgctt tccagaagac tatggnacaa tggtcattwg 180  
ggcccaagag gatatttggc cnggaaagga tcaagataga tnaangtaaa g 231

<210> 124  
<211> 521  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(521)  
<223> n = A,T,C or G

<400> 124  
gagtagcaac gcaaagcgct tggatttgag tctgtgggsg acttcgggtc cggctctctgc 60  
agcagccgtg atcgcttagt ggagtgttta gggtagttgg ccaggatgcc gaatatcaaa 120  
atcttcagca ggcagctccc accaggactt atctcasaaa attgctgacc gcctgggcct 180  
ggagcttaggc aaggtggtga ctaagaaatt cagcaaccag gagacctgtg tggaaattgg 240  
tgaaagtgtg ccgtggagag gatgtctaca ttgttcagag tggntgtggc gaaatcaatg 300  
acaatttaat ggagcttttg atcatgatta atgcctgcaa gattgcttca gccagccggg 360  
ttactgcagt catcccatgc ttcccttatg ccccggcagg ataagaaaaga tnagagccgg 420  
gccgccaatc tcagccaagc ttggtgcaaa tatgctatct gtagcagtgc agatcatatt 480  
atcaccatgg acctacatgc ttctcaaatt canggccttt t 521

<210> 125  
<211> 341  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(341)  
<223> n = A,T,C or G

<400> 125  
atgcaaaagg ggacacaggg ggttcaaaaa taaaaatttc ttttccccct ccccaaacct 60  
gtaccccagc tccccgacca caacccctt cctccccgg ggaaagcaag aaggagcagg 120  
tgtggcatct gcagctggga agagagaggg cggggagggt ccgagctcgg tgctgggtctc 180  
tttccaaata taaatacgtg tgcagaact ggaaaatcct ccagcaccca ccacccaagc 240  
actctccggt ttctgccggt gttgggagag gggcggnngg caggggcgcc aggcaccggc 300  
tggctgcggt ctactgcata cgctgggtgt gcaccccgcg a 341

<210> 126  
<211> 521

<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(521)  
<223> n = A,T,C or G

<400> 126  
aggttggaga aggtcatgca ggtgcagatt gtccaggskc agccacaggg tcaagcccaa 60  
caggcccaga gtggcactgg acagaccatg cagggtgatgc agcagatcat cactaacaca 120  
ggagagatcc agcagatccc ggtgcagctg aatgccggcc agctgcagta tatccgctta 180  
gccagcctg tatcaggcac tcaagttgtg caggacaga tccagacact tgccaccaat 240  
gctcaacaga ttacacagac agagggtccag caaggacagc agcagttcaa gccagttcac 300  
aagatggaca gcagctctac cagatccagc aagtcacat gcctgcgggc cangacctcg 360  
ccagcccatg ttcatccagt caagccaacc agcccttca cgggcaggcc cccaggtga 420  
ccggcgactg aagggcctga gctggcaagg ccaangacac ccaacacaat ttttgccata 480  
cagccccag gcaatgggca cagcctttct tcccagagga c 521

<210> 127  
<211> 351  
<212> DNA  
<213> Homo sapien

<400> 127  
tgagatttat tgcatttcat gcagcttgaa gtccatgcaa aggrgactag cacagttttt 60  
aatgcattta aaaaataaaa gggaggtggg cagcaaacac acaaagtcct agtttccttg 120  
gtccctggga gaaaagagtg tggcaatgaa tccaccact ctccacaggg aataaatctg 180  
tctcttaaat gcaaagaatg tttccatggc ctctggatgc aaatacacag agctctgggg 240  
tcagagcaag ggatggggag aggaccacga gtgaaaaagc agctacacac attcacctaa 300  
ttccatctga gggcaagaac aacgtggcaa gtcttggggg tagcagctgt t 351

<210> 128  
<211> 521  
<212> DNA  
<213> Homo sapien

<400> 128  
tccagacatg ctctgtcct aggcggggag caggaaccag acctgctatg ggaagcagaa 60  
agagttaagg gaagggttcc ttctattcct gtcccttctc ttttgctttt gaacagtttt 120  
taaatatact aatagctaag tcatttgcca gccagggtccc ggtgaacagt agagaacaag 180  
gagcttgcta agaattaatt ttgctgtttt tcacccatt caaacagagc tgccctgttc 240  
cctgatggag ttccattcct gccagggcac ggctgagtaa cacgaagcca ttcaagaaag 300  
gcgggtgtga aatcactgcc accccatgga cagaccctc actcttcctt cttagccgca 360  
gcgctactta ataaatatat ttatactttg aaattatgat aaccgatttt tcccatgcgg 420  
catcctaagg gcacttgcca gctcttatcc ggacagtcaa gcactgttgt tggacaacag 480  
ataaaggaaa agaaaaagaa gaaaacaacc gcaacttctg t 521

<210> 129  
<211> 521  
<212> DNA  
<213> Homo sapien

<400> 129  
tgagacggac cactggcctg gtccccctc atktgctgtc gtaggacctg acatgaaacg 60

cagatctagt	ggcagagagg	aagatgatga	ggaacttctg	agacgtcggc	agcttcaaga	120
agagcaatta	atgaagctta	actcaggcct	gggacagttg	atcttgaaag	aagagatgga	180
gaaagagagc	cgggaaaagg	catctctgtt	agccagtcgc	tacgattctc	ccatcaactc	240
agcttcacat	attccatcat	ctaaaactgc	atctctccct	ggctatggaa	gaaatgggct	300
tcaccggcct	gtttctaccg	acttcgctca	gtataacagc	tatggggatg	tcagcggggg	360
agtgcgagat	taccagacac	ttccagatgg	ccacatgcct	gcaatgagaa	tggaaccgag	420
agtgtctatg	cccaacatgt	tggaaccaa	gatatttcca	tatgaaatgc	tcattggtgac	480
caacagaggg	ccgaaaccaa	atctcagaga	ggtggacaga	a		521

&lt;210&gt; 130

&lt;211&gt; 270

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 130

tcactttatt	tttcttgtat	aaaaacccta	tgttgtagcc	acagctggag	cctgagtcctg	60
ctgcacggag	actctggtgt	gggtcttgac	gaggtgggtca	gtgaactcct	gatagggaga	120
cttggtgaat	acagtctcct	tccagaggtc	gggggtcagg	tagctgtagg	tcttagaaat	180
ggcatcaaag	gtggccttgg	cgaagttgcc	caggggtggca	gtgcagcccc	gggctgaggt	240
gtagcagtca	tcgataccag	ccatcatgag				270

&lt;210&gt; 131

&lt;211&gt; 341

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 131

ctggaatata	gacccgtgat	cgacaaaact	ttgaacgagg	ctgactgtgc	caccgtcccc	60
ccagccattc	gctcctactg	atgagacaag	atgtggtgat	gacagaatca	gcttttgtaa	120
ttatgtataa	tagctcatgc	atgtgtccat	gtcataactg	tcttcatacg	cttctgcact	180
ctggggaaga	aggagtacat	tgaagggaga	ttggcaccta	gtggctggga	gcttgccagg	240
aacccagtgg	ccagggagcg	tggcacttac	ctttgtccct	tgcttcattc	ttgtgagatg	300
ataaaactgg	gcacagctct	taaataaaat	ataaatgaac	a		341

&lt;210&gt; 132

&lt;211&gt; 844

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(844)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 132

tgaatgggga	ggagctgacc	caggaaatgg	agcttgngga	gaccaggcct	gcaggggatg	60
gaaccttcca	gaagtgggca	tctgtggtgg	tgccctcttg	gaaggagcag	aagtacacat	120
gccatgtgga	acatgagggg	ctgcctgagc	ccctcacctc	gagatggggc	aaggaggagc	180
ctccttcac	caccaagact	aacacagtaa	tcattgtgtg	tccggtgtgc	cttggagctg	240
tggtcatcct	tggaagctgt	atggcttttg	tgatgaagag	gaggagaaac	acaggtggaa	300
aaggagggga	ctatgctctg	gctccaggct	cccagagctc	tgatattgtc	ctcccagatt	360
gtaaagtgtg	aagacagctg	cctggtgtgg	acttggtgac	agacaatgtc	ttcacacatc	420
tcctgtgaca	tccagagacc	tcagtctctc	ttagtcaagt	gtctgatgtt	ccctgtgagt	480
ctgctgggctc	aaagtgaaga	actgtggagc	ccagtccacc	cctgcacacc	aggaccctat	540
ccctgcactg	ccctgtgttc	ccttccacag	ccaaccttgc	tgctccagcc	aaacattggt	600

ggacatctgc	agcctgtcag	ctccatgcta	ccctgacctt	caactcctca	cttccacact	660
gagaataata	atgtgaatgt	gggtggctgg	agagatggct	cagcgctgac	tgctcttcca	720
aaggctctga	gttcaaatcc	cagcaaccac	atggtggctc	acaaccatct	gtaatgggat	780
ctaataccct	cttctgcagt	gtctgaagac	asctacagtg	tacttacata	taataataaa	840
taag						844

<210> 133  
 <211> 601  
 <212> DNA  
 <213> Homo sapien

<400> 133						
ggccgggagc	gcgcgcccc	gccacacgca	cgccgggagc	gccagtttat	aaagggagag	60
agcaagcagc	gagtcctgaa	gctctgtttg	gtgcttttga	tccatttcca	tcggctcctta	120
cagccgctcg	tcagactcca	gcagccaaga	tggtgaagca	gatcgagagc	aagactgctt	180
ttcaggaagc	cttggacgct	gcaggtgata	aacttgtagt	agttgacttc	tcagccacgt	240
ggtgtgggccc	ttgcaaatg	atcaagcctt	tctttcattc	cctctctgaa	aagtattcca	300
acgtgatatt	ccttgaagta	gatgtggatg	actgtcagga	tggtgcttca	gagtgtgaag	360
tcaaatgcat	gccaaatttc	cagtttttta	agaagggaca	aaaggtgggt	gaattttctg	420
gagccaataa	ggaaaagctt	gaagccacca	ttaatgaatt	agtctaatac	tgttttctga	480
aaatataacc	agccattggc	tattttaaac	ttgtaatttt	tttaattttac	aaaaatataa	540
aatatgaaga	cataaaccm	gttgccatct	gcgtgacaat	aaaacattaa	tgctaacact	600
t						601

<210> 134  
 <211> 421  
 <212> DNA  
 <213> Homo sapien

<400> 134						
tcacataaga	aatttaagca	agttacrcta	tcttaaaaaa	cacaacgaat	gcatttttaat	60
agagaaaccc	ttccctccct	ccacctccct	ccccaccct	cctcatgaat	taagaatcta	120
agagaagaag	taaccataaa	accaagtttt	gtggaatcca	tcattccagag	tgcttacatg	180
gtgattaggt	taatattgcc	ttcttacaaa	atttctattt	taaaaaaaat	tataaccttg	240
attgcttatt	acaaaaaaat	tcagtacaaa	agttcaatat	attgaaaaat	gcttttcccc	300
tccttcacag	caccgtttta	tatatagcag	agaataatga	agagattgct	agtctagatg	360
gggcaatctt	caaatttacac	caagacgcac	agtggtttat	ttaccctccc	cttctcataa	420
g						421

<210> 135  
 <211> 511  
 <212> DNA  
 <213> Homo sapien

<400> 135						
ggaaaggatt	caagaattag	aggacttgct	tgctrragaa	aaagacaact	ctcgctcgcat	60
gctgacagac	aaagagagag	agatggcgga	aataagggat	caaatgcagc	aacagctgaa	120
tgactatgaa	cagcttcttg	atgtaaaagt	agccctggac	atggaaatca	gtgcttacag	180
gaaactctta	gaaggcgaag	aagagaggtt	gaagctgtct	ccaagccctt	cttcccgtgt	240
gacagtatcc	cgagcatcct	caagtcgtag	tgtaccgtac	aactagagga	aagcggaaga	300
gggttgatgt	ggaagaatca	gaggcgaagt	agtagtggtt	gcattctctca	ttccgcctca	360
accactggaa	atgtttgcat	cgaagaaatt	gatgttgatg	ggaaatttat	cccgttgtaa	420
gaacacttct	gaacaggatc	aaccaatggg	aaggcttggg	agatgatcag	aaaaattgga	480
gacacatcag	tcagttataa	atatacctca	a			511

<210> 136  
<211> 341  
<212> DNA  
<213> Homo sapien

<400> 136  
catgggtttc accaggttgg ccaggtgct cttgaactsc tgacctcagg tgateccccc 60  
gcctcggect cccaaagtgc tgggattaca ggcgtgagcc accacgcccg gcccccaaag 120  
ctgtttcttt tgtcttttagc gtaaagctct cctgccatgc agtatctaca taactgacgt 180  
gactgccagc aagctcagtc actccgtggt ctttttctct ttccagttct tctctctctc 240  
ttcaagttct gcctcagtga aagctgcagg tccccagtta agtgatcagg tgagggttct 300  
ttgaacctgg ttctatcagt cgaattaatc cttcatgatg g 341

<210> 137  
<211> 551  
<212> DNA  
<213> Homo sapien

<400> 137  
gatgtgttgg accctctgtg tcaaaaaaaaa cctcacaaag aatccccctgc tcattacaga 60  
agaagatgca tttaaaatat gggttatttt caacttttta tctgaggaca agtatccatt 120  
aattattgtg tcagaagaga ttgaatacct gcttaagaag cttacagaag ctatgggagg 180  
aggttggcag caagaacaat ttgaacatta taaaatcaac tttgatgaca gtaaaaatgg 240  
cctttctgca tgggaactta ttgagcttat tggaaatgga cagtttagca aaggcatgga 300  
ccggcagact gtgtctatgg caattaatga agtctttaat gaacttatat tagatgtgtt 360  
aaagcagggt tacatgatga aaaagggccca cagacggaaa aactggactg aaagatggtt 420  
tgtactaaaa cccaacataa tttcttacta tgtgagtgag gatctgaagg ataagaaagg 480  
agacattctc ttggatgaaa attgctgtgt agaagtcctt gcctgacaaa agatggaaag 540  
aaatgccttt t 551

<210> 138  
<211> 531  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(531)  
<223> n = A,T,C or G

<400> 138  
gactggttct ttatttcaaa aagacacttg tcaatattca gtrtcaaaac agttgcacta 60  
ttgatttctc tttctcccaa tcggccccaa agagaccaca taaaaggaga gtacatttta 120  
agccaataag ctgcaggatg tacacctaac agacctccta gaaaccttac cagaaaatgg 180  
ggactgggta gggaaggaaa cttaaaagat caacaaactg ccagcccacg gactgcagag 240  
gctgtcacag ccagatgggg tggccagggt gccacaaacc caaagcaaaag tttcaaaata 300  
atataaaatt taaaaagttt tgtacataag ctattcaaga tttctccagc actgactgat 360  
acaaagcaca attgagatgg cacttctaga gacagcagct tcaaaccagc aaaagggtga 420  
tgagatgaag tttcacatgg ctaaatcagt ggcaaaaaca cagtcttctt tctttcttct 480  
tttcaaggan gcaggaaagc aattaagtgg tcaccttaac ataaggggga c 531

<210> 139  
<211> 521  
<212> DNA  
<213> Homo sapien



<220>  
<221> misc\_feature  
<222> (1)...(521)  
<223> n = A,T,C or G

<400> 139  
tgggtgggca ccatggctgg gatcaccacc atcgaggcgg tgaagcgcaa gatccaggtt 60  
ctgcagcagc aggcagatga tgcagaggag cgagctgagc gcctccagcg agaagttgag 120  
ggagaaagcg gggcccggga acaggctgag gctgaggtgg cctccttgaa ccgtaggatc 180  
cagctggttg aagaagagct ggaccgtgct caggagcgcc tggccactgc cctgcaaaaag 240  
ctggaagaag ctgaaaaagc tgctgatgag agtgagagag gtatgaaggt tattgaaaac 300  
cgggccttaa aagatgaaga aaagatggaa ctccaggaaa tccaactcaa agaagctaag 360  
cacattgcag aagaggcaga taggaagtat gaagaggtgg ctcgtaagtt ggtgatcatt 420  
gaaggagact tggaaccgca cagaagggaac gagcttgagc ttggcaaaaag tcccgttgcc 480  
cagagatggg atgaaccaga ttagactgat ggaccanaac c 521

<210> 140  
<211> 571  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(571)  
<223> n = A,T,C or G

<400> 140  
aggggcngcg ggtgcgtggg ccactgggtg accgacttag cctggccaga ctctcagcac 60  
ctggaagcgc cccgagagtg acagcgtgag gctgggaggg aggacttggc ttgagcttgt 120  
taaactctgc tctgagcctc cttgtgcgct gcatttagat ggctcccgca aagaaggggtg 180  
gcgagaagaa aaagggccgt tctgccatca acgaagtggg aacccgagaa tacaccatca 240  
acattcacaa gcgcattccat ggagtgggct tcaagaagcg tgcacctcgg gactcaaaag 300  
agattcgga aattgcatg aaggagatgg gaactccaga tgtgcgcatt gacaccaggc 360  
tcaacaaagc tgtctgggcc aaaggaataa ggaatgtgcc ataccgaatc cgggtgtgcgg 420  
ctgtccagaa aacgtaatga ggatgaagat tcaccaaata agctatatac tttggttacc 480  
tatgtacctg ttaccacttt caaaaatcta cagacagtca atgtggatga gaactaatcg 540  
ctgatcgtca gatcaaataa agttataaaa t 571

<210> 141  
<211> 531  
<212> DNA  
<213> Homo sapien

<400> 141  
tcgggagcca cacttgggcc tcttctcttc caaagsgcc aacctcctt ctctttggag 60  
aatggggagg cctcttggag acacagaggg ttacaccttg gatgacctt agagaaattg 120  
cccaagaagc ccacctcttg gtcccaacct gcagaccoca cagcagtcag ttggtcaggc 180  
cctgctgtag aaggtcactt ggctccattg cctgcttcca accaatgggc aggagagaag 240  
gccttttatt ctgcgccacc cattcctcct gtaccagcac ctccgttttc agtcagtgtt 300  
gtccagcaac ggtaccgttt acacagtcac ctccagacaca ccatttcacc tcccttgcca 360  
agctgttagc cttagagtga ttgcagtga cactgtttac acaccgtgaa tccattccca 420  
tcagtcatt ccagttggca ccagcctgaa ccatttggtta cctggtgtta actggagtc 480  
tgtttacaag gtggagtcgg ggcttgctga cttctcttca tttgagggca c 531

<210> 142  
<211> 491  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(491)  
<223> n = A,T,C or G

<400> 142  
acctagacag aaggtgggtg agggaggact ggtaggaggc tgaggcaatt ccttggtagt 60  
ttgtcctgaa accctactgg agaagtcagc atgaggcacc tactgagaga agtgcccaga 120  
aactgctgac tgcactgtt aagagttaac agtaaagagg tagaagtgtg tttctgaatc 180  
agagtggaag cgtctcaagg gtcccacagt ggaggtccct gagctacctc ccttccgtga 240  
gtgggaagag tgaagcccat gaagaactga gatgaagcaa ggatggggtt cctgggctcc 300  
aggcaagggc tgtgtctctc gcagcaggga gcccacgag tcagaagaaa agaactaatc 360  
atttgttgca agaaaccttg cccggatact agcggaaaac tggaggcggg ggtgggggca 420  
caggaaagtg gaagtgattt gatggagagc agagaagcct atgcacagtg gccgagtcca 480  
cttgtaaagt g 491

<210> 143  
<211> 515  
<212> DNA  
<213> Homo sapien

<400> 143  
ttcaagcaat tgtaacaagt atatgtagat tagagtgagc aaaatcatat acaattttca 60  
tttccagttg ctattttcca aattgttctg taatgtcgtt aaaattactt aaaaattaac 120  
aaagccaaaa attatattta tgacaagaaa gccatcccta cattaatctt acttttccac 180  
tcaccggccc atctccttcc tctttttcct aactatgcca ttaaaactgt tctactgggc 240  
cgggcgtgtg gctcatgcct gtaatcccag cattttggga ggccaaggca ggcgatcat 300  
gaggtcaaga gattgagacc atcctggcca acatggtgaa accccgcctc gactaagaat 360  
acaaaaatta gctgggcatg gtggcgcag cctgtagtct cagctactcg ggaggctgag 420  
gcagaagaat cgcttgaacc cgggaggcag aggatgcagt gagccccgat cgcgccactg 480  
cactctagcc tgggcgacag actgagactc tgctc 515

<210> 144  
<211> 340  
<212> DNA  
<213> Homo sapien

<400> 144  
tgtgccagtc tacaggccta tcagcagcga ctccctcagc aacagatggg gtcccctgtt 60  
cagcccaacc ccatgagccc ccagcagcat atgctcccaa atcaggccca gtccccacac 120  
ctacaaggcc agcagatccc taattctctc tccaatcaag tgcgctctcc ccagcctgtc 180  
ccttctccac ggccacagtc ccagccccc cactccagtc cttccccaag gatgcagcct 240  
cagccttctc cacaccacgt ttccccacag acaagttccc cacatcctgg actggtagtt 300  
gccagggcca accccatgga acaaggcat tttgccagcc 340

<210> 145  
<211> 630  
<212> DNA  
<213> Homo sapien

&lt;400&gt; 145

tgtaaaaact	tgttttta	tttgtataaa	ataaagggtg	tccatgccca	cgggggctgt	60
aggaaatcca	agcagaccag	ctgggggtgg	gggatgtagc	ctacctcg	ggactgtctg	120
tcctcaaaac	gggtgagaa	ggcccgtcag	gggccaggt	cccacagaga	ggcctgggat	180
actccccaa	cccgaggggc	agactgggca	gtggggagcc	cccatcgtgc	cccagaggtg	240
gccacaggct	gaaggagggg	cctgaggcac	cgcagcctgc	aacccccagg	gctgcagtcc	300
actaactttt	tacagaataa	aaggaaacatg	gggatgggga	aaaaagcacc	aggtcaggca	360
gggcccagag	gccccagatc	ccaggagggc	caggactcag	gatgccagca	ccaccctagc	420
agctcccaca	gctcctggca	caggagggcg	ccacggattg	gcacaggccg	ctgctggcca	480
tcacgccaca	tttggaagaac	ttgtcccagc	agaggtcagc	tcggaggagc	tcctcgtggg	540
cacacactgt	acgaacacag	atctccttgt	taatgacgta	cacacggcgg	aggctgcggg	600
gacagggcac	gggaggtctc	agccccactt				630

&lt;210&gt; 146

&lt;211&gt; 521

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 146

atggctgctg	gatttaggtg	gtaatagggg	ctgtgggcca	taaatctgaa	gccttgagaa	60
ccttgggtct	ggagagccat	gaagagggaa	ggaaaagagg	gcaagtcctg	aacctaacca	120
atgacctgat	ggattgctcg	accaagacac	agaagtgaag	tctgtgtctg	tgcacttccc	180
acagactgga	gtttttgggtg	ctgaatagag	ccagttgcta	aaaaattggg	ggtttggtga	240
agaaatctga	ttgttgtgtg	tattcaatgt	gtgattttta	aaataaacag	caacaacaat	300
aaaaaccctg	actggctgtt	ttttccctgt	attctttaca	actatttttt	gacctcttga	360
aaattattat	acttcacctt	aatggaagac	tgtgtgtgtt	gtggaaattt	tgtaatTTTT	420
taatttattt	tattctctct	cctttttatt	ttgcctgcag	aatccgttga	gagactaata	480
aggcttaata	tttaattgat	ttgtttaata	tgtatataaa	t		521

&lt;210&gt; 147

&lt;211&gt; 562

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 147

ggcatgagag	cgcactcggc	ggacgcaagg	gcggcgggga	gcacacggag	cactgcaggc	60
gccgggttgg	gacagcgtct	tcgctgctgc	tggatagtcg	tgttttcggg	gatcgaggat	120
actcaccaga	aaccgaaaat	gccgaaacca	atcaatgtcc	gagttaccac	catggatgca	180
gagctggagt	ttgcaatcca	gccaaataca	actggaaaac	agctttttga	tcagggtgta	240
aagactatcg	gcctccggga	agtgtgtgtac	tttggcctcc	actatgtgga	taataaagga	300
tttctacct	ggctgaagct	ggataagaag	gtgtctgccc	aggaggtcag	gaaggagaat	360
cccctccagt	tcaagttccg	ggccaaagtt	ctaccctgaa	gatgtggctg	aggagctcat	420
ccaggacatc	accagaaaac	ttttcttctt	tcaagtgaag	gaaggaaatcc	ttagcgatga	480
gatctactgc	cccccttgar	actgccgtgc	tcttggggtc	ctacgcttgt	gcacgccaag	540
tttggggact	accaccaaga	ag				562

&lt;210&gt; 148

&lt;211&gt; 820

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 148

gaaggagtgc	ggatactcag	cattgatgca	ccccaatttc	aaagcggcat	tcttcggcag	60
gtctctggga	caatctctag	ggtcactacc	tggaaactcg	ttagggatca	actgaatgct	120
gaaaggaaag	aacacctgca	gaaccggaca	gaaattcacc	ccggcgatca	gctgattgat	180

```
ctcggtcgac  cagaagtcac  ggctaaagat  gacgaggacg  ttgtcaattc  cctgggcttt  240
tcgaagttag  tccagcagca  gtctgaggta  ttcgggccgg  ttatgcacct  ggaccaccag  300
caccagctcc  cggggggccc  aggtgccagc  cttatctaca  ttctcagggt  tctgatcaaa  360
gttcagctgg  tacaccaggg  accggtaccg  cagcgtcagg  ttgtccgctc  gggctggggg  420
accgccggga  ccagggaagc  cgcgcgacac  ttggagaccc  tgcggatgcc  cacagccaca  480
gaggggtggt  cccaccgcg  gccgcggca  ccccgcgcg  gtccgcgctc  cagcaaccgt  540
ggggcgaggg  cctcgttctt  cctttgtcgc  ccattgtctc  tccagaggac  gaagccgcag  600
gcgccacca  cgagcgtcag  gattagcacc  ttccgtttgt  agatgcggaa  cctcatggtc  660
tccagggccg  ggagcgcagc  tacagctcga  gcgtcggcgc  cgccgctagg  agccgcggct  720
cggttcgtc  tccgtcctct  ccattcagca  ccacgggtcc  cggaaaaagc  tcagccscgg  780
tcccaaccgc  accctagctt  cgttacctgc  gcctcgtttg  820
```

&lt;210&gt; 149

&lt;211&gt; 501

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 149

```
cagattttta  tttgcagtcg  tcaactggggc  cgtttcttgc  tgcttatttg  tctgctagcc  60
tgctcttcca  gctgcatggc  caggcgcaag  gccttgatga  catctcgcag  ggctgagaaa  120
tgcttggtct  gctgggccag  agcagattcc  gctttgttca  caaaggctc  caggctatag  180
tctggctgct  cggctcatct  agagagctca  agccagtctg  gtccttgctg  tatgatctcc  240
ttgagctctt  ccatagcctt  ctctccagc  tccctgatct  gagtcatggc  ttcgttaaa  300
ctggacatct  gggaagacag  ttctcctct  tccctggata  aattgcctgg  aatcagcgcc  360
ccgttagagc  aggttccat  ctcttctgtt  tccatttgaa  tcaactgctc  tccactgggc  420
ccactgtggg  ggctcagctc  cttgaccctg  ctgcatact  taagggtgtt  taaaggatat  480
tcacaggagc  ttatgcctgg  t  501
```

&lt;210&gt; 150

&lt;211&gt; 511

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(511)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 150

```
ctcctcttgg  tacatgaacc  caagttgaaa  gtggacttaa  caaagtatct  ggagaaccaa  60
gcattctgct  ttgactttgc  atttgatgaa  acagcttcga  atgaagttgt  ctacaggttc  120
acagcaaggc  cactggtaca  gacaatcttt  gaagggtgaa  aagcaacttg  ttttgcatat  180
ggccagacag  gaagtggcaa  gacacatact  atgggcggag  acctctcttg  gaaagcccag  240
aatgcatcca  aagggatcta  tgccatggcc  ttccgggacg  tcttcttctg  aagaatcaac  300
cctgctaccg  gaagttgggc  ctggaagtct  atgtgacatt  cttcgagatc  tacaatggga  360
agctgtttga  cctgctcaac  aagaaggcca  agcttgcgcg  tgctggaaga  cggcaagcaa  420
caggtgcaag  tggtaggggc  ttgcaggaac  atctggntaa  ctctgcttga  tgatggcant  480
caagatgata  gacatgggca  gcgcctgcag  a  511
```

&lt;210&gt; 151

&lt;211&gt; 566

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 151

tcccgaattc	aagcgacaaa	ttggawagtg	aaatggaaga	tgcctatcat	gaacatcagg	60
caaatctttt	gcgccaagat	ctgatgagac	gacaggaaga	attaagacgc	atggaagaac	120
ttcacaatca	agaaatgcag	aaacgtaaag	aaatgcaatt	gaggcaagag	gaggaacgac	180
gtagaagaga	ggaagagatg	atgattcgtc	aacgtgagat	ggaagaacaa	atgaggcgcc	240
aaagagagga	aagttacagc	cgaatgggct	acatggatcc	acgggaaaga	gacatgcgaa	300
tgggtggcgg	aggagcaatg	aacatgggag	atccctatgg	ttcaggaggc	cagaaatttc	360
cacctctagg	aggtggtggt	ggcataggtt	atgaagctaa	tcctggcggt	ccaccagcaa	420
ccatgagtgg	ttccatgatg	ggaagtgcac	tgcgtactga	gcgctttggg	caggggaggtg	480
cggggcctgt	gggtggacag	ggtcctagag	gaatggggcc	tggaactcca	gcaggatatg	540
gtagagggag	agaagagtac	gaaggc				566

&lt;210&gt; 152

&lt;211&gt; 518

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 152

ttcgtgaaga	ccctgactgg	taagaccatc	actctcgaag	tggagcccga	gtgacaccat	60
tgagaatgtc	aaggcaaaga	tccaagacaa	ggaaggcatc	cctcctgacc	agcakaggtt	120
gatctttgct	gggaaacagc	tggaagatgg	acgcaccctg	tctgactaca	acatccagaa	180
agagtccacc	ctgcacctgg	tgctccgtct	cagaggtggg	atgcaaactc	tcgtgaagac	240
cctgactggt	aagaccatca	ccctcgaggt	ggagcccagt	gacaccatcg	agaatgtcaa	300
ggcaaagatc	caagataaag	aaggcatccc	tcctgatcag	cagaggttga	tctttgctgg	360
gaaacagctg	gaagatggac	gcaccctgtc	tgactacaac	atccagaaag	agtcactct	420
gcacttggtc	ctgcgcttga	gggggggtgt	ctaagtttcc	ccttttaagg	ttccaacaaa	480
tttcattgca	ctttcctttc	aataaagttg	ttgcattc			518

&lt;210&gt; 153

&lt;211&gt; 542

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 153

gcgcgggtgc	gtggggcact	gggtgaccga	cttagcctgg	ccagactctc	agcacctgga	60
agcgccccga	gagtgacagc	gtgaggctgg	gagggaggac	ttggcctgag	cttgtaaacc	120
tctgtctctga	gcctccttgt	cgctgcatt	tagatggctc	ccgcaaagaa	gggtggcgag	180
aagaaaaagg	gccgttctgc	catcaacgaa	gtggtaaccc	gagaatacac	catcaacatt	240
cacaagcgca	tccatggagt	gggcttcaag	aagcgtgcac	ctcgggcact	caaagagatt	300
cggaaatttg	ccatgaagga	gatgggaact	ccagatgtgc	gcattgacac	caggctcaac	360
aaagctgtct	gggccaaaag	aataagggaat	gtgccatacc	gaatccgtgt	gcggctgtcc	420
agaaaacgta	atgaggatga	agattcacca	aataagctat	atactttggt	tacctatgta	480
cctgttacca	ctttcaaaaa	tctacagaca	gtcaatgtgg	atgagaacta	atcgctgac	540
gt						542

&lt;210&gt; 154

&lt;211&gt; 411

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 154

aattctttat	ttaaatcaac	aaactcatct	tcctcaagcc	ccagaccatg	gtaggcagcc	60
ctccctctcc	atccctcac	cccacccctt	agccacagtg	aagggaatgg	aaaatgagaa	120
gccacgaggg	cccctgccag	ggaaggctgc	cccagatgtg	tggtagcac	agtcagtga	180
gctgtggctg	gggcagcagc	tgccacaggc	tcctccctat	aaattaagtt	cctgcagcca	240
cagctgtggg	agaagcatat	ttgtagaagc	aaggccagtc	cagcatcaga	aggcagaggg	300

agcatcagtg actcccagcc atggaatgaa cggaggacac agagctcaga gacagaacag 360  
gccaggggga agaaggagag acagaatagg ccagggcatg gcggtgaggg a 411

<210> 155

<211> 421

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(421)

<223> n = A,T,C or G

<400> 155

tgatgaatct ggggtgggctg gcagtagccc gagatgatgg gctcttctct ggggatccca 60  
actggttccc taagaaatcc aaggagaatc ctcggaactt ctcggataac cagctgcaag 120  
agggcaagaa cgtgatcggg ttacagatgg gcaccaaccg cggggcgtct cangcaggca 180  
tgactggcta cgggatgcca cgccagatcc tctgatccca ccccaggcct tgcccctgcc 240  
ctcccacgaa tgggttaatat atatgtatg atatatttta gcagtacat tcccagagag 300  
cccagagct ctcaagctcc tttctgtcag ggtgggggt tcaagcctgt cctgtcacct 360  
ctgaagtgcc tgctggcatc ctctcccca tgcttactaa tacattccct tcccatagc 420  
c 421

<210> 156

<211> 670

<212> DNA

<213> Homo sapien

<400> 156

agcggagctc cctcccctgg tggctacaac ccacacacgc caggctcagg catcgagcag 60  
aactccagcg actgggtaac cactgacatt caggtgaagg tgcgggacac ctacctggat 120  
acacaggtgg tgggacagac aggtgtcatc cgcagtgta cggggggcat gtgctctgtg 180  
tacctgaagg acagtgaagaa ggtgtgcagc atttccagt agcacctgga gcctatcacc 240  
cccaccaaga acaacaagggt gaaagtgatc ctgggagagg atcgggaagc cacgggcgtc 300  
ctactgagca ttgatgggtga ggatggcatt gtccgtatgg acctgatga gcagctcaag 360  
atcctcaacc tccgcttccct ggggaagctc ctggaagcct gaagcaggca gggccggtgg 420  
acttcgtcgg atgaagagtg atcctccttc cttccctggc ccttggtgtg gacacaagat 480  
cctcctgcag ggetaggcgg attgttctgg atttcctttt gtttttccct ttaggtttcc 540  
atcttttccc tccttggtgc tcattggaat ctgagtagag tctgggggag ggtccccacc 600  
ttcctgtacc tcctcccccac agcttgcttt tgttgtagcc tctttcaata aaaagaagct 660  
gtttggtcta 670

<210> 157

<211> 421

<212> DNA

<213> Homo sapien

<400> 157

ggttcacagc actgctgctt gtgtgttgcc ggccaggaat tccaggtcca caaggctatc 60  
ttagcagctc gttctccggg ttttagtgcc atgtttgaac atgaaatgga ggagagcaaa 120  
aagaatcgag ttgaaatcaa tgatgtggag cctgaagttt ttaaggaaat gatgtgcttc 180  
atttacacgg ggaaggctcc aaacctcgac aaaatggctg atgatttgct ggcagctgct 240  
gacaagtatg ccctggagcg cttaaaggte atgtgtgagg atgccctctg cagtaacctg 300  
tccgtggaga acgctgcaga aattctcatc ctggccgacc tccacagtgc agatcagttg 360  
aaaactcagg cagtggattt catcaactat catgcttcgg atgtcttgga gacctcttg 420

g

421

<210> 158  
<211> 321  
<212> DNA  
<213> Homo sapien

<400> 158  
tcgtagccat ttttctgctt ctttgagaa tgacgccaca ctgactgctc attgtcgttg 60  
gttccatgcc aattggtgaa atagaacctc atccggtagt ggagccggag ggacatcttg 120  
tcatcaacgg tgatggtgcg atttgagca taccagagct tgggtgttctc gccatacagg 180  
gcaaagaggt tgtgacaaag aggagagata cggcatgcct gtgcagccct gatgcacagt 240  
tcctctgctg tgtactctcc actgcccagc cggaggggct ccctgtccga cagatagaag 300  
atcacttcca cccctggctt g 321

<210> 159  
<211> 596  
<212> DNA  
<213> Homo sapien

<400> 159  
tggcacactg ctcttaagaa actatgawga tctgagattt ttttgtgtat gtttttgact 60  
cttttgagtg gtaatcatat gtgtctttat agatgtacat acctccttgc acaaatggag 120  
gggaattcat tttcatcact gggagtgtcc ttagtgtata aaaaccatgc tggatatatgg 180  
cttcaagttg taaaaatgaa agtgacttta aaagaaaata ggggatggtc caggatctcc 240  
actgataaga ctgtttttaa gtaacttaag gacctttggg tctacaagta tatgtgaaaa 300  
aaatgagact tactgggtga ggaattcat tgtttaaaga tggtcgtgtg tgtgtgtgtg 360  
tgtgtgtgtg ttgtgtgtgt ttttgttttt taaggagggg aatttattat ttaccgttgc 420  
ttgaaattac tgkgtaaata tatgtytgat aatgatttgc tytttgvcma ctaaaattag 480  
gvctgtataa gtwtaratg cmtccctggg kgttgatytt ccmagatatt gatgatamcc 540  
cttaaaattg taaccygcct ttttcccttt gctytcmtt aaagtctatt cmaaag 596

<210> 160  
<211> 515  
<212> DNA  
<213> Homo sapien

<400> 160  
gggggtaggc tctttattag acggttattg ctgtactaca gggtcagagt gcagtgtgaa 60  
cagtgtcaga ggcccgcgtt cagcccaaga atgtggattt tctctcccta ttgatcacag 120  
tgggtgggtt tcttcagaaa agcccagag gcagggacca gtgagctcca aggttagaag 180  
tggaactgga aggccttcagt cacatgctgc ttccacgctt ccaggctggg cagcaaggag 240  
gagatgcccc tgacgtgccca ggtctcccca tctgacacca gtgaagtctg gtaggacagc 300  
agccgcacgc ctgcctctgc caggaggcca atcatggtag gcagcattgc agggtcagag 360  
gtctgagtcc ggaataggag caggggcagg tccctgcgga gaggcacttc tggcctgaag 420  
acagctccat tgagcccctg cagtacaggy gtagtgccct ggaccaagcc cacagcctgg 480  
taaggggcgc ctgccagggc cacggccagg aggca 515

<210> 161  
<211> 936  
<212> DNA  
<213> Homo sapien

<400> 161  
taatttctta gtcgttttga atccttaagc atgcaaaagc tttgaacaga agggttcaca 60

```

aaggaaccag gggtgtctta tggcatccag ttaagccaga gctgggaatg cctctgggtc 120
atccacatca ggagcagaag cacttgactt gtcggtcctg ctgccacggt ttgggcgccc 180
accacgcccc cgtccacctc gtccctccct gccgccacgt cctgggcggc caaggtctcc 240
aaaattgatc tccagctgag acgttatatc atttgctggc ttccggaaat gatgggtccat 300
aaccgaatct tcagcatgag cctcttccact ctttgattta tgaagaacaa atcccttctt 360
ccactgcccc tcagcacctt catttggttt tcggatatta aattctactt ttgcccggtc 420
cttattttga atagccttcc actcatccaa agtcatctct tttggaccct cctcttttac 480
ctcttcaact tcattctcct tattttcagt gtcctgccact ggatgatgtt cttcaccttc 540
agggtgttcc tcagtcacat ttgattgac caagtcagtt aattcgtctt tgacagtcc 600
ccagttgtga gatccgctac ctccacgttt gtcctcgtgc ttcaggccag atctatcact 660
tccactatgc ctatcaaatt cacgtttgcc acgagaatca aatccatctc ctccggccat 720
tcacgctcca cggccccctc gacctcttcc aagaccacca cgacctcgaa taggtcggtc 780
aataatcggc ctatcaactg aaaattcggc tccttcaccc tttcttcaa gtggcttttc 840
gaatcttcgt tcacgaggtg gtcgccttcc tggcttctca tcaattattt tcccttcacc 900
ctgaagttgt tgatcaggtc ttcttccaac tcgtgc 936

```

&lt;210&gt; 162

&lt;211&gt; 950

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 162

```

aagcggatgg acctgagtca gccgaatcct agcccccttc cttgggcctg ctgtggtgct 60
cgacatcagt gacagacgga agcagcagac catcaaggct acgggaggcc cggggcgctt 120
gcgaagatga agtttggtg cctctccttc cggcagcctt atgctggctt tgtcttaaat 180
ggaatcaaga ctgtggagac gcgctggcgt cctctgctga gcagccagcg gaactgtacc 240
atcgccgtcc acattgctca cagggactgg gaaggcgatg cctgtcggga gctgctggtg 300
gagagactcg ggatgactcc tgctcagatt caggccttgc tcaggaaagg ggaaaagttt 360
ggtcgaggag tgatagcggg actcgttgac attggggaaa ctttgcaatg ccccgaagac 420
ttaactcccc atgaggttgt ggaactagaa aatcaagctg cactgaccaa cctgaagcag 480
aagtacctga ctgtgatttc aaaccccagg tggttactgg agccatacc taggaaagga 540
ggcaaggatg tattccaggt agacatccca gagcacctga tccctttggg gcatgaagtg 600
tgacaagtgt gggctcctga aaggaatgtt ccragaaac cagctaaatc atggcacctt 660
caatttgcca tcgtgacgca gacctgtata aattaggtta aagatgaatt tccactgctt 720
tgagagatcc caccactaa gcaactgtga tgtaaacagg ttcctttgct cagatgaagg 780
aagtaggggg tggggcttcc cttgtgtgat gcctccttag gcacacaggc aatgtctcaa 840
gtactttgac cttagggtag aaggcaaaag tgccagtaaa tgtctcagca ttgctgctaa 900
ttttggtcct gctagtttct ggattgtaca aataaatgtg ttgtagatga 950

```

&lt;210&gt; 163

&lt;211&gt; 475

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(475)

&lt;223&gt; n = A, T, C or G

&lt;400&gt; 163

```

tcgagcggcc gcccgggcag gtgtcggagt ccagcacggg aggcgtgggtc ttgtagttgt 60
tctccggctg cccattgttc tcccactcca cggcgatgtc gctgggatag aagcctttga 120
ccaggcaggt caggctgacc tggttcttgg tcactctctc ccgggatggg ggcagggtgt 180
acacctgtgg ttctcggggc tgccctttgg ctttgagat ggttttctcg atgggggctg 240
ggagggcttt gttggagacc ttgcacttgt actccttgc attcaaccag tcctggtgca 300

```



ngacggtgag gacgctnacc acacggtacg ngctggtgta ctgctcctcc cgcgggtttg 360  
tcttggcatt atgcacctcc acgccgtcca cgtaccaatt gaacttgacc tcagggtctt 420  
cgtggctcac gtccaccacc acgcatgtaa cctcaaanct cggncgcgan cacgc 475

<210> 164

<211> 476

<212> DNA

<213> Homo sapien

<400> 164

agcgtggtcg cggccgaggt ctgaggttac atgcgtggtg gtggacgtga gccacgaaga 60  
ccctgaggtc aagttcaact ggtacgtgga cggcgtggag gtgcataatg ccaagacaaa 120  
gccgcgggag gagcagtaca acagcacgta ccgtgtggtc agcgtcctca ccgtcctgca 180  
ccaggactgg ctgaatggca aggagtacaa gtgcaaggtc tccaacaaag ccctcccagc 240  
ccccatcgag aaaaccatct ccaaagccaa agggcagccc cgagaaccac aggtgtacac 300  
cctgccccca tcccgggagg agatgaccaa gaaccaggtc agcctgacct gcctggtcaa 360  
aggcttctat cccagcgaca tcgcccgtgg agtgggagag caatgggcag ccggagaaca 420  
actacaagac cagcctccc gtgctggact ccgacacctg ccgggcggcc gctcga 476

<210> 165

<211> 256

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(256)

<223> n = A,T,C or G

<400> 165

agcgtggttn cggccgaggt cccaaccaag gctgcancct ggatgccatc aaagtcttct 60  
gcaacatgga gactggtgag acctgcgtgt accccactca gccagtggtg gccagaaga 120  
actggtacat cagcaagaac ccgaaggaca agaggcatgt ctggttcggc gagagcatga 180  
ccgatggatt ccagttcgag tatggcggcc agggctccga ccctgccgat gtggacctgc 240  
ccggcggnnc gctcga 256

<210> 166

<211> 332

<212> DNA

<213> Homo sapien

<400> 166

agcgtggtcg cggccgaggt caagaacccc gccgcacct gccgtgacct caagatgtgc 60  
cactctgact ggaagagtgg agagtactgg attgacccca accaaggctg caacctggat 120  
gccatcaaag tcttctgcaa catggagact ggtgagacct gcgtgtaccc cactcagccc 180  
agtgtggccc agaagaactg gtacatcagc aagaacccca aggacaagag gcatgtctgg 240  
ttcggcgaga gcatgaccga tggattccag ttcagtatg gcggccaggg ctccgaccct 300  
gccgatgtgg acctgcccgg gcggccgctc ga 332

<210> 167

<211> 332

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature  
<222> (1)...(332)  
<223> n = A,T,C or G

<400> 167

tcgagcgggc	gcccgggcag	gtccacatcg	gcagggtcgg	agccctggcc	gccatactcg	60
aactggaatc	catcggnat	gctctcgccg	aaccagacat	gcctcttgnc	cttgggggtc	120
ttgctgatgt	accagntctt	ctgggccaca	ctgggctgag	tggggtacac	gcaggtctca	180
ccantctcca	tggtgcanaa	gactttgatg	gcatccaggt	tgagccttg	gttgggggtc	240
atccagtact	ctccactctt	ccagacagag	tggcacatct	tgaggtcacg	gcaggtgcgg	300
gcgggggtct	tgacctcggt	cgcgaccacg	ct			332

<210> 168  
<211> 276  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(276)  
<223> n = A,T,C or G

<400> 168

tcgagcgggc	gcccgggcag	gtccctctca	gagcggtagc	tggtcttatt	gcccgggcag	60
cctccataga	tnaagttatt	gcangagttc	ctctccacgt	caaagtacca	gcgtgggaag	120
gatgcacggc	aaggcccagt	gactgcgttg	gcgggtgcagt	attcttcata	gttgaacata	180
tcgctggagt	ggacttcaga	atcctgcctt	ctgggagcac	ttgggacaga	ggaatccgct	240
gcattcctgc	tggtggacct	cgccgcgcac	cacgct			276

<210> 169  
<211> 276  
<212> DNA  
<213> Homo sapien

<400> 169

agcgtggtcg	cgcccgaggt	ccaccagcag	gaatgcagcg	gattcctctg	tcccaagtgc	60
tcccagaagg	caggattctg	aagaccactc	cagcgatatg	ttcaactatg	aagaatactg	120
caccgccaac	gcagtcaactg	ggccttgccg	tgcatccttc	ccacgctggt	actttgacgt	180
ggagaggaac	tcctgcaata	acttcatcta	tggaggctgc	cggggcaata	agaacagcta	240
ccgctctgag	gaggacctgc	ccgggcggcc	gctcga			276

<210> 170  
<211> 332  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(332)  
<223> n = A,T,C or G

<400> 170

tcgagcgggc	gcccgggcag	gtccacatcg	gcagggtcgg	agccctggcc	gccatactcg	60
aactggaatc	catcggtcat	gctctcgccg	aaccagacat	gcctcttgtc	cttgggggtc	120
ttgctgatgt	accagttctt	ctgggccaca	ctgggctgag	tggggtacac	gcaggtctca	180

ccagtctcca tgttgcagaa gactttgatg gcattccaggt tgcagccttg gttgggggtca 240  
atccagtact ctccactctt ccagccagaa tggcacatct tgaggtcacg gcangtgcgg 300  
gcgggggttct tgacctcggc cgcgaccacg ct 332

<210> 171

<211> 333

<212> DNA

<213> Homo sapien

<400> 171

agcgtggtcg cggccgaggt caagaaaccc cgcccgcacc tgccgtgacc tcaagatgtg 60  
ccactctggc tggaagagtg gagagtactg gattgacccc aaccaaggct gcaacctgga 120  
tgccatcaaa gtcttctgca acatggagac tggtagagacc tgcgtgtacc ccactcagcc 180  
cagtgtggcc cagaagaact ggtacatcag caagaacccc aaggacaaga ggcatgtctg 240  
gctcggcgag agcatgaccg atggattcca gttcgagtat ggcggccagg gctccgaccc 300  
tgccgatgtg gacctgcccg ggcggccgct cga 333

<210> 172

<211> 527

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(527)

<223> n = A,T,C or G

<400> 172

agcgtggtcg cggccgaggt cctgtcagag tggcactggt agaagntcca ggaaccctga 60  
actgtaaggg ttcttcatca gtgccaacag gatgacatga aatgatgtac tcagaagtgt 120  
cctgnaatgg ggcccatgan atggttgnet gagagagagc ttcttgcctt acattcggcg 180  
ggtatggtct tggcctatgc cttatggggg tggccgttgn ggcgggtgng gtccgcctaa 240  
aacctatgtc ctcaaagatc atttgttgcc caacactggg ttgctgacca naagtgccag 300  
gaagtgaat accatttcca gtgtcatacc caggggtggg gacgaaaggg gtcttttgaa 360  
ctgtggaagg aacatccaag atctctgntc catgaagatt ggggtgtgga agggttacca 420  
gttggggaag ctgctgtctt ttttccttcc aatcangggc tcgctcttct gaatattctt 480  
cagggcaatg acataaattg tatattcggg tcccgggtcc aggccag 527

<210> 173

<211> 635

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(635)

<223> n = A,T,C or G

<400> 173

tcgagcggcc gcccgggagc gtccaccaca cccaattcct tgctggtatc atggcagccg 60  
ccacgtgccg ggattaccgg ctacatcatc aagtatgaga agcctgggtc tcttcccaga 120  
gaagtgtcc ctcggccccc ccctggtgtc acagaggcta ctattactgg cctggaaccg 180  
ggaaccgaat atacaattta tgtcattgcc ctgaagaata atcagaagag cgagcccctg 240  
attggaagga aaaagacaga cgagcttccc caactggtaa cccttccaca ccccaattct 300  
catggaccag agatcttggg tgttccttcc acagttcaaa agaccctttt cgtcaccac 360

cctgggtatg acaactggaaa tggatttcag cttcctggca cttctggtca gcaacccagt 420  
gttgggcaac aaatgatctt tgangaacat ggnttttaggc ggaccacacc ggccacaacg 480  
ggcaccceca taaggcatag gccagaaca taccgcncga atgtaggaca agaagctctn 540  
tctcanacaa ncatctcatg ggccccattc cangacactt ctgagtacat canttcatgg 600  
catcctggtg gcaactgataa aaacccttac agtta 635

<210> 174  
<211> 572  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(572)  
<223> n = A,T,C or G

<400> 174  
agcgtggtcg cgggcgaggt cctgtcagag tggcactggt agaagttcca ggaaccctga 60  
actgtaaggg ttcttcatca gtgccaacag gatgacatga aatgatgtac tcagaagtgt 120  
cctggaatgg ggccccatgag atggttgtct gagagagagc ttcttgcct acattcggcg 180  
ggtatggtct tggcctatgc cttatggggg tggccgttgt gggcgggtg gtccgcctaa 240  
aaccatgttc ctcaaagatc atttgttgc caaactggg ttgctgacca gaagtgccag 300  
gaagctgaat accatttcca gtgtcatacc cagggtgggt gacgaaaagg gtcttttgaa 360  
ctgtggaagg aacatccaag atctctggtc catgaagatt ggggtgtgga agggttacca 420  
gttggggaag ctgctctgtc ttttccttc caatcanggg ctgctcttc tgattattct 480  
tcagggcaat gacataaatt gtatattcgg ntcccgggtg cagccaataa taataaccct 540  
ctgtgacacc anggcggggc cgaagganct ct 572

<210> 175  
<211> 372  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(372)  
<223> n = A,T,C or G

<400> 175  
agcgtggtcg cggccgaggt cctcaccaga ggtaccacct acaacatcat agtggaggca 60  
ctgaaagacc agcagaggca taaggttcgg gaagaggttg ttaccgtggg caactctgtc 120  
aacgaaggct tgaaccaacc tacggatgac tcgtgctttg acccctacac agtttcccat 180  
tatgccgttg gagatgagtg ggaacgaatg tctgaatcag gctttaaact gttgtgccag 240  
tgcttangct ttggaagtgg tcatttcaga tgtgattcat ctataggttg ccatgacaat 300  
ggtgtgaact acaagattgg agagaagtgg gaccgtcagg gagaaaatgg acctgcccg 360  
gcggccgctc ga 372

<210> 176  
<211> 372  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(372)

<223> n = A,T,C or G

<400> 176

tcgagcggcc gcccgggcag gtccattttc tccctgaagg tcccacttct ctccaattct	60
gtagttcaca ccattgtcat ggcaccatct agatgaatca catctgaaat gaccacttcc	120
aaagcctaag cactggcaca acagtttaaa gcctgattca gacattcggt cccactcatc	180
tccaacggca taatgggaaa ctgtgtaggg gtcaaagcac gagtcacccg taggttggtt	240
caagccttcg ntgacagagt tgcccacggg aacaacctct tcccgaacct tatgcctctg	300
ctggcttttc agtgcctcca ctatgatgtt gtaggtggta cctctggtga ggacctcggc	360
cgcgaccacg ct	372

<210> 177

<211> 269

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(269)

<223> n = A,T,C or G

<400> 177

agcgtggccg cgcccgaggt ccattggctg gaacggcatc aacttggaag ccagtgatcg	60
tctcagcctt ggttctccag ctaatgggtga tggnggtctc agtagcatct gtcacacgag	120
cccttcttgg tgggtgaca ttctccagag tgggtgacaac accctgagct ggtctgcttg	180
tcaaagtgtc cttaagagca tagacactca cttcatattt ggcgnccacc ataagtcctg	240
atacaaccac ggaatgacct gtcaggaac	269

<210> 178

<211> 529

<212> DNA

<213> Homo sapien

<400> 178

tcgagcggcc gcccgggcag gtcctcagac cgggttctga gtacacagtc agtgtggttg	60
ccttgcacga tgatatggag agccagcccc tgattggaac ccagtcaca gctattcctg	120
caccaactga cctgaagttc actcaggtca caccacaag cctgagcgcc cagtggacac	180
cacccaatgt tcagctcact ggatatcgag tgcgggtgac cccaaggag aagaccggac	240
caatgaaaga aatcaacctt gtcctgaca gctcatccgt ggttgatca ggacttatgg	300
cggccaccaa atatgaagtg agtgtctatg ctcttaagga cactttgaca agcagaccag	360
ctcaggggtg tgtcaccact ctggagaatg tcagcccacc aagaagggt cgtgtgacag	420
atgctactga gaccaccatc accattagct ggagaaccaa gactgagacg atcactggct	480
tccaagtga tgccgttcca gccaatggac ctcgccgcg accacgctt	529

<210> 179

<211> 454

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(454)

<223> n = A,T,C or G

<400> 179

```
agcgtgggtcg cggccgaggt ctggccgaac tgccagtgtg cagggaagat gtacatgtta      60
tagntcttct cgaagtcccg ggccagcagc tccacggggt ggtctcctgc ctccaggcgc      120
ttctcattct catggatctt cttcaccgcg agcttctgct tctcagtcag aaggttgttg      180
tcctcatccc tctcatacag ggtgaccagg acgttcttga gccagtcccg catgcgcagg      240
gggaattcgg tcagctcaga gtccaggcaa ggggggatgt atttgcaagg cccgatgtag      300
tccaagtgga gcttgtggcc cttcttggtg ccctccaagg tgcactttgt ggcaaagaag      360
tggcaggaag agtcgaaggt cttgttgtca ttgctgcaca ccttctcaaa ctcgccaatg      420
ggggctgggc agacctgccg gggcgccgcg tcga                                454
```

<210> 180  
<211> 454  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(454)  
<223> n = A,T,C or G

```
<400> 180
tcgagcggcc gcccgggcag gtctgccag ccccatgttg cgagtttgag aaggngtgca      60
gcaatgacaa caagaccttc gactcttctt gccacttctt tgccacaaag tgcaccttg      120
agggcaccaa gaagggccac aagctccacc tggactacat cgggccttgc aaatacatcc      180
ccccctgcct ggactctgag ctgaccgaat tccccctgcg catgcgggac tggctcaaga      240
acgtctgtgt caccctgtat gagagggatg aggacaacaa ccttctgact gagaagcana      300
agctgcgggt gaagaanac catgagaatg anaagcgctt gnaggcanga gaccaccccg      360
tggagctgct gggccgggac ttcgagaaga actataacat gtacatcttc cctgtacact      420
ggcagttcgg ccagacctcg gccgcgacca cgct                                454
```

<210> 181  
<211> 102  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(102)  
<223> n = A,T,C or G

```
<400> 181
agcgtggntg cggacgacgc ccacaaagcc attgtatgta gttttanttc agctgcaaan      60
aataccncca gcatccacct tactaaccag catatgcaga ca                                102
```

<210> 182  
<211> 337  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(337)  
<223> n = A,T,C or G

```
<400> 182
tcgagcggtc gcccgggcag gtctgggcgg atagcaccgg gcatattttg gaatggatga      60
```

```
ggctctggcac cctgagcagc ccagcgagga cttggtctta gttgagcaat ttggctagga 120
ggatagtatg cagcacgggt ctgagtctgt gggatagctg ccatgaagna acctgaagga 180
ggcgctggct ggtanggggt gattacaggg ctgggaacag ctcgtaact tgccattctc 240
tgcataact ggntagttag gcgagcctgg cgctctctt tgcgctgagc taaagctaca 300
tacaatggct ttgnggacct oggcccgcac cacgctt 337
```

<210> 183  
<211> 374  
<212> DNA  
<213> Homo sapien

```
<400> 183
tcgagcggcc gcccgggcag gtccattttc tccctgacgg tcccacttct ctccaatctt 60
gtagttcaca ccattgtcat gacaccatct agatgaatca catctgaaat gaccacttcc 120
aaagcctaag cactggcaca acagtttaaa gcctgattca gacattcgtt cccactcatc 180
tccaacggca taatgggaaa ctgtgtaggg gtcaaagcac gagtcatccg taggttggtt 240
caagccttcg ttgacagaag ttgccacagg taacaacctc ttcccgaacc ttatgcctct 300
gctggtcttt caagtgcctc cactatgatg ttgtagggtg cacctctggt gaggacctcg 360
gccgcgacca cgct 374
```

<210> 184  
<211> 375  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(375)  
<223> n = A,T,C or G

```
<400> 184
agcgtggttt gcggccgagg tcctcaccan aggtgccacc tacaacatca tagtggaggc 60
actgaaagac cagcagaggc ataaggttcg ggaagagggt gttaccgtgg gcaactctgt 120
caacgaaggc ttgaaccaac ctacggatga ctcgctgctt gacccctaca cagnttccca 180
ttatgccgtt ggagatgagt gggaaacgaat gtctgaatca ggctttaaac tggtgtgcca 240
gtgcttangc tttggaagtg gtcatttcag atgtgattca tctanatggt gtcattgacaa 300
tggtgngaac tacaagattg gagagaagtg gnaccgtcag ggganaaaat ggacctgccc 360
gggcggcncg ctga 375
```

<210> 185  
<211> 148  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(148)  
<223> n = A,T,C or G

```
<400> 185
agcgtggtcg cggccgaggc ctggcttncg gctcangtga ttatcctgaa ccatccaggc 60
caaataagcg ccggtatgc cctgnattg gattgccaca cggctcacat tgcattgcaag 120
tttgctgagc tgaaggaaaa gattgatc 148
```

<210> 186

<211> 397  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(397)  
<223> n = A,T,C or G

<400> 186  
tcgagcggcc gcccgggcag gtccaattga aacaaacagt tctgagaccg ttcttccacc 60  
actgattaag agtggggngg cgggtattag ggataatatt catttagcct tctgagcttt 120  
ctgggcagac ttggtgacct tgccagctcc agcagccttc tggtcactg ctttgatgac 180  
acccaccgca actgtctgtc tcatatcacg aacagcaaag cgacccaaag gtggatagtc 240  
tgagaagctc tcaacacaca tgggcttgcc aggaaccata tcaacaatgg gcagcatcac 300  
cagacttcaa gaatttaagg gccatcttcc agctttttac cagaacggcg atcaatcttt 360  
tccttcagct cagcaaactt gcatgcaatg tgagccg 397

<210> 187  
<211> 584  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(584)  
<223> n = A,T,C or G

<400> 187  
tcgagcggcc gcccgggcag gtccagaggg ctgtgctgaa gtttgctgct gccactggag 60  
ccactccaat tgctggccgc ttactcctg gaaccttcac taaccagatc caggcagcct 120  
tccgggagcc acggcttctt gtgntactg accccagggc tgaccaccag cctctcacgg 180  
aggcatctta tgttaaccta cctaccattg cgctgtgtaa cacagattct cctctgcgct 240  
atgtggacat tgccatccca tgcaacaaca agggagctca ctcagnnggg tttgatgtgg 300  
tggatgctgg ctcggaagt tctgcgcatg cgtggcacca ttccccgtga acacccatgg 360  
gangncatgc ctgatctgga cttctacaga gatcctgaag agattgaaaa agaagaacag 420  
gctgnttgct gaaaaagcaa gtgaccaagg angaaatttc angggtgaaa nggactgctc 480  
ccgctcctga attcactgct actcaacctg angntgcaga ctgggtctga aggnagnacan 540  
gggcctctg ggcctattta agcancttcg gtcgcgaaca cgnt 584

<210> 188  
<211> 579  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(579)  
<223> n = A,T,C or G

<400> 188  
agcgtgngtc gcggccgagg tgctgaatag gcacagaggg cacctgtaca ctttcagacc 60  
agtctgcaac ctcaggctga gtagcagtga actcaggagc gggagcagtc cattcaccct 120  
gaaattcctc cttggnccact gccttctcag cagcagcctg ctcttctttt tcaatctctt 180  
caggatctct gtagaagtac agatcaggca tgacctccca tgggtgttca cgggaaatgg 240



```
tgccacgcat gcgcagaact tcccagagcca gcatccacca catcaaacc actgagtggag 300
ctcccttggt gttgcatggg atgggcaatg tccacatagc gcagaggaga atctgtgtta 360
cacagcgcaa tggtaggtag gttaacataa gatgcctccg cgagaagctg gtggtcagcc 420
ctggggtcaa gtaaccacaa gaagccgtgg ctcccggaag gctgcctgga tctggttagt 480
gaagntcca ggagtgaagc ggccaacaat tggagtggct tcagtggcaa gcagcaaaact 540
tcagcacaag ccctctggac ctgcccggcg gccgctcga 579
```

<210> 189  
<211> 374  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(374)  
<223> n = A,T,C or G

```
<400> 189
tcgagcggcc gcccgggcag gtccattttc tccctgacgg ncccacttct ctccaatctt 60
gtagttcaca ccattgtcat ggcaccatct agatgaatca catctgaaat gaccacttcc 120
aaagcctaag cactggcaca acagtttaaa gcctgattca gacattcgtt cccacitcct 180
tccaacggca taatgggaaa ctgtgtaggg gtcaaaacac gagtcatccg taggttggtt 240
caagccttcg ttgacagagt tgcccacggt aacaacctcn tcccgaacc ttatgcctct 300
gctgggcttt cagngcctcc actatgatgn tgtagggggg cacctctggn gangacctcg 360
gccgcgacca cgct 374
```

<210> 190  
<211> 373  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(373)  
<223> n = A,T,C or G

```
<400> 190
agcgtggtcg cggccgaggt cctcaccaga ggtgccacct acaacatcat agtggaggca 60
ctgaaaagacc agcagaggca taaggctcgg gaagagggtt ttaccgtggg caactctgtc 120
aacgaaggct tgaaccaacc tacggatgac tcgtgctttg acccctacac agtttcccat 180
tatgccgttg gagatgagtg ggaacgaatg tctgaatcag gctttaaact gttgtgccag 240
tgcttangct ttggaagtgg gtcatttcag atgtgattca tctagatggg gccatgacaa 300
tggngngaac tacaagattg gagagaagtg gnaccgncag ggagaaaatg gacctgcccg 360
ggcgcccgct cga 373
```

<210> 191  
<211> 354  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(354)  
<223> n = A,T,C or G

&lt;400&gt; 191

agcgtggtcg	cggccgaggt	ccacatcggc	agggtcggag	ccctggccgc	catactcgaa	60
ctggaatcca	tcggtcatgc	tctcgccgaa	ccagacatgc	ctcttgteet	tggggttctt	120
gctgatgtac	cagttcttct	gggccacact	gggctgagtg	gggtacacgc	aggtctcacc	180
agtctccatg	ttgcagaaga	ctttgatggc	atccaggntg	caaccttggt	tggggccaat	240
ccagtactct	ccactcttcc	agccagagtg	gcacatcttg	aggtcacggc	aggtgcggnc	300
gggggntttt	gcggtgcccc	tctggntctc	ggntgtntct	natctgctgg	ctca	354

&lt;210&gt; 192

&lt;211&gt; 587

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(587)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 192

tcgagcggcc	gccccggcag	gtctcgcggt	cgcactgggtg	atgctgggtcc	tgttggtccc	60
cccggccctc	ctggacctcc	tggccccctt	gtccctccca	gcgctgggttt	cgacttcagc	120
ttcctgcccc	agccacctca	agagaagget	cacgatgggtg	gccgctacta	ccgggctgat	180
gatgccaatg	tggttcgtga	ccgtgacctc	gaggtggaca	ccaccctcaa	gagcctgagc	240
cagcagatcg	agaacatccg	gagcccagag	ggcagncgca	agaaccccgc	ccgcacctgc	300
cgtgacctca	agatgtgcc	ctctgactgg	aagagtggag	agtactggat	tgaccccaac	360
caagctgcaa	cctggatgcc	atcaaagtct	tctgcaacat	ggagactggt	gagacctgcg	420
tgtaccccac	tcagcccagt	gtggcccaaa	agaactggta	catcagcaag	aaccccaagg	480
acaagaagca	tgtctggttc	ggcgagaaca	tgaccgatgg	attccagttc	gagtatggcg	540
ggcagggctc	cgaccctgcc	gatggggacc	ttggccgcga	acacgct		587

&lt;210&gt; 193

&lt;211&gt; 98

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(98)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 193

agcgtgggng	cggccgaggt	ataaatatcc	agnccatatc	ctccctccac	acgctganag	60
atgaagctgt	ncaaagatct	cagggtggan	aaaacccat			98

&lt;210&gt; 194

&lt;211&gt; 240

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 194

tcgagcggcc	gccccggcag	gtccttcaga	cttgactgtg	gtcacactgc	caggcttcca	60
gggctccaac	ttgcagacgg	cctgttggtg	gacagtctct	gtaatcgca	aagcaaccat	120
ggaagacctg	ggggaaaaca	ccatggtttt	atccaccctg	agatctttga	acaacttcat	180
ctctcagcgt	gcggaggagg	gctctggact	ggatatttct	acctcggccg	cgaccacgct	240

<210> 195  
<211> 400  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(400)  
<223> n = A,T,C or G

<400> 195  
cgagcgggag accgggcagg tncagactcc aatccanana accatcaagc cagatgtcag 60  
aagctacacc atcacaggtt tacaaccagg cactgactac aaganctacc tgcacacctt 120  
gaatgacaat gctcggagct cccctgtggt catcgacgcc tccactgccca ttgatgcacc 180  
atccaacctg cgtttctctg ccaccacacc caattccttg ctggtatcat ggcagccgcc 240  
acgtgccagg attaccggta catcatcnag tatganaagc ctgggcctcc tcccagagaa 300  
gnggtccctc ggccccgccc tgntgtccca naggntacta ttactgngcc ngcaaccggc 360  
aaccgatatc nattttgnca ttggccttca acaataatta 400

<210> 196  
<211> 494  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(494)  
<223> n = A,T,C or G

<400> 196  
agcgtgggtc gggcccgang tcctgtcaga gtggcactgg tagaagttcc aggaaccctg 60  
aactgtaagg gttcttcac agngccaaca ggatgacatg aaatgatgta ctcagaagtg 120  
tcctggaatg gggcccatga gatggttctg tgagagagag cttcttgncc tgtcttttcc 180  
cttccaatca ggggctcgct cttctgatta ttcttcaggg caatgacata aattgtatat 240  
tcgggtcccc gntccaggcc agtaatagta ncctctgtga caccagggcg gngccgaggg 300  
accacttctc tgggaggaga cccaggcttc tcatacttga tgatgtaacc ggtaatcctg 360  
gcacgtggcg gctgccatga taccagcaag gaattggggt gtggtggcca ggaaacgcag 420  
gttgatggn gcatcaatgg cagtggaggc cgtcgatgac cacaggggga gctccgacat 480  
tgtcattcaa ggtg 494

<210> 197  
<211> 118  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(118)  
<223> n = A,T,C or G

<400> 197  
agcgtggncg cggccgaggt gcagcgcggt ctgtgccacc ttctgctctc tgcccaacga 60  
taaggagggt ncctgcccc aggagaacat taactntccc cagctcggcc tctgccgg 118

<210> 198

<211> 403  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(403)  
 <223> n = A,T,C or G

<400> 198  
 tcgagcggcc gcccgggcag gttttttt ctgaaagtgg ntactttatt ggntgggaaa 60  
 gggagaagct gtggtcagcc caagagggaa tacagagncc cgaaaaaggg gagggcaggt 120  
 gggctggaac cagacgcagg gccaggcaga aactttctct cctcactgct cagcctggtg 180  
 gtggtcggag ctcanaaatt gggagtga caaggacacct tcccacagcc attgcggcgg 240  
 catttcactt ggccaggaca ctggtgtgcc acctggcact ggtcccgaca gaagcccag 300  
 ctgggggaaag ttaatgttca cctgggggca ggaaccctcc ttatcattgn gcagagagca 360  
 gaaggtggca cagcccgcgc tgcacctcgg ccgcgaccac gct 403

<210> 199  
 <211> 167  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(167)  
 <223> n = A,T,C or G

<400> 199  
 tcgagcggcc gcccgggcag gtccaccata agtcctgata caaccacgga tgagctgtca 60  
 ggagcaaggt tgatttcttt cattgggccg gnccttctct tgggggncac ccgcactcga 120  
 tatccagtga gctgaacatt ggggtggcgc cactgggcgc tcaggct 167

<210> 200  
 <211> 252  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(252)  
 <223> n = A,T,C or G

<400> 200  
 tcgagcgggt cggccgggca ggtccaccac acccaattcc ttgctggtat catggcagcc 60  
 gccacgtgcc aggattaccg gctacatcat caagtatgag aagcctgggt ctccctcccag 120  
 agaagcggtc cctcgcccc gccctggtgt cacagaggct actattactg gcctggaacc 180  
 gggaaaccgaa tatacaattt atgtcattgn cctgaagaat aatcannaan agcgancccc 240  
 tgattggaag ga 252

<210> 201  
 <211> 91  
 <212> DNA  
 <213> Homo sapien

<400> 201  
agcgtggtcg cggccgaggt tgtacaagct tttttttttt tttttttttt tttttttttt 60  
tttttttttt tttttttttt tttttttttt t 91

<210> 202  
<211> 368  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(368)  
<223> n = A,T,C or G

<400> 202  
tcgagcggnc gcccgggcag gtctgccaac accaagattg gcccccgccg catccacaca 60  
gtccgtgtgc ggggaggtaa caagaaatac cgtgccctga gggtggacgt ggggaatttc 120  
tcctggggct cagagtgttg tactcgtaaa acaaggatca tcgatgttgt ctacaatgca 180  
tctaataacg agctggttcg taccaagacc ctggtgaaga attgcatcgt gctcatcgac 240  
agcacaccgt accgacagtg gtacgagtcc cactatgcgc tgcccctggg ccgcaagaag 300  
ggagccaagc tgactcctga ggaagaagag attttaaaca aaaaacgatc taanaaaaaa 360  
aaaacaat 368

<210> 203  
<211> 340  
<212> DNA  
<213> Homo sapien

<400> 203  
agcgtggtcg cggccgaggt gaaatggtat tcagcttctt ggcacttctg gtcagcaacc 60  
cagtgttggg caacaaatga tctttgagga acatggtttt aggcggacca caccgcccac 120  
aacggccacc ccataaaggc ataggccaag accatacccc ccgaatgtag gacaagaagc 180  
tctctctcag acaaccatct catgggcccc attccaggac acttctgagt acatcatttc 240  
atgtcatcct gttggcactg atgaagaacc cttacagttc agggttcctg gaacttctac 300  
cagtgccact ctgacaggac ctgcccgggc ggccgctcga 340

<210> 204  
<211> 341  
<212> DNA  
<213> Homo sapien

<400> 204  
tcgagcggcc gcccgggcag gtcctgtcag agtggcactg gtagaagttc caggaaccct 60  
gaactgtaag gggtcttcat cagtccaac aggatgacat gaaatgatgt actcagaagt 120  
gtcctggaat ggggcccacg agatggttgt ctgagagaga gcttcttctg ctacattcgg 180  
cgggtatggt cttggcctat gccttatggg ggtggccggt gtgggcggtg tgggccgcct 240  
aaaaccatgt tctcacaaga tcatttggtg cccaacactg gggtgctgac cagaagtgcc 300  
aggaagctga ataccatttc acctcgcccg cgaccacgct a 341

<210> 205  
<211> 770  
<212> DNA  
<213> Homo sapien

<220>

<221> misc\_feature  
<222> (1)...(770)  
<223> n = A,T,C or G

<400> 205

tcgagcggcc	gcccgggcag	gtctcccttc	ttgcgggcca	ggggcagcgc	atagtgggac	60
tcgtaccact	gtcggtagcg	tgtgctgtcg	atgagcacga	tgcaattctt	caccagggtc	120
ttggtacgaa	ccagctcgtt	attagatgca	ttgtagacaa	catcgatgat	ccttgtttta	180
cgagtacaac	actctgagcc	ccaggagaaa	ttccccacgt	ccaacctcag	ggcacgggtat	240
ttcttggtac	ctccccgcac	acggactgtg	tggatgcggc	ggggggccaag	ctgactcctg	300
aggaagaaga	gatttttaaac	aaaaaacgat	ctaaaaaaat	tcagaagaaa	tatgatgaaa	360
ggaaaaagaa	tgccaaaatc	agcagtctcc	tggaggagca	gttccagcag	ggcaagcttc	420
ttgcgtgcat	cgcttcaagg	ccgggacagt	gtgaccgagc	agatggctat	gtgctagagg	480
gcaaagaagt	ggagttctat	cttaagaaaa	tcaggggcca	gaatggtgng	tcttcaacta	540
atccaaaggg	gagtttcaga	ccagtgcagt	cagcaaaaac	attgatactg	ntggccaaat	600
ttattggtgc	agggtctgca	cantangan	ggctgggtct	tggggcttgg	attggnacaa	660
gctttggcag	ccttttcttt	ggttttgcca	aaaacctttt	gntgaagang	anacctnggg	720
cggäcccctt	aaccgattcc	acnccngng	gcgttctang	gncccncttg		770

<210> 206  
<211> 810  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(810)  
<223> n = A,T,C or G

<400> 206

agcgtggtcg	cgcccgaggt	ctgctgcttc	agcgaagggt	ttctggcata	accaatgata	60
aggctgccaa	agactgttcc	aataccagca	ccagaaccag	ccactcctac	tggtgcagca	120
cctgcaccaa	taaatttggc	agcagtatca	atgtctctgc	tgattgcact	ggtctgaaac	180
tccctttgga	ttagctgaga	cacaccattc	tgggccctga	ttttcctaag	atagaactcc	240
aactctttgc	cctctagcac	atagccatct	gctcggtcac	actgtcccgg	ccttgaagcg	300
atgcacgcaa	gaagcttgcc	ctgctggaac	tgtccctcca	ggagactgct	gattttggca	360
ttctttttcc	tttcatcata	tttctctgga	atTTTTtag	atcgtttttt	gtttaaaatc	420
tcttcttct	caggagtcag	cttggccccc	gccgcatcca	cacagtccgt	gtgcggggag	480
gtaacaagaa	ataccgtgcc	ctgaggttgg	acgtggggaa	tttctcctgg	ggctcagagt	540
ggtgtactcg	taaaacaagg	atcatcgatg	gtgnctacaa	tgcatcta	aacgagctgg	600
gtcggaccca	aagaacctgg	ngaanaaatg	gatcgnctca	tcgacaggac	accgtaccgc	660
acaggggnac	gantcccact	atgcgcttgc	ccctggggcg	caanaaagga	aaactgcccc	720
ggcggccntc	gaaagcccaa	ttntggaaaa	aatccatcac	actgggnggc	cngtcgagca	780
tgcatntana	ggggccatt	ccccctnann				810

<210> 207  
<211> 257  
<212> DNA  
<213> Homo sapien

<400> 207

tcgagcggcc	gcccgggcag	gtccccaacc	aaggctgcaa	cctggatgcc	atcaaagtct	60
tctgcaacat	ggagactggt	gagacctgcg	tgtacccac	tcagcccagt	gtggcccaga	120
agaactggta	catcagcaag	aaccccaagg	acaagaggca	tgtctggttc	ggcgagagca	180
tgaccgatgg	attccagttc	gagtatggcg	gccagggtc	cgaccctgcc	gatgtggacc	240

tcggccgcga ccacgct

257

&lt;210&gt; 208

&lt;211&gt; 257

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 208

agcgtggtcg	cggccgaggt	ccacatcgcc	agggctcgag	ccctggccgc	catactcgaa	60
ctggaatcca	tcggtcatgc	tctcgccgaa	ccagacatgc	ctcttgctct	tggggttctt	120
gctgatgtac	cagttcttct	gggccacact	gggctgagtg	gggtacacgc	aggtctcacc	180
agtctccatg	ttgcagaaga	ctttgatggc	atccaggttg	cagccttggt	tggggacctg	240
cccgggcggc	cgctcga					257

&lt;210&gt; 209

&lt;211&gt; 747

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(747)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 209

tcgagcggcc	gcccgggcag	gtccaccaca	cccaattcct	tgctggtatc	atggcagccg	60
ccacgtgcca	ggattaccgg	ctacatcatc	aagtatgaga	agcctgggtc	tcctcccaga	120
gaagtggctc	ctcggccccg	ccctggtgtc	acagaggcta	ctattactgg	cctggaaccg	180
ggaaccgaat	atacaattta	tgtcattgcc	ctgaagaata	atcagaagag	cgagcccctg	240
attggaagga	aaaagacaga	cgagcttccc	caactggtaa	cccttcaca	ccccaatctt	300
catggaccag	agatcttgga	tgttccttcc	acagttcaaa	agaccccttt	cgtcacccac	360
cctgggtatg	acactggaaa	tggtattcag	cttcctggca	cttctggtca	gcaaccacgt	420
gttgggcaac	aaatgatctt	tgaggaacat	ggnnttaggc	ggaccacacc	gcccacaacg	480
gccaccccca	taaggcatag	gccaagacca	taccgcgcga	atgtaggaca	agaagctntn	540
tntcanacac	catntnatgg	gccccattcc	aggacacttc	tgagtacatc	atztatgnca	600
tctgtggcac	ttgatgaaaa	cccttacagt	tcagggttct	ggaactttta	ccaggcctnt	660
tacaggactn	ggccggacnc	cttaagccna	ttncaccctg	gggcgttcta	nggtcccact	720
cgnnactg	ngaaaatggc	tactgtn				747

&lt;210&gt; 210

&lt;211&gt; 872

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(872)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 210

agcgtggtcg	cggccgaggt	ccactagagg	tctgtgtgcc	attgccagg	cagagtctct	60
gcgttacaaa	ctcctaggag	ggcttgctgt	gcggagggcc	tgctatggtg	tgctgcggtt	120
catcatggag	agtggggcca	aaggctgcga	ggttggtgtg	tctngaaac	tccnaggaca	180
ngagggctaa	attccatgaa	gtttgtggat	ggcctgatga	tccacaatcg	gagaccctgt	240
taactactac	cgctcnacn	cctgtgtgnc	nccccnttt	ctgctnaana	catngggnntn	300

```

ntncttgnc ntccttgggt ngaanatnna atngcctncc cnttctanc nctactngnt 360
ccananttgg cctttaaana atccncttg ccttnnnac tggtcanntn tttnttcgta 420
aaccctatna nttinnattan atnntnnnnn nctcaccccc ctcttcattn anccnatang 480
ctnnnaante cttannnct cccnccnnt ncnctentac tnantncttc tnnccatta 540
cnnagctctt tcntttaana taatgnggcc nngctctnca tntctacnat ntgnnaatn 600
ccccncccc cnancgnntt ttgacctnn naacctcctt tectcttccc tncnaaatt 660
nennanttec ncnttcnnc ntctcgntn ntcccatnct tccannnct tcantctanc 720
ncnctncaac ttattttcct ntcacccctt ntcttttaca nccccctnn tctactcnc 780
nnttncatta natttgaac tncacnct antncten ctctacnntt ttattttncg 840
ntcnctctac ntaatanttt aatnanttnt cn 872

```

<210> 211

<211> 517

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(517)

<223> n = A,T,C or G

<400> 211

```

tcgagcgcc gcccgccag gtctgccaag gagacctgt tatgtgtgg ggactggctg 60
gggcatggca ggcgctctg gcttcccacc cttctgttct gagatggggg tgggtggcag 120
tatctcatct ttgggttcca caatgtcac gtggtcagc aggggcttct tagggccaat 180
cttaccagtt gggcccagg gcagcatgat cttcaccttg atgccagca caccctgtct 240
gagcaacacg tggcgcaaa gcagtgtcaa cgtagtaagt taacagggc tccgctgtgg 300
atcatcaggc catccacaaa cttcatggat ttgacctct gtccctggag ttcccagac 360
accacaacct cgcagcctt ggcccactc tccatgatga accgcagcac accatagcag 420
gcctccgca caagcaagc ctctaagaa ttgtaacgc ananactctg ctggcaatgg 480
cacacaaacc tctagtggac ctcggnccg accaagc 517

```

<210> 212

<211> 695

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(695)

<223> n = A,T,C or G

<400> 212

```

tcgagcgcc gcccgccag gtctgttcca ggatagcctg cgagtcctcc tactgtact 60
ccagacttga catcatatga atcatactgg ggagaatagt tctgaggacc agtagggcat 120
gattcacaga ttccagggg gccaggagaa ccaggggacc ctggtgttcc tgggaatacca 180
gggtcaccat ttctcccagg aataccagga gggcctggat ctcccttggg gccttgaggt 240
ccttgaccat taggagggcg agtaggagca gttggaggct gtgggcaaac tgcacaacat 300
tctccaaatg gaatttctg gttggggcag tctaattctt gatccgtcac atattatgtc 360
atcgagaga acggatcctg agtcacagac acatatttgg catggttctg gcttccagac 420
atctctatcc gncataggac tgaccaagat gggaacatcc tcctcaaca agcttntctg 480
tgtgcaaaa ataatagtgg gatgaagcag accgagaagt anccagctcc ccttttgcg 540
caaagcntca tcatgtctaa atatcagaca tgagacttct ttgggcaaaa aaggagaaaa 600
agaaaaagca gttcaaagta nccnccatca agttggttcc ttgccnttc agcaccggg 660
ccccgttata aaacacctng ggccggacc cctt 695

```



<210> 213  
 <211> 804  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(804)  
 <223> n = A,T,C or G

<400> 213  
 agcgtggtcg cggccgaggt gttttatgac gggcccgggt ctgaagggca ggaacaact 60  
 tgatggtgct actttgaact gcttttcttt tctccttttt gcacaaagag tctcatgtct 120  
 gatatttaga catgatgagc ttgtgcaaa aggggagctg gctacttctc gctctgcttc 180  
 atcccactat tattttggca caacaggaag ctgttgaagg aggatgttcc catcttggtc 240  
 agtccatgac ggatagagat gtctggaagc cagaaccatg ccaaatatgt gtctgtgact 300  
 caggatccgt tctctgcat gacataatat gtgacgatca agaattagac tgccccaacc 360  
 cagaaattcc atttgagaa tgttggtcag ttgcccaca gcctccaact gctcctactc 420  
 gccctcctaa tgggtcaagga cctcaaggcc ccaagggaga tccaggccct cctgggtattc 480  
 ctgggagaaa tgggtgaccct ggtattccag gacaaccagg gtccctcgtt tctcctggcc 540  
 cccctggaat cngngaatac atgccctact ggtcctcaaa ctattctccc anatgattca 600  
 tatgatgtca agtctgggat agcnagtang ganggactcg caggctattc tggaccanac 660  
 ctgccggggg ggcgttcgaa agcccgaatc tgcannntn cnttcacact ggcggccgtc 720  
 gagctgcttt aaaagggcc aatcnccttt agnngggggg antacaatta ctnggcggcg 780  
 ttttanancg cngnctggg aaat 804

<210> 214  
 <211> 594  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(594)  
 <223> n = A,T,C or G

<400> 214  
 agcgtggtcg cggccgaggt ccacatcggc agggtcggag ccctggccgc catactcgaa 60  
 ctggaatcca tcggtcatgc tctcgccgaa ccagacatgc ctcttgctct tggggttctt 120  
 gctgatgtac cagttcttct ggccacact gggctgagtg gggtagacgc aggtctcacc 180  
 agtctccatg ttgcagaaga cttgatggc atccagggtg cagccttggg tggggtcaat 240  
 ccagtactct ccactcttcc agtcagagtg gcacatcttg aggtcacggc aggtgcgggc 300  
 ggggttcttg cggtgccct ctgggtccg gatgttctcg atctgctggc tcaggctctt 360  
 gaggggtggtg tccacctcga ggtcacggc acgaaccaca ttggcatcat cagccccgta 420  
 gtacgggcca ccatcgtgag ccttctcttg angtggctgg ggcaggaaact gaagtcgaaa 480  
 ccagcgctgg gaggaccagg gggaccaana ggtccaggaa gggcccggg gggaccaaca 540  
 ggaccagcat caccaagtgc gaccgcgag aacctgccc ggcgncgct cgaa 594

<210> 215  
 <211> 590  
 <212> DNA  
 <213> Homo sapien

<220>

<221> misc\_feature  
<222> (1)...(590)  
<223> n = A,T,C or G

<400> 215

tgcagcggnnc	gcccgggag	gtctcgcggt	cgcactgggtg	atgctgggtcc	tgttggtccc	60
cccggccctc	ctggacctcc	tggtccccct	ggtcctccca	gcgctgggtt	cgacttcagc	120
ttcctgcccc	agccacctca	agagaaggct	cacgatgggtg	gccgctacta	ccgggctgat	180
gatgccaatg	tggttcgtga	ccgtgacctc	gaggtggaca	ccacctcaa	gagcctgagc	240
cagcagatcg	agaacatccg	gagcccagag	ggcagccgca	agaacccgc	ccgcacctgc	300
cgtgacctca	agatgtgcc	ctctgactgg	aagagtggag	agtactggat	tgaccccaac	360
caaggctgca	acctggatgc	catcaaagtc	ttctgcaaca	tggagactgg	tgagacctgc	420
gtgtaccccc	ctcagcccag	tgtggcccag	aagaactggt	acatcagcaa	gaaccccaag	480
gacaagaggc	atgtctggtt	cggcgagagc	atgaccgatg	gattccagtt	cgagtatggc	540
ggccagggct	cccacctgc	cgatgtggac	ctccggccgc	gaccacctt		590

<210> 216  
<211> 801  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(801)  
<223> n = A,T,C or G

<400> 216

tngagcggcc	gcccgggag	gntgnnaacg	ctggtcctgc	tggtcctcct	ggcaaggctg	60
gtgaagatgg	tcaccctgga	aaacccggac	gacctggtga	gagaggagtt	gttgaccac	120
aggggtgctcg	tggtttccct	ggaactcctg	gacttcctgg	cttcaaaggc	attaggggac	180
acaatggtct	ggatggattg	aagggacagc	ccggtgctcc	tggtgtgaag	ggtgaacctg	240
gtgcccctgg	tgaatatgga	actccaggtc	aaacaggagc	ccgtgggctt	cctggtgaga	300
gaggaccgtg	ttggtgcccc	tgcccacnac	ctcgcccgcg	accacgctaa	gcccgaattt	360
ccagcacact	ggnggccggt	actantggat	ccgagctcgg	taccaagctt	ggcgtaatca	420
tggtcatagc	tggttcctgn	gtgaaattgt	tatccgctca	caatttcaca	cancatacga	480
agccggaaaag	cataaagtgt	aaagccttgg	ggtgctaagt	agtgagctaa	ctcncattaa	540
attgcgttgc	gctcactgcc	cgcttttcca	nnngggaaac	cntggcntng	cnngcttgc	600
ttaantgaaa	tccgccnacc	cccggggaaa	agnccggttg	cngtattggg	gcnccttttc	660
cctttcctcg	gnttacttga	nttantgggc	tttggnccgt	tcgggttgng	gcgancnggt	720
tcaacntcac	nccaaaggng	gnaanacggt	tttcccanaa	tccgggggnt	ancccaangn	780
aaaacatnng	ncnaangggc	t				801

<210> 217  
<211> 349  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(349)  
<223> n = A,T,C or G

<400> 217

agcgtgggtt	gcggccgagg	tctggggccag	gggcaccaac	acgtcctctc	tcaccaggaa	60
gcccacgggc	tcctgtttga	cctggagttc	cattttcacc	aggggcacca	ggttcaccct	120

tcacaccagg	agcaccgggc	tgcccttca	atccatncag	accattgtgn	cccctaattgc	180
ctttgaagcc	aggaagtcca	ggagttccag	ggaaaccacc	gagcaccctg	tggtccaaca	240
actcctctct	caccaggtcg	tccgggtttt	ccagggtgac	catcttcacc	agccttgcca	300
ggaggaccag	caggaccagc	gttaccaacc	tgcccgggcg	gccgctcga		349

&lt;210&gt; 218

&lt;211&gt; 372

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 218

tcgagcggcc	gcccgggcag	gtccattttc	tccctgacgg	tcccacttct	ctccaatctt	60
gtagtccaca	ccattgtcat	ggcaccatct	agatgaatca	catctgaaat	gaccacttcc	120
aaagcctaag	cactggcaca	acagtttaaa	gcctgattca	gacattcgtt	cccactcacc	180
tccaacggca	taatgggaaa	ctgtgtaggg	gtcaaagcac	gagtcacccg	taggttggtt	240
caagccttcg	ttgacagagt	tgcccacggg	aacaacctct	tcccgaacct	tatgcctctg	300
ctggcttttc	agtgcctcca	ctatgatgtt	gtagggtggc	cctctggtga	ggacctcggc	360
cgcgaccacg	ct					372

&lt;210&gt; 219

&lt;211&gt; 374

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 219

agcgtggctg	cggccgaggt	cctcaccaga	ggtgccacct	acaacatcat	agtggaggca	60
ctgaaagacc	agcagaggca	taagggttcg	gaagaggttg	ttaccgtggg	caactctgtc	120
aacgaaggct	tgaaccaacc	tacggatgac	tcgtgctttg	acccttacac	agtttcccat	180
tatgccgttg	gagatgagtg	ggaacgaatg	tctgaatcag	gctttaaact	gttgtgccag	240
tgcttaggct	ttggaagtgg	tcatttcaag	atgtgattca	tctagatggt	gccatgacaa	300
tggtgtgaac	tacaagattg	gagagaagtg	ggaccgtcag	ggagaaaatg	gacctgcccg	360
ggccggccgc	tcga					374

&lt;210&gt; 220

&lt;211&gt; 828

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(828)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 220

tcgagcgnnc	gcccgggcag	gtccagtagt	gccttcggga	ctgggttcac	ccccaggctc	60
gcggcagttg	tcacagcgcc	agccccgctg	gcctccaaag	catgtgcagg	agcaaattgg	120
accgagatat	tccttctgcc	actgttctcc	tacgtggtat	gtcttcccat	catcgtaaca	180
cgttgccctc	tgagggtcac	acttgaattc	tccttttccg	ttcccaagac	atgtgcagct	240
catttggtcg	gctctatagt	ttggggaaa	tttgttgaag	ctgtgccact	gacctttact	300
tcctccttct	ctactggagc	tttcgtacct	tccacttctg	ctgttggtaa	aatgggtgat	360
cttctatcaa	tttcattgac	agtacccact	tctcccaaac	atccagggaa	atagtgtatt	420
cagagcgatt	aggagaacca	aattatgggg	cagaaataag	gggcttttcc	acaggttttc	480
ctttggagga	agatttcagt	ggtgacttta	aaagaatact	caacagtgtc	ttcatcccca	540
tagcaaaaga	agaaacngta	aatgatggaa	ngcttctgga	gatgccnnca	tttaaggggac	600
nccagaact	tcaccatcta	caggacctac	ttcagtttac	annaagncac	atantctgac	660

tcanaaaagga	cccaagtagc	nccatggnc	gcacttttag	cctttccct	ggggaaaann	720
ttacnttctt	aaancctngg	ccnngacccc	cttaagncca	aattntggaa	aanttcntn	780
cnctggggg	gcngttcnac	atgcntttna	agggcccaat	tncccnt		828

&lt;210&gt; 221

&lt;211&gt; 476

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 221

tcgagcggcc	gcccgggcag	gtgtcggagt	ccagcacggg	agggcgtggc	ttgtagtgt	60
tctcggctg	cccattgctc	tcccactcca	cggcgatgtc	gctgggtag	aagccttga	120
ccaggcaggt	caggctgacc	tggttcttgg	tcctctctc	ccgggatggg	ggcaggggtg	180
acacctgtg	ttctcggggc	tgccctttgg	ctttggagat	ggttttctcg	atgggggctg	240
ggagggcttt	gttgagagac	ttgcacttgt	actccttgcc	attcagccag	tcctggtgca	300
ggacgggtg	gacgctgacc	acacggtagc	tgctgttgta	ctgctctctc	cgcggctttg	360
tcttggcatt	atgcacctcc	acgccgtcca	cgtaccagtt	gaacttgacc	tcagggtctt	420
cgtggctcac	gtccaccacc	acgcagttaa	cctcagacct	cggccgcgac	cacgct	476

&lt;210&gt; 222

&lt;211&gt; 477

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 222

agcgtggtcg	cggccgaggt	ctgaggttac	atgcgtggtg	gtggacgtga	gccacgaaga	60
ccctgaggtc	aagttcaact	ggtacgtgga	cggcgtggag	gtgcataatg	ccaagacaaa	120
gccgcgggag	gagcagtaca	acagcacgta	ccgtgtggtc	agcgtcctca	ccgtcctgca	180
ccaggactgg	ctgaatggca	aggagtacaa	gtgcaaggtc	tccaacaaaag	ccctcccagc	240
ccccatcgag	aaaaccatct	ccaaagccaa	aggccaagcc	ccgagaacca	caggtgtaca	300
ccctgcccc	atcccgggag	gagatgacca	agaaccaggt	cagcctgacc	tgcttggtca	360
aaggcttcta	tcccagcgac	atcgccgtgg	agtgggagag	caatgggcag	ccggagaaca	420
actacaagac	cacgcctccc	gtgctggact	ccgacacctg	cccgggcggc	cgctcga	477

&lt;210&gt; 223

&lt;211&gt; 361

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 223

tcgagcggcc	gcccgggcag	gttgaatggc	tcctcgtgta	ccaccccggt	gctgggtggtg	60
ggtacagagc	tccgatgggt	gaaaccattg	acatagagac	tgtccctgtc	caggggtgtag	120
gggccagct	cagtgatgcc	gtgggtcagc	tggtcagct	tccagtacag	ccgtctctg	180
tccagtccag	ggcttttggg	gtcaggacga	tgggtgcaga	cagcatccac	tctggtggct	240
gccccatcct	tctcaggcct	gagcaaggtc	agtctgcaac	cagagtacag	agagctgaca	300
ctggtgttct	tgaacaaggg	cataagcaga	ccctgaagga	cacctcggcc	gcgaccacgc	360
t						361

&lt;210&gt; 224

&lt;211&gt; 361

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 224

agcgtggtcg	cggccgaggt	gtccttcagg	gtctgcttat	gcccttggtc	aagaacacca	60
------------	------------	------------	------------	------------	------------	----

gtgtcagctc tctgtactct ggttgcagac tgaccttgct caggcctgag aaggatggg 120  
cagccaccag agtggatgct gtctgcaccc atcgctctga ccccaaaagc cctggactgg 180  
acagagagcg gctgtactgg aagctgagcc agctgaccca cggcatcact gagctgggcc 240  
cctacaccct ggacagggac agtctctatg tcaatgggtt caccatcgg agctctgtac 300  
ccaccaccag caccgggggtg gtcagcgagg agccattcaa cctgcccggg cggccgctcg 360  
a 361

<210> 225

<211> 766

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(766)

<223> n = A,T,C or G

<400> 225

agcgtggtcg cggccgaggt cctgtcagag tggcactggt agaagtcca ggaacctga 60  
actgtaaggg ttcttcatca gtgccaacag gatgacatga aatgatgtac tcagaagtgt 120  
cctggaatgg ggcccatgag atggttgtct gagagagagc ttcttgcct acattcggcg 180  
ggtatggtct tggcctatgc cttatggggg tggccgttgt gggcgggtgtg gtccgcctaa 240  
aaccatgttc ctcaaagatc atttgttgcc caacactggg ttgctgacca gaagtgccag 300  
gaagctgaat accatttcca gtgtcatacc cagggtgggt gacgaaagggt gtcttttgaa 360  
ctgtggaagg aacatccaag atctctgtgc catgaagatt ggggtgtgga agggttacca 420  
gttggggaag ctgctctgtc ttttctctc caatcagggg ctgctctctc tgattattct 480  
tcagggcaat gacataaatt gtatattcgg tcccggttcc aggccagtaa tagtagcctc 540  
tgtgacacca gggcggggcc gagggaccct tctnttgaa gagaccagct tctcatactt 600  
gatgatgagn ccggtaatcc tggcacgtgg nggttgcatg atnccaccaa ggaaatnggn 660  
ggggngggac ctgcccggcg gccgttcnaa agcccaattc cacacacttg gngcccgtag 720  
tatggatccc actcngtcca acttggngga atatggcata actttt 766

<210> 226

<211> 364

<212> DNA

<213> Homo sapien

<400> 226

tcgagcggcc gcccgggcag gtccttgacc ttttcagcaa gtgggaaggt gtaatccgtc 60  
tccacagaca aggccaggac tcgtttgtac ccgttgatga tagaatgggg tactgatgca 120  
acagttgggt agccaatctg cagacagaca ctggcaacat tgcggacacc ctccaggaaag 180  
cgagaatgca gagtttcttc tgtgatatca agcacttcag ggttgtagat gctgccattg 240  
tcgaacacct gctggatgac cagcccaaag gagaaggggg agatgttgag catgttcagc 300  
agcgtggctt cgctggctcc cactttgtct ccagtcttga tcagacctcg gccgcgacca 360  
cgct 364

<210> 227

<211> 275

<212> DNA

<213> Homo sapien

<400> 227

agcgtggtcg cggccgaggt ctgtcctaca gtcttcagga ctctactccc tcagcagcgt 60  
ggtgaccgtg ccctccagca acttcggcac ccagacctac acctgcaacg tagatcacia 120  
gcccgacaac accaaggtgg acaagagagt tgagcccaaa tcttgtgaca aaactcacac 180

atgcccaccg tgcccagcac ctgaactcct ggggggaccg tcagtcttcc ttttcccccg 240  
catccccctt ccaaactgc ccgggcggcc gctcg 275

<210> 228  
<211> 275  
<212> DNA  
<213> Homo sapien

<400> 228  
cgagcggccg cccgggcagg ttggaagg ggatgcgggg gaagaggaag actgacggtc 60  
cccccaggag ttcagggtgct gggcacggtg ggcattgtgt agttttgtca caagatttgg 120  
gctcaactct cttgtccacc ttggtgttgc tgggtttgtg atctacgttg cagggttagg 180  
tctgggtgcc gaagttgtg gagggcacgg tcaccacgct gctgaggag tagagtcctg 240  
aggactgtag gacagacctc ggccgcgacc acgct 275

<210> 229  
<211> 40  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(40)  
<223> n = A,T,C or G

<400> 229  
nggnnggtcc ggnngncag gaccactcnt ctctgaaata 40

<210> 230  
<211> 208  
<212> DNA  
<213> Homo sapien

<400> 230  
agcgtgggtc cggccgaggt cctcacttgc ctctgcaaa gcaccgatag ctgcgctctg 60  
gaagcgcaga tctgttttaa agtcttgagc aatttctcgc accagacgct ggaagggaag 120  
tttgcaatc agaagttcag tggacttctg ataactcta atttcacgga gcgccacagt 180  
accaggacct gcccgggcgg ccgctcga 208

<210> 231  
<211> 208  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(208)  
<223> n = A,T,C or G

<400> 231  
tcgagcggcc gcccgggcag gtcctgttac tgnngcgctc cgtgaaatta gacgttatca 60  
gaagtcact gaacttctga ttgcgaaact tcccttcag cgtctggtgc gagaaattgc 120  
tcaggacttt aaaacagatc tgcgcttcca gagcgcagct atcggtgctt tgcaggaggc 180  
aagtgaggac ctgcgcccgc accacgct 208

<210> 232  
 <211> 332  
 <212> DNA  
 <213> Homo sapien

<400> 232  
 tcgagcggcc gcccgggcag gtccacatcg gcagggtcgg agccctggcc gccatactcg 60  
 aactggaaac catcggtcat gctctcgccg aaccagacat gcctcttgtc cttgggggttc 120  
 ttgctgatgt accagttctt ctgggccaca ctgggctgag tggggtagac gcaggtctca 180  
 ccagtctcca tgttgagaa gactttgatg gcatccaggt tgcagccttg gttgggggtca 240  
 atccagtact ctccactctt ccagtcagag tggcacatct tgaggtcacg gcaggtgcgg 300  
 gcgggggttct tgacctcggc cgcgaccacg ct 332

<210> 233  
 <211> 415  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(415)  
 <223> n = A,T,C or G

<400> 233  
 gtgggnttga acccnttttna nctccgcttg gtaccgagct cggatccact agtaacggcc 60  
 gccagtgtgc tgggaattcgg cttagcgtgg tcgcgccga ggtcaagaac cccgcccgca 120  
 cctgccgtga cctcaagatg tgccactctg actggaagag tggagagtac tggattgacc 180  
 ccaaccaagg ctgcaacctg gatgccatca aagtcttctg caacatggag actggtgaga 240  
 cctgctgtga cccactcag cccagtgtgg ccagaagaa ctggtacatc agcaagaacc 300  
 ccaaggacaa gaggcagtgc tggttcggcg agagcatgac cgatggattc cagttcgagt 360  
 atggcgccca gggctccgac cctgccgatg tggacctgcc cggcgggccg ctcca 415

<210> 234  
 <211> 776  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(776)  
 <223> n = A,T,C or G

<400> 234  
 agcgtggtcg cggccgaggt ctgggatgct cctgctgtca cagttagata ttacaggatc 60  
 acttacggag aaacaggagg aaatagccct gtccaggagt tcaactgtgcc tgggagcaag 120  
 tctacagcta ccatcagcgg ccttaaacct ggagttgatt ataccatcac tgtgtatgct 180  
 gtcactggcc gtggagacag ccccgaagc agcaagcaa ttccattaa ttaccgaaca 240  
 gaaattgaca aaccatccca gatgcaagtg accgatgttc aggacaacag cattagtgtc 300  
 aagtggctgc cttcaagttc ccctgttact ggttacagag taaccaccac tccccaaaat 360  
 ggaccaggac caacaaaaac taaaactgca ggtccagatc aaacagaaat gactattgaa 420  
 ggcttgacgc ccacagtgga gtatgtggtt aagtgtctat gtcagaatc caagcggaga 480  
 gaagtcagcc tctggttcag actgnaagta accaaccattg atcgcctaaa ggactggcat 540  
 tcaactgatg ggatgccgat tccatcaaaa ttgnttggga aaaccacag gggcaagttt 600  
 ncangtcnag gnggacctac tcgagccctg aggatggaat ccttgactnt tccttnncc 660  
 gatgggggaaa aaaaaccttn aaaacttgaa ggacctgcc gggcgggcgt ncaaaaacca 720

attccacccc cttgggggog ttctatgggn cccactcgga ccaaacttgg ggtaan 776

<210> 235  
 <211> 805  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(805)  
 <223> n = A,T,C or G

<400> 235  
 tcgagcggcc gcccgggcag gtccttgacg ctctgcagtg tcttcttcac catcagggtgc 60  
 agggaatagc tcatggattc catcctcagg gctcgagtag gtcaccctgt acctggaaac 120  
 ttgccctctg gggctttccc aagcaatttt gatggaatcg gcatccacat cagtgaatgc 180  
 cagtccttta gggcgatcaa tgttggttac tgcagtctga accagaggct gactctctcc 240  
 gcttgatttc tgagcataga cactaaccac atactccact gtgggctgca agccttcaat 300  
 agtcatttct gtttgatctg gacctgcagt tttagttttt gttggtcctg gtccattttt 360  
 gggagtggtg gttactctgt aaccagtaac aggggaactt gaaggcagcc acttgacact 420  
 aatgctgttg tcctgaacat cggtcacttg catctgggat ggtttgtcaa tttctgttcg 480  
 gtaattaatg gaaattggct tgctgcttgc ggggcttgtc tccacggcca gtgacagcat 540  
 acacagtgat ggtataatca actccagggt taagccgctg atggtagctg aaactttgct 600  
 ccaggcacia gtgaactcct gacagggcta tttcctnctg ttctccgtaa gtgatcctgt 660  
 aatatctcac tgggacagca ggangcattc caaaacttcg ggcnggacct cctaagccga 720  
 attntgcaat atncatcaca ctggcgggcg ctcgancatt cattaaaagg cccaatcncc 780  
 cctataggga gtntantaca attng 805

<210> 236  
 <211> 262  
 <212> DNA  
 <213> Homo sapien

<400> 236  
 tcgagcggcc gcccgggcag gtcacttttg gtttttggtc atgttcggtt ggtcaaagat 60  
 aaaaactaag tttgagagat gaatgcaaag gaaaaaata ttttccaaag tccatgtgaa 120  
 attgtctccc atttttttgg cttttgaggg ggttcagttt gggttgcttg tctgtttccg 180  
 gggttggggg aaagtgtgtt ggggtgggag gagccaggtt gggatggagg gagtttacag 240  
 gaagcagaca ggccaacgt cg 262

<210> 237  
 <211> 372  
 <212> DNA  
 <213> Homo sapien

<400> 237  
 agcgtggtcg cggccgaggt cctcaccaga ggtgccacct acaacatcat agtggaggca 60  
 ctgaaagacc agcagaggca taaggttcgg gaagaggttg ttaccgtggg caactctgtc 120  
 aacgaaggct tgaaccaacc tacggatgac tcgtgctttg accctacac agtttcccat 180  
 tatgccgttg gagatgagtg ggaacgaatg tctgaatcag gctttaaact gttgtgccag 240  
 tgcttaggct ttggaagtgg tcatttcaga tgtgattcat ctagatggtg ccatgacaat 300  
 ggtgtgaact acaagattgg agagaagtgg gaccgtcagg gagaaaatgg acctgcccgg 360  
 gcggccgctc ga 372

<210> 238



<211> 372  
<212> DNA  
<213> Homo sapien

<400> 238  
tcgagcggcc gcccgggcag gtccattttc tccctgacgg tcccacttct ctccaatctt 60  
gtagtccaca ccattgtcat ggcaccatct agatgaatca catctgaaat gaccacttcc 120  
aaagccctaag cactggcaca acagttttaa gcctgattca gacattcgtt cccactcatc 180  
tccaacggca taatgggaaa ctgtgtaggg gtcaaagcac gagtcatccg taggttggtt 240  
caagccttcg ttgacagagt tgcccacggg aacaacctct tcccgaacct tatgcctctg 300  
ctggtctttc agtgcctcca ctatgatgtt gtaggtggca cctctggtga ggacctcggc 360  
cgcgaccacg ct 372

<210> 239  
<211> 720  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(720)  
<223> n = A,T,C or G

<400> 239  
tcgagcggcc gcccgggcag gtccaccata agtcctgata caaccacgga tgagctgtca 60  
ggagcaagggt tgatttcttt cattgggtccg gtcttctcct tgggggtcac ccgcactcga 120  
tatccagtga gctgaacatt ggggtggtgc cactgggcgc tcaggcttgt ggggtgtgacc 180  
tgagtgaact tcaggtcagt tgggtgcagga atagtgggta ctgcagtctg aaccagagggc 240  
tgactctctc cgcttggtt ctgagcatag aacttaacca catactccac tgtgggctgc 300  
aagccttcaa tagtcatttc tgtttgatct ggacctgcag ttttagtttt tgttggctct 360  
gggtccatttt tgggagtggg ggttactctg taaccagtaa caggggaact tgaaggcagc 420  
cacttgacac taatgctgtt gtctgaaca tcggtcactt gcatctggga tggtttgnc 480  
atttctgttc ggtaattaat ggaattggc ttgctgcttg cggggctgtc tccacggcca 540  
gtgacagcat acacagngat ggnatnatca actccaagtt taaggccctg atggtaactt 600  
taaaacttgct ccagccagn gaacttccgg acagggtatt tcttctggtt ttccgaaagn 660  
gancttgaa tnntctcctt ggancagaag gancntccaa aacttgggcc ggaacccctt 720

<210> 240  
<211> 691  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(691)  
<223> n = A,T,C or G

<400> 240  
agcgtggtcg cggccgaggt cctgtcagag tggcactggt agaagttcca ggaaccctga 60  
actgtaagggt ttcttcatca gtgccaacag gatgacatga aatgatgtac tcagaagtgt 120  
cctggaatgg gggccatgag atggttgtct gagagagagc ttcttgcctt acattcggcg 180  
ggtatggtct tggcctatgc cttatggggg tggccgttgt gggcgggtgt gtccgcctaa 240  
aaccatgttc ctcaaagatc atttgttgcc caacactggg ttgctgacca gaagtgccag 300  
gaagtgaat accatttcca gtgtcatacc caggggtgggt gacgaaagggt gtcttttgaa 360  
ctgtggaagg aacatccaag atctctggtc catgaagatt ggggtgtgga aggtttacca 420

```
gttggggaag ctggtctgtc ttttctctc caatcagggg ctggtctctc tgattattct 480
tcagggcaat gacataaatt gtatattcgg ttcccgggtc caggccagta atagtagcct 540
cttgtgacac caggcggggc ccanggacca cttctctggg angagacca gcttctcata 600
cttgatgatg taaccgggta atcctgcacg tggcggtgn catgatacca ncaaggaatt 660
gggtgngngg gacctgcccg gcggccctcn a 691
```

<210> 241  
<211> 808  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(808)  
<223> n = A,T,C or G

```
<400> 241
agcgtggtcg cggccgaggt ctgggatgct cctgctgtca cagtgaagata ttacaggatc 60
acttacggag aaacaggagg aaatagccct gtccaggagt tcaactgtgc tgggagcaag 120
tctacagcta ccatcagcgg ccttaaacct ggagttgatt ataccatcac tgtgtatgct 180
gtcactggcc gtggagacag ccccgcaagc agcaagccaa ttccattaa ttaccgaaca 240
gaaattgaca aaccatccca gatgcaagtg accgatgttc aggacaacag cattagtgtc 300
aagtggctgc cttcaagttc ccctgttact gggtacagag taaccaccac tccccaaaaat 360
ggaccaggac caacaaaaac taaaactgca gggtccagatc aaacagaaat gactattgaa 420
ggcttgacgc ccacagtgga gtatgtggtt agtgtctatg ctgagaatcc aagcggagag 480
agtcagcctc tgggttcagac tgcagtaacc actattcctg caccaactga cctgaagttc 540
actcaggtca caccacaag cctgagccgc cagtggacac caccaatgt tcaactactg 600
gatatcgagt gcgggtgacc cccaaggaga agaccggac ccatgaaaga aatcaacctt 660
gctcctgaca gctcatccgn ggggtgatca ggacttatgg gggactgcc cggcnggccg 720
ntcgaaancg aattntgaaa tttccttcnc actggnggc gnttcgagct tncctntana 780
nggcccaatt cncctntagn gggtcgtn 808
```

<210> 242  
<211> 26  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(26)  
<223> n = A,T,C or G

```
<400> 242
agcgtggtcg cggccgaggt cnagga 26
```

<210> 243  
<211> 697  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(697)  
<223> n = A,T,C or G

&lt;400&gt; 243

tcgagcggcc	gcccgggcag	gtccaccaca	cccaattcct	tgctgggtatc	atggcagccg	60
ccacgtgcc	ggattaccg	ctacatcatc	aagtatgaga	agcctgggtc	tcctcccaga	120
gaagtgggtc	ctcgccccg	ccctgggtgc	acagaggcta	ctattactgg	cctggaaccg	180
ggaaccgaat	atacaattta	tgctattgcc	ctgaagaata	atcagaagag	cgagccccctg	240
attggaagga	aaaagacaga	cgagcttccc	caactggtaa	cccttcaca	ccccaatctt	300
catggaccag	agatcttgga	tggtccctcc	acagttcaaa	agaccccttt	cgtcacccac	360
cctgggtatg	acactggaaa	tggtattcag	cttcctggca	cttctggtca	gcaaccaggt	420
gttgggcaac	aaatgatctt	tgaggaaacat	ggtttttaggc	ggaccacacc	gccacaacg	480
ggcaccacca	taaggnatag	gccaagacca	taccccgccg	aatgtaggac	aagaagctct	540
ntctcaacaa	ccatctcatg	ggccccattc	caggacactt	ctgagtacat	catttcatgt	600
catcctggtg	ggcacttgat	gaanaaccct	tacagttcag	ggttcctgga	acttctacca	660
gngccacttc	tgacagganc	ttgggcgnga	ccaccct			697

&lt;210&gt; 244

&lt;211&gt; 373

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 244

agcgtgggtc	cgcccgaggt	ccattttctc	cctgacggtc	ccacttctct	ccaatcttgt	60
agttcacacc	attgtcatgg	caccatctag	atgaatcaca	tctgaaatga	ccacttccaa	120
agcctaagca	ctggcacaac	agtttaaagc	ctgattcaga	cattcggttc	cactcatctc	180
caacggcata	atgggaaact	gtgtaggggt	caaagcacga	gtcatccgta	ggttgggttca	240
agccttcgtt	gacagagttg	cccacggtaa	caacctcttc	ccgaacctta	tgctcttgt	300
ggtctttcag	tgctccact	atgatgttgt	aggtggcacc	tctggtgagg	acctgcccgg	360
gcggcccgtc	cga					373

&lt;210&gt; 245

&lt;211&gt; 307

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 245

agcgtgggtc	cgcccgaggt	gtgccccaga	ccaggaatc	ggcttcgacg	ttggccctgt	60
ctgcttcctg	taaactccct	ccatcccaac	ctggctccct	cccacccaac	caactttccc	120
cccaaccggg	aaacagacaa	gcaacccaaa	ctgaaccccc	tcaaaagcca	aaaaaatggg	180
agacaatttc	acatggactt	tggaataat	ttttttcctt	tgcatctatc	tctcaaaact	240
agtttttatc	tttgaccaac	cgaacatgac	caaaaaccaa	aagtgcctg	cccgggcggc	300
cgctcga						307

&lt;210&gt; 246

&lt;211&gt; 372

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 246

tcgagcggcc	gcccgggcag	gtcctcacca	gaggtgccac	ctacaacatc	atagtggagg	60
cactgaaaga	ccagcagagg	cataagggtc	gggaagagg	tgttaccgtg	ggcaactctg	120
tcaacgaagg	cttgaaccaa	cctacggatg	actcgtgctt	tgaccctac	acagtttccc	180
attatgccgt	tgagatgag	tggaacgaa	tgtctgaatc	aggctttaa	ctggtgtgcc	240
agtgccttag	ctttggaagt	ggtcatttca	gatgtgattc	atctagatgg	tgccatgaca	300
atggtgtgaa	ctacaagatt	ggagagaagt	gggaccgtca	gggagaaaat	ggacctcggc	360
cgcgaccacg	ct					372

<210> 247  
<211> 348  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(348)  
<223> n = A,T,C or G

<400> 247  
tcgagcggcc gcccgggcag gtaccggggt ggtcagcgag gagccattca cactgaactt 60  
caccatcaac aacctgcggt atgaggagaa catgcagcac cctggctcca ggaagttaa 120  
caccacggag agggctcctc agggcctgct cagggtccctg ttcaagagca ccagtgttgg 180  
ccctctgtac tctggtgca gactgacttt gtcagacct gagaacatg gggcagccac 240  
tggagtggac gccatctgca ccctccgct tgateccact ggttctggac tggacanana 300  
gcggctatac ttgggagctg anccnaacct ttggcggnga cncnctt 348

<210> 248  
<211> 304  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(304)  
<223> n = A,T,C or G

<400> 248  
gaggactggc tcagctccca gtatagccgc tctctgtcca gtccaggacc agtgggatca 60  
aggcggaggg tgcagatggc gtccactcca gtggtgccc catgtttctc aagtctgagc 120  
aaagncagtc tgcagccaga gtacagaggg ccaacactgg tgctcttgaa caggacctg 180  
agcaggccct gaaggacct ctccgtggtg ttgaacttcc tggagccagg gtgctgcatg 240  
ttctcctcat accgcagggt gttgatggtg aagttcagtg tgaatggctc ctgctgacc 300  
accc 304

<210> 249  
<211> 400  
<212> DNA  
<213> Homo sapien  
  
<220>  
<221> misc\_feature  
<222> (1)...(400)  
<223> n = A,T,C or G

<400> 249  
agcgtggtcg cggccgaggt ccaccacacc caattccttg ctggtatcat ggcagccgcc 60  
acgtgccagg attaccggt acatcatcaa gtatgagaag cctgggtctc ctcccagaga 120  
agtggctcct cggccccgcc ctggtgtcac agaggetact attactggcc tggaaaccggg 180  
aaccgaatat acaatttatg tcattgccct gaagaataat cagaagagcg agccccgat 240  
tggaaagaaa aagacagacg agcttcccca actggttaacc cttccacacc ccaatcttca 300  
tggaccanan ancttgatn gtcctttcac nggttnaaaa aacccttttc gccccccac 360  
cttggggatt aaccttggga aanggggatt tnaccnttcc 400

<210> 250  
<211> 400  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(400)  
<223> n = A,T,C or G

<400> 250  
tcgagcggcc gcccgggcag gtcctgtcag agtggcactg gtagaagttc caggaaccct 60  
gaactgtaag ggttcttcat cagtgccaac aggatgacat gaaatgatgt actcagaagt 120  
gtcctggaat ggggcccatg agatggttgt ctgagagaga gcttcttgtc ctacattcgg 180  
cgggtatggt cttggcctat gccttatggg ggtggccgtt gtgggcgggtg tgggtccgct 240  
aaaacatgt tcctcaaaga tcattgttg cccaacactg ggttgctgac cagaagtgcc 300  
aggaagctga ataccatttc cagtgtcata ccagggnngg gtgaccaaag ggggtcnttt 360  
ngacctgng aaaggaacca tccaaaanct ctgncccatg 400

<210> 251  
<211> 514  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(514)  
<223> n = A,T,C or G

<400> 251  
agcgtggncg cggccgaggt ctgaggatgt aaactcttcc caggggaagg ctgaagtgct 60  
gaccatggtg ctactgggtc cttctgagtc agatatgtga ctgatgngaa ctgaagtagg 120  
tactgtagat ggtgaagtct ggggtgtccct aaatgctgca tctccagagc cttccatcat 180  
taccgtttct tcttttgcta tgggatgaga cactgttgag tattctctaa agtcaccact 240  
gaaatcttcc tccaaaggaa aacctgtgga aaagcccctt atttctgccc cataatttgg 300  
ttctccta at cncctctgaaa tcactatttc cctggaangt ttgggaaaaa nngggcnacc 360  
tgncantgga aantggatan aaagatccca ccattttacc caacnagcag aaagtgggaa 420  
nggtaccgaa aagctccaag taanaaaaag gagggaaagta aaggtcaagt gggcaccagt 480  
ttcaaacaaa actttcccca aactatanaa ccca 514

<210> 252  
<211> 501  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(501)  
<223> n = A,T,C or G

<400> 252  
aagcggccgc ccgggcaggn ncagnagtgc cttcgggact gggntcacc cagggtctgc 60  
ggcagttgtc acagcgccag ccccgctggc ctccaaagca tgtgcaggag caaatggcac 120  
cgagatattc cttctgccac tgttctccta cgtggtatgt cttcccatca tcgtaacacg 180  
ttgcctcatg agggtcacac ttgaattctc cttttccgtt cccaagacat gtgcagctca 240

```
tttggctggc tctatagttt ggggaaagtt tgttgaaact gtgccactga cctttacttc 300
ctccttctct actggagctt tccgtacctt ccacttctgc tgntggnaaa aagggnggaa 360
cntcttatca atttcattgg acagtanccc nctttctncc caaaacatnc aagggaaaat 420
attgattncn agagcggatt aaggaacaac ccnaattatg ggggccagaa ataaaggggg 480
cttttcaca ggtnttttcc t 501
```

&lt;210&gt; 253

&lt;211&gt; 226

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 253

```
tcgagcggcc gcccgggcag gtctgcaggc tattgtaagt gttctgagca catatgagat 60
aacctgggcc aagctatgat gttcgatacg ttaggtgtat taaatgcact ttgactgcc 120
atctcagtgg atgacagcct tctcactgac agcagagatc ttctcactg tgccagtggg 180
caggagaaag agcatgctgc gactggacct cggccgcgac cacgct 226
```

&lt;210&gt; 254

&lt;211&gt; 226

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 254

```
agcgtggctc cggccgaggt ccagtcgcag catgctcttt ctctgcccc ctggcacagt 60
gaggaagatc tctgctgtca gtgagaaggc tgtcatccac tgagatggca gtcaaaagtg 120
catttaatac acctaacgta tcgaacatca tagcttggcc caggttatct catatgtgct 180
cagaacactt acaatagcct gcagacctgc ccggcgcgcc gctcga 226
```

&lt;210&gt; 255

&lt;211&gt; 427

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(427)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 255

```
cgagcggccg cccgggcagg tccagactcc aatccagaga accaccaagc cagatgtcag 60
aagctacacc atcacagggt tacaaccagg cactgactac aagatctacc tgtacacctt 120
gaatgacaat gtcggagct cccctgtggt catcgacgcc tccactgcc ttgatgcacc 180
atccaacctg cgtttcctgg ccaccacacc caattccttg ctggtatcat ggcagccgcc 240
acgtgccagg attaccggct acatcatcaa gtatgagaag cctgggtctc ctcccagaga 300
agtggtcctt cggccccgcc ctggtgnac agaagctact attactggcc tggaaccggg 360
aaccgaatat acaatttatg tcattgccct gaagaataat canaagagcg agccctgat 420
tggaagg 427
```

&lt;210&gt; 256

&lt;211&gt; 535

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

<222> (1)...(535)

<223> n = A,T,C or G

<400> 256

```

agcgtggtcg cggccgaggt cctgtcagag tggcactggt agaagttcca ggaaccctga      60
actgtaaggg ttcttcatca gtgccaacag gatgacatga aatgatgtac tcagaagtggt      120
cctggaatgg ggcccatgag atgggtgtct gagagagagc ttcttgtcct gtctttttcc      180
ttccaatcag gggctcgctc ttctgattat tcttcagggc aatgacataa attgtatatt      240
cggttcccg ggccaggcca gtaatagtag cctctgtgac accaggggcg ggccgaggga      300
ccacttctct gggaggagac ccaggcttct catacttgat gatgtanccg gtaatcctgg      360
caccgtggcg gctgccatga taccagcaag gaattgggtg tgggtggccaa gaaacgcagg      420
ttggatgggt catcaatggc agtggaggcg tcgatnacca caggggagct ccgancattg      480
tcattcaagg tggacaggta gaatcttgta atcagggtgcc tggtttgtaa acctg      535

```

<210> 257

<211> 544

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(544)

<223> n = A,T,C or G

<400> 257

```

tcgagcggcc gcccgggcag gtttcgtgac cgtgacctcg aggtggacac caccctcaag      60
agcctgagcc agcagatcga gaacatccgg agcccagagg gcagccgcaa gaaccccgcc      120
cgcaacctgcc gtgacctcaa gatgtgccac tctgactgga agagtggaga gtactggatt      180
gaccccaacc aaggctgcaa cctggatgcc atcaaagtct tctgcaacat ggagactggt      240
gagacctgcg tgtacccac tcagcccagt gtggcccaga agaactggta catcagcaag      300
aaccccaagg acaagaagca tgtctggttc ggcgaaagca tgaccgatgg attccagttc      360
gagtatggcg gccagggtc cgacctgcc gatgtggacc tcggccgcga ccacgctaag      420
cccgaattcc agcacactgg cggccgttac tagtgggatc cgagcttcgg taccaagctt      480
ggcgtaatca tgggncatag ctgtttcctg ngtgaaaatg gtattccgct tcacaatttc      540
ccac      544

```

<210> 258

<211> 418

<212> DNA

<213> Homo sapien

<400> 258

```

agcgtggtcg cggccgaggt ccacatcggc aggttcggag ccctggccgc catactcgaa      60
ctggaatcca tcggtcatgc tctcgccgaa ccagacatgc ctcttgteet tggggttctt      120
gctgatgtac cagttcttct gggccacact gggctgagtg gggtaacgc aggtctcacc      180
agtctccatg ttgcagaaga ctttgatggc atccagggtg cagccttggt tgggggtcaat      240
ccagtactct ccactcttcc agtcagagtg gcacatcttg aggtcacggc aggtgcgggc      300
ggggttcttg cggtgccct ctgggctccg gatgttctcg atctgctggc tcaagctctt      360
gaagggtggt gtccacctcg aggtcacggt cacgaaacct gcccgggcgg ccgctcga      418

```

<210> 259

<211> 377

<212> DNA

<213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(377)  
 <223> n = A,T,C or G

<400> 259

agcgtggtcg cggccgaggt caagaacccc gccgcacct gccgtgacct caagatgtgc	60
cactctgact ggaagagtgg agagtactgg attgaccca accaaggctg caacctggat	120
gccatcaaag tcttctgcaa catggagact ggtgagacct gcgtgtacct cactcagccc	180
agtgtggccc agaagaactg gtacatcagc aagaaccca aggacaagag gcatgtctgg	240
ttcggcgaga gcatgaccga tggattccag ttcgagtatg gcggccaggg ctccgacct	300
gccgatgtgg acctgccgn gccggnccgc tcgaaaagcc cnaattcca gncacacttg	360
gccggccgtt actactg	377

<210> 260  
 <211> 332  
 <212> DNA  
 <213> Homo sapien

<400> 260

tcgagcggcc gcccgggcag gtccacatcg gcagggtcgg agccctggcc gccatactcg	60
aactggaatc catcggtcat gctctcgccg aaccagacat gcctcttgtc cttggggttc	120
ttgctgatgt accagttctt ctggggccaca ctgggctgag tggggtacac gcagggtctca	180
ccagtctcca tgttgacaaa gactttgatg gcatccaggt tgcagccttg gttgggggtca	240
atccagtact ctccactctt ccagtcagag tggcacatct tgaggtcacg gcagggtgcgg	300
gcgggggttct tgacctcgcc cgcgaccacg ct	332

<210> 261  
 <211> 94  
 <212> DNA  
 <213> Homo sapien

<400> 261

cgagcggccg cccgggcagg tccccccct ttttttttt ttttttttt ttttttttt	60
ttttttttt ttttttttt ttttttttt tttt	94

<210> 262  
 <211> 650  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(650)  
 <223> n = A,T,C or G

<400> 262

agcgtggtcg cggccgaggt ctggcattcc ttcgacttct ctccagccga gcttcccaga	60
acatcacata tcaactgaaa aatagcattg catacatgga tcaggccagt ggaaatgtaa	120
agaagggcct gaagctgatg ggggtcaaat aaggtgaatt caaggctgaa ggaaatagca	180
aattcaccta cacagtcttg gaggatggtt gcacgaaaca cactggggaa tggagcaaaa	240
cagtctttga atatgaaca cgcaaggctg tgagactacc tattgtagat attgcacct	300
atgacattgg tggctctgat caagaatttg gtgtggacgt tggccctgtt tgctttttat	360
aaaccaaact ctatctgaaa tcccaacaaa aaaaatttaa ctccatatgt gntcctcttg	420
ttctaattctt ggcaaccagt gcaagtgacc gacaaaattc cagttattta tttccaaaat	480



gtttggaac agtataattt gacaaagaaa aaaggatact tctctttttt tggctgggtcc 540  
accaaataca attcaaaagg ctttttggtt ttattttttt anccaattcc aatttcaaaa 600  
tgtctcaatg gngcttataa taaaataaac ttccaccctt nttttntgat 650

<210> 263  
<211> 573  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(573)  
<223> n = A,T,C or G

<400> 263  
agcgtggtcg cggccgaggt ctgggatgct cctgctgtca cagtgaagata ttacaggatc 60  
acttacggag aaacaggagg aaatagccct gtccaggagt tcaactgtgcc tgggagcaag 120  
tctacagcta ccatcagcgg ccttaaacct ggagttgatt ataccatcac tgtgtatgct 180  
gtcactggcc gtggagacag ccccgaagc agcaagccaa ttccattaa ttaccgaaca 240  
gaaattgaca aaccatccca gatgcaagt accgatgttc aggacaacag cattagtgtc 300  
aagtggctgc cttcaagttc ccctgttact ggttacagaa gtaaccacca ctcccaaaaa 360  
tggaccagga ccaacaaaaa ctaaaactgc aggtccagat caaacagaaa atggactatt 420  
gaaggcttgc agcccacagt ggaagtatgt ggntaggngt ctatgctcag aatcccaagc 480  
cggagaaaagt cagccttctg gtttagactg cagtaacca cattgatcgc cctaaaggac 540  
tggnccattca cttggatggt ggatgtccaa ttc 573

<210> 264  
<211> 550  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(550)  
<223> n = A,T,C or G

<400> 264  
tcgagcggcc gcccgggcag gtccttgcag ctctgcagng tcttcttcac catcagggtgc 60  
agggaatagc tcatggattc catcctcagg gctcgagtag gtcaccctgt acctggaaac 120  
ttgcccctgt gggctttccc aagcaatttt gatggaatcg acatccacat cagnaatgc 180  
cagtccttta gggcgatcaa tgttggttac tgcaagtctga accagaggct gactctctcc 240  
gcttgattc tgagcataga cactaaccac ataactccact gtgggctgca agccttcaat 300  
agtcatttct gtttgatctg gacctgcagt ttaagtttt tgggtggctc gnccatttt 360  
tgggaagtgg ggggttactc tgtaaccagt aacaggggaa cttgaaggca gccacttgac 420  
actaatgctg ttgtcctgaa catcggtcac ttgcatctgg ggatggtttt gacaatttct 480  
ggttcggcaa attaatggaa attggcttgc tgcttggcgg ggctgnctcc acgggccagt 540  
gacagcatac 550

<210> 265  
<211> 596  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature

<222> (1)...(596)

<223> n = A,T,C or G

<400> 265

tcgagcggcc	gcccgggcag	gtccttgacg	ctctgcagtg	tcttcttcac	catcagggtgc	60
agggaaatagc	tcatggattc	catcctcagg	gctcgagtag	gtcaccctgt	acctggaaac	120
ttgccctctgt	gggctttccc	aagcaatttt	gatggaatcg	acatccacat	cagtgaatgc	180
cagtccttta	gggcgatcaa	tgttggttac	tgcagtctga	accagaggct	gactctctcc	240
gcttggtatc	tgagcataga	cactaaccac	atactccact	gtgggctgca	agccttcaat	300
agtcatttct	gtttgatctg	gacctgcagt	tttaagtttt	tggtggnctt	gnnccatttt	360
tggggaagg	gtggttactc	ttgtaaccag	taacagggga	acttgaagca	gccacttgac	420
actaatgctg	gtggcctgaa	catcggtcac	ttgcatctgg	gatggtttgg	tcaatttctg	480
ttcggtaatt	aatgggaaat	tggcttactg	gcttgcgggg	gctgtctcca	cggncagtga	540
caagcataca	caggngatgg	gtataatcaa	ctccagggtt	aaggccnctg	atggta	596

<210> 266

<211> 506

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(506)

<223> n = A,T,C or G

<400> 266

agcgtggctg	cgcccgaggt	ctgggatgct	cctgctgtca	cagtgaagata	ttacaggatc	60
acttacggag	aaacaggagg	aaatagccct	gtccaggagt	tcactgtgcc	tgggagcaag	120
tctacagcta	ccatcagcgg	ccttaaacct	ggagttgatt	ataccatcac	tgtgtatgct	180
gtcactggcc	gtggagacag	ccccgcaagc	agtaagccaa	tttccattaa	ttaccgaaca	240
gaaattgaca	aaccatccca	gatgcaagt	accgatgttc	aggacaacag	cattagtgtc	300
aagtggctgc	cttcaagtgc	ccctgttact	ggttacagag	taaccaccac	tcccaaaaat	360
gggaccagga	ccaacaaaaa	actaaaactg	canggtccag	atcaaacaga	aatgactatt	420
gaaggcttgc	agcccacagt	ggagtatgtg	ggttagtgtc	tatgctcaga	atnccaagcg	480
gagagagtca	gcctctggtt	cagact				506

<210> 267

<211> 548

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(548)

<223> n = A,T,C or G

<400> 267

tcgagcggcc	gcccgggcag	gtcagcgctc	tcaggacgtc	accaccatgg	cctgggetct	60
gtcctctctc	accctcctca	ctcagggcac	agggctcctg	gcccagtctg	ccctgactca	120
gcctccctcc	gcgtccgggt	ctcctggaca	gtcagtcacc	atctcctgca	ctggaaccag	180
cagtgcagtt	ggtgcttatg	aatttgctct	ctggtaccaa	caacacccag	gcaaggcccc	240
caaactcatg	atttctgagg	tcactaagcg	gccctcaggg	gtccctgac	gcttctctgg	300
ctccaagtct	ggcaacacgg	cctccctgac	cgtctctggg	ctccangctg	aggatganc	360
tgattattac	tggaagctca	tatgcaggca	acaacaattg	ggtgttcggc	ggaagggacc	420
aagctgaccg	tnctaaggtc	aagcccaagg	cttgcccccc	tcggtcactc	tgttcccacc	480

ctcctctgaa gaagctttca agccaacaan gncacactgg gtgtgtctca taagtggact 540  
ttctaccc 548

<210> 268  
<211> 584  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(584)  
<223> n = A,T,C or G

<400> 268  
agcgtggtcg cggccgaggt ctgtagcttc tgtgggactt ccaactgctca ggcgtcaggc 60  
tcaggtagct gctggcccg gcttctgtgt tgctttgntt ggaggggtgtg gtggtctcca 120  
ctcccgcctt gacggggctg ctatctgcct tccaggccac tgcacggct cccgggtaga 180  
agtcacttat gagacacacc agtgtggcct tgttggttg aagctcctca gaggaggggtg 240  
ggaacagagt gaccgagggg gcagccttgg gctgacctag gacggtcagc ttggtccctc 300  
cgccgaacac ccaattgttg ttgcctgcat atgagctgca gtaataatca gcctcatcct 360  
cagcctggag cccagagacn gtcaagggag gcccggtgtt gccaaagact ggaagccaga 420  
naagcgatca gggacccttg agggccgctt tacngacctc aaaaaatcat gaatttgggg 480  
ggcctttgcc tggngtttg ttgtnacca gnaaaaaaa atttcataaa gcaccaacgt 540  
cactgctggt ttccagtgc ngaanatggt gaactgaant gtcc 584

<210> 269  
<211> 368  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(368)  
<223> n = A,T,C or G

<400> 269  
agcgtggtcg cggccgaggt ccagcatcag gagccccgcc ttgccggctc tggatcgcgc 60  
ctttcttttt gtggcctgaa acgatgtcat caattcgcag tagcagaact gccgtctcca 120  
ctgctgtctt ataagtctgc agcttcacag ccaatggctc ccatatgccc agttccttca 180  
tgtccaccaa agtaccgctc tcaccattta caccacaggt ctacacagtc tcctgggtgt 240  
gcttgccccg aagggaggtg agtanacgga tgggtgctgg cccacagttc tggatcaggg 300  
tacgaggaat gacctctagg gcctgggcna caagccctgt atggacctgc ccgggcgggc 360  
ccgctcga 368

<210> 270  
<211> 368  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(368)  
<223> n = A,T,C or G

<400> 270

```
tcgagcggcc gcccgggcag gtccatacag ggctgttgcc caggccctag aggnccattcc 60
ttgtaccctg atccagaact gtgggaccag caccatccgt ctacttacct cccttcgggc 120
caagcacacc caggagaact gtgagacctg ggggtgaaat ggngagacgg gtactttggt 180
ggacatgaag gaactgggca tatgggagcc attggctgng aagctgcana cttataagac 240
agcagtggag acggcagttc tgctactgcg aattgatgac atcgtttcag gccacaaaaa 300
gaaaggcgat gaccanagcc ggcaaggcgg ggcttctctga tgctggacct cggccgcccga 360
ccacgctt 368
```

&lt;210&gt; 271

&lt;211&gt; 424

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(424)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 271

```
agcgtggctg cggccgaggt ccactagagg tctgtgtgcc attgcccagg cagagtctct 60
gcgttacaaa ctccataggag ggcttgctgt gcggagggcc tgctatggtg tgctgcggtt 120
catcatggag agtggggcca aaggctgcga ggttggtggtg tctgggaaac tccgaggaca 180
gagggctaaa tccatgaagt ttgtggatgg cctgatgatc cacagcggag accctgttaa 240
ctactacgtt gacactgctg tgcgccacgt gttgctcana cagggtgtgc tgggcatcaa 300
ggtgaagatc atgctgccct gggaaccanc tggcaaaaat ggcccttaaa aacccttgc 360
cntgaccacg tgaaccattt gtngnaacc ccaagatgaan atacttgccc accaccccc 420
attc 424
```

&lt;210&gt; 272

&lt;211&gt; 541

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(541)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 272

```
tcgagcggcc gcccgggcag gtctgccaaag gagaccctgt tatgctgtgg ggactggctg 60
gggcatggca ggcggtctctg gcttcccacc ctctctgtct gagatggggg tgggtggcag 120
tatctcatct ttgggttcca caatgctcac gtggtcaggc aggggcttct tagggccaat 180
cttaccagtt ggggtcccagg gcagcatgat cttcaccttg atgccagca caccctgtct 240
gagcaacacg tggcgcacag cagtgtcaac gtagtagtta acagggtctc cgctgtggat 300
catcaggcca tccacaaact tcatggattt agccctctgt cctcggagtt tcccaaaaca 360
ccacaacctc gccagccttt gggccccact tcttcatgaa tgaaaccgca gcacaccatt 420
ancaaggccc ttccgcacag gnaagccctt cctaaggagt tttgtaaagc caaaaaactc 480
ttgcctgggg caaatgggca cacagacctn tantnggacc ttggnccgag aaccaccgct 540
t 541
```

&lt;210&gt; 273

&lt;211&gt; 579

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(579)  
<223> n = A,T,C or G

<400> 273  
agcgtggtcg cggccgaggt ctggccctcc tggcaaggct ggtgaagatg gtcaccctgg 60  
aaaacccgga cgacctggtg agagaggagt tgttggacca cagggtgctc gtggtttccc 120  
tggaactcct ggacttcctg gcttcaaagg cattagggga cacaatggtc tggatggatt 180  
gaagggacag cccggtgctc ctggtgtgaa ggtgaacct ggngcccctg gtgaaaatgg 240  
aactccaggt caaacaggag cccgngggct tcctgngag agaggacgtg ttggtgcccc 300  
tgcccanac ctgccgggc ggccgctcna aaagccgaaa tccagnacac tggcggccgn 360  
tactantgga atccgaactt cggtaacaaa gcttggccgt aatcatggcc atagcttggt 420  
ccctgggng gaaattggtg ttccgctncc aattccacac aacataccga acccggaag 480  
cattaaagtg taaaagccct gggggggcct aaatgangtg agcntaactc ncatttaatt 540  
ggcgttgccg ttcactgccc cgcttttcca gtcgggna 579

<210> 274  
<211> 330  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(330)  
<223> n = A,T,C or G

<400> 274  
tcgagcggcc gcccgggcag gtctgggcca ggggcaccaa cagtcctct ctcaccagga 60  
agcccacggg ctctgtttg acctggagtt ccattttcac caggggcacc aggttcaccc 120  
ttcacaccag gagcaccggg ctgtcccttc aatccatcca gaccattgtg ncccctaattg 180  
cctttgaagc caggaagtcc aggagttcca gggaaaccac gagcaccctg tggccaaca 240  
actcctctct caccaggtcg tccgggtttt ccagggtgac catcttcacc agccttgcca 300  
ggagggccag acctcggccg cgaccacgct 330

<210> 275  
<211> 97  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(97)  
<223> n = A,T,C or G

<400> 275  
ancgtggtcg cggccgaggt cctcaccaga ggtgncacct acaacatcat agtggaggca 60  
ctgaaagacc ancagaggca taaggttcgg gaagagg 97

<210> 276  
<211> 610  
<212> DNA  
<213> Homo sapien

<220>

<221> misc\_feature  
<222> (1)...(610)  
<223> n = A,T,C or G

<400> 276

tcgagcggcc	gcccgggcag	gtccattttc	tccctgacgg	tcccacttct	ctccaatctt	60
gtagtgcaca	ccattgtcat	ggcaccatct	agatgaatca	catctgaaat	gaccacttcc	120
aaagcctaag	cactggcaca	acagttttaa	gcctgattca	gacattcggt	cccactcatc	180
tccaacggca	taatgggaaa	ctgtgtaggg	gtcaaagcac	gagtcacccg	taggttggtt	240
caagccttcg	ttgacagagt	tgtccacggg	aacaacctct	tcccgaacct	tatgcctctg	300
ctggtctttc	agtgcctcca	ctatgatgtt	gtaggtaggc	cctctggtga	ggacctcngn	360
ccngaacaac	gcttaagccc	gnattctgca	gaataatccc	atcacacttg	gcggccgctt	420
cgancatgca	tentaaaagg	ggcccgaatt	tcccccttat	aagngaanc	gtatttncca	480
atttcaactg	ccccgccgnt	tttacaacac	ncggtgaact	ggggaaaaac	cctggcggtt	540
acccaacttt	aatcgccntt	ggcagcaca	tccccctttt	tcgnccan	tgggcgtaaa	600
taaccgaaaa						610

<210> 277  
<211> 38  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(38)  
<223> n = A,T,C or G

<400> 277

ancngngtcg	cggccgangt	nttttttctt	nttttttt	38
------------	------------	------------	----------	----

<210> 278  
<211> 443  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(443)  
<223> n = A,T,C or G

<400> 278

agcgtgggtc	cggccgaggt	ctgaggttac	atgcgtgggt	gtggacgtga	gccacgaaga	60
ccctgaggtc	aagttcaact	ggtacgtgga	cggcgtggag	gtgcataatg	ccaagacaaa	120
gccgcgggag	gagcagtaca	acagcacgta	ccggngggtc	agcgtcctca	ccgtcctgca	180
ccagaattgg	ttgaatggca	aggagtacaa	gngcaagggt	tccaacaaa	ccntcccagc	240
ccccntcgaa	aaaaccattt	ccaaagccaa	agggcagccc	cgagaaccac	aggtgtacac	300
cctgccccca	tcccgggagg	aaaagancaa	naaccnggtt	cagccttaac	ttgcttggtc	360
naangctttt	tatcccaacg	nacttcccc	ntggaantgg	gaaaaaccaa	tgggccaanc	420
cgaaaaacaa	ttacaanaac	ccc				443

<210> 279  
<211> 348  
<212> DNA  
<213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(348)  
 <223> n = A,T,C or G

<400> 279

tcgagcggcc gcccgggcag gtgtcggagt ccagcacggg aggcgtggtc ttgtagttgt	60
tctccggctg cccattgctc tcccactcca cggcgatgtc gctgggatag aagcctttga	120
ccaggcaggt caggctgacc tggttcttgg tcatctcctc ccgggatggg ggcagggtga	180
acacctgggg ttctcggggc ttgccctttg gttttgaana tggttttctc gatgggggct	240
ggaaggggctt tggtgnaaac ctgtcacttg actccttgcc attcaccag ncctggngca	300
ggacggngag gacnctnacc acacggaacc gggctggtgg actgctcc	348

<210> 280  
 <211> 149  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(149)  
 <223> n = A,T,C or G

<400> 280

agcgtggctg cggacgangt cctgtcagag tggnaactgg agaagttcca ngaaccctga	60
actgtaaggg ttcttcatca gtgccaacag gatgacatga aatgatgtac tcagaagnn	120
cctggaatgg ggcccatgan atggttgcc	149

<210> 281  
 <211> 404  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(404)  
 <223> n = A,T,C or G

<400> 281

tcgagcggcc gcccgggcag gtccaccaca cccaattcct tgctggatc atggcagccg	60
ccacgtgccg ggattaccgg ctacatcatc aagtatgaga agcctgggtc tcctccaga	120
gaagtggctc ctcgccccc cctggtgtc acagaggcta ctattactgg cctggaaccg	180
ggaaccgaat atacaattta tgtcattgcc ctgaagaata atcagaagag cgagcccctg	240
attggaagga aaaagacaga cgagcttccc caactggtaa cccttcacaca cccaatctt	300
catggaccag agatcttga tgttccttcc acagttcaaa agacccctt cggcaccccc	360
cctgggtatg aacctgggaa aanggnantt aanccttcct ggca	404

<210> 282  
 <211> 507  
 <212> DNA  
 <213> Homo sapien

<220>  
 <221> misc\_feature  
 <222> (1)...(507)

<223> n = A,T,C or G

<400> 282

agcgtgggtcg	cggccgaggt	ctgggatgct	cctgctgtca	cagtgaagata	ttacaggatc	60
acttacggag	aaacaggagg	aaatagccct	gtccaggagt	tcactgtgcc	tgggagcaag	120
tctacagcta	ccatcagcgg	ccttaaacct	ggagttgatt	ataccatcac	tgtgtatgct	180
gtcactggcc	gtggagacag	ccccgcaagc	agcaagccaa	tttcatttaa	ttaccgaaca	240
gaaattgaca	aaccatccca	gatgcaagtg	accgatgttc	aggacaacag	cattagtgtc	300
aagtggctgc	cttcaaggtn	ccctgggtact	gggttacaga	ntaaccacca	ctcccaaaaa	360
tggaccagga	accacaaaaa	cttaaaactgc	aggggtccaga	tcaaaacaga	aatgactatt	420
gaangcttgc	agcccacagt	gggagtatgn	gggtagtgnc	tatgcttcag	aatccaagcg	480
gaaaaangtc	aagccttntg	ggttcaa				507

<210> 283

<211> 325

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(325)

<223> n = A,T,C or G

<400> 283

tcgagcggcc	gcccgggcag	gtccttgagc	ctctgcagtg	tcttcttcac	catcagggtgc	60
agggaaatagc	tcatggattc	catcctcagg	gtcgcagtag	gtcacccctgt	acctggaaac	120
ttgccctctgt	gggcttccc	aagcaatttt	gatggaatcg	acatccacat	cagtgaatgc	180
cagtccttta	gggcgatcaa	tggttggttac	tgcaagctga	accagaggct	gactctctcc	240
gcttggtatc	tgagcataga	cactaaccac	atactccact	gtgggctgca	anccttcaat	300
aanncaatttc	tgtttgatct	ggacc				325

<210> 284

<211> 331

<212> DNA

<213> Homo sapien

<220>

<221> misc\_feature

<222> (1)...(331)

<223> n = A,T,C or G

<400> 284

tcgagcggcc	gcccgggcag	gtctggtggg	gtcctggcac	acgcacatgg	ggnggttgn	60
ctnatccagc	tgcccagccc	ccattggcga	gtttgagaag	gtgtgcagca	atgacaacaa	120
naccttcgac	tcttcctgcc	acttctttgc	cacaaagtgc	accctggagg	gcaccaagaa	180
gggccacaag	ctccacctgg	actacatcgg	gccttgcaaa	tacatcccc	cttgccctgga	240
ctctgagctg	accgaattcc	cccttgcgca	tgccgggactg	gctcaagaac	cgtcctggca	300
cccttgatg	anagggatga	agacacnacc	c			331

<210> 285

<211> 509

<212> DNA

<213> Homo sapien

<220>



<221> misc\_feature  
<222> (1)...(509)  
<223> n = A,T,C or G

<400> 285

agcgtggtcg	cggccgaggt	ctgtcctaca	gtcctcagga	ctctactccc	tcagcagcgt	60
ggtgaccgtg	ccctccagca	acttcggcac	ccagacctac	acctgcaacg	tagatcacaa	120
gcccagcaac	accaaggtgg	acaagagagt	tgagcccaaa	tcttgtagaca	aaactcacac	180
atgccaccgg	tgcccagcac	ctgaactcct	ggggggaccg	tcagtcttcc	tcttcccccg	240
catccccctt	ccaaacctgc	ccgggcggcc	gctcgaaagc	cgaattccag	cacactggcg	300
gccgtacta	gtgganccna	acttggnanc	caacctggng	gaantaatgg	gcataanctg	360
tttctggggg	gaaattggta	tccngtttac	aattcccnca	caacatacga	gccggaagca	420
taaaagncta	aaagcctggg	ggnggcctan	tgaagtgaag	ctaaactcac	attaattngc	480
ggtgccgctc	actggcccgc	tttccagc				509

<210> 286  
<211> 336  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(336)  
<223> n = A,T,C or G

<400> 286

tcgagcggcc	gcccgggcag	gtttggaagg	gggatgcggg	ggaagaggaa	gactgacggt	60
ccccccagga	gttcaggtgc	tgggcacggt	gggcatgtgt	gagttttgtc	acaagatttg	120
ggctcaactc	tcttgccac	cttggtgttg	ctgggcttgt	gatctacgtt	gcagggttag	180
gtctggngc	cgaagttgct	ggagggcacg	gtcaccacgc	tgctgaggga	gtagagtctt	240
gaggactgta	ngacagacct	cggccgngac	cacgctaagc	cgaattctgc	agatatccat	300
cacactggcg	gccgctccga	gcattgcattt	tagagg			336

<210> 287  
<211> 30  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(30)  
<223> n = A,T,C or G

<400> 287

agcgtggngc	cggacganga	caacaacccc	30
------------	------------	------------	----

<210> 288  
<211> 316  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(316)  
<223> n = A,T,C or G

&lt;400&gt; 288

tcgagcggcc	gcccgggcag	gnccacatcg	gcagggtcgg	agccctggcc	gccatactcg	60
aactggaatc	catcggtcat	gctcttgccg	aaccagacat	gcctcttgtc	cttgggggttc	120
ttgctgatgn	accagttctt	ctggggccaca	ctgggctgag	tgggggtacac	gcagggtctca	180
ccagtctcca	tgttgcaaaa	gactttgatg	gcattccagg	tgcagccttg	gttgggggtca	240
atccagtact	ctccactctt	ccagtcagag	tggcacatct	tgaggtcacg	gcagggtgcgg	300
gcgggggttct	tgacct					316

&lt;210&gt; 289

&lt;211&gt; 308

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(308)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 289

agcgtggtcg	cggccgaggt	ccagcctgga	gataanggtg	aaggtggtgc	ccccggacctt	60
ccaggtatat	ctggacctcg	tggtagccct	ggtgagagag	gtgaaactgg	ccctccagga	120
cctgctggtt	tccctggtgc	tcctggacag	aatggtgaac	ctggnggtaa	aggagaaaaga	180
ggggctccgg	ntganaaagg	tgaaggaggc	cctcctgnat	tggcaggggc	cccangacctt	240
agaggtggag	ctggccccc	tgcccccaa	ggaggaaagg	gtgctgctgg	tcctcctggg	300
ccacctgg						308

&lt;210&gt; 290

&lt;211&gt; 324

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(324)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 290

tcgagcggcc	gcccgggcag	gtctgggcca	ggaggaccaa	taggaccagt	aggacccctt	60
gggccatctt	tccctgggac	accatcagca	cctggaccgc	ctggttcacc	cttgtcaccc	120
tttgaccag	gacttccaag	acctcctctt	tctccaggca	ttccttgcat	accaggagta	180
ccancagcac	caggtggccc	aggaggacca	gcagcacctt	ttctccttc	gggaccaggg	240
ggaccagctc	cacctetaag	tcctggggcc	cctgccaatc	caggagggcc	tccttcacct	300
ttctcacccg	gagccctctt	ttct				324

&lt;210&gt; 291

&lt;211&gt; 278

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(278)

&lt;223&gt; n = A,T,C or G

<400> 291  
tcgagcggcc gcccgggcag gtccaccggg atattcgggg gtctggcagg aatgggaggc 60  
atccagaacg agaaggagac catgcaaagc ctgaacgacc gcctggcctc ttacctggac 120  
agagtggagg gcctggagac cgacaaccgg aggttgagga gcaaaatccg ggagcacttg 180  
gagaagaagg gacccaggt cagagactgg agccattact tcaagatcat cgaggacctg 240  
agggtcana tcttcgcaaa tactgcngac aatgcccg 278

<210> 292  
<211> 299  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(299)  
<223> n = A,T,C or G

<400> 292  
atgcgnggtc gcggccgang accanctctg gctcactatt gactctaaag ncntcaccag 60  
nanttacggn cattgccaat ctgcagaacg atgcgggcat tgtccgcant atttgcgag 120  
atctgagccc tcagncctc gatgatcttg aagtaanggc tccagtctct gacctggggt 180  
cccttcttct ccaagtgtc ccggattttg ctctccagcc tccggttctc ggtctccaag 240  
ncttctcact ctgtccagga aaagaggcca ggcgngcagat cagggtcttt gcatggact 299

<210> 293  
<211> 101  
<212> DNA  
<213> Homo sapien

<400> 293  
agcgtggtcg cggccgaggt tgtacaagct tttttttttt tttttttttt tttttttttt 60  
tttttttttt tttttttttt tttttttttt tttttttttt t 101

<210> 294  
<211> 285  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(285)  
<223> n = A,T,C or G

<400> 294  
tcgagcggcc gcccgggcag gtctgccaac accaagattg gcccccgccg catccacaca 60  
gttngtgtgc ggggaggtaa caagaaatac cgtgccctga ggntggacgn gggaatttc 120  
tcctggggct cagagtgttg tactcgtaaa acaaggatca tcgatgttgt ctacaatgca 180  
tctaataacg agctggttcg taccaagacc ctggtgaaga attgcatcgt gctcatngac 240  
agcacaccgt accgacagtg ggtaccgaag tccactatg cncct 285

<210> 295  
<211> 216  
<212> DNA  
<213> Homo sapien

<400> 295  
tcgagcggcc gcccgggcag gtccaccaca cccaattcct tgctggtatc atggcagccg 60  
ccacgtgccca ggattaccgg ctacatcatc aagtatgaga agcctgggtc tcctcccaga 120  
gaagtgggtcc ctgcggccccg ccctggtgtc acagaggcta ctattactgg cctggaaccg 180  
ggaaccgaat atacaattta tgcattgcc ctgaag 216

<210> 296  
<211> 414  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(414)  
<223> n = A,T,C or G

<400> 296  
agcgtgntcn cggccgagga tggggaagct cgnctgtctt tttccttcca atcaggggct 60  
nnntcttctg attattcttc agggcaanga cataaattgt atattcggnt cccggttcca 120  
gnccagtaat agtagcctct gtgacaccag ggcggggccg agggaccact tctctgggag 180  
gagacccagg cttctcatatc ttgatgatga agccggtaat cctggcacgt gggcggtctgc 240  
catgatacca ccaangaatt ggggtgtggtg gacctgcccg ggcggggccgc tcgaaaaanc 300  
gaattcntgc aagaatatcc atcacacttg ggcggggccgn tcgaaccatg catcntaaaa 360  
gggcccacat ttcccccta ttagngaaag ccncatttaa caaattccac ttgg 414

<210> 297  
<211> 376  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(376)  
<223> n = A,T,C or G

<400> 297  
tcgagcggcc gcccgggcag gtctcgcggt cgcactggtg atgctggtcc tgttgggtccc 60  
cccggccctc ctggacctcc tgggtcccct ggtcctccca gcgctggttt cgacttcagc 120  
ttcctgcccc agccacctca agagaaggct cacgatggtg gccgctacta ccgggctgat 180  
gatgccaatg tggttcgtga ccgtgacctc gaggtggaca ccacctcaa gagccttgag 240  
ccagcagaat cgaaaacatt cggaacccaa gaagggcaag cccgcaaaga aaccccgcc 300  
gcacctggcc gngaacctcc aagaangtgc ccacntcttg actgggaaaa aaagggaana 360  
ntacttggaa ttggac 376

<210> 298  
<211> 357  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(357)  
<223> n = A,T,C or G

<400> 298

```

agcgtggtcg cgcccgaggt ccacatcggc agggtcggag ccctggccgc catactcgaa      60
ctggaatcca tcggtcatgc tctcgccgaa ccagacatgc ctcttgctct tggggttctt      120
gctgatgtac cagttcttct ggccacact gggctgagtg gggtagacgc aggtctcacc      180
agtctccatg ttgcagaaga ctttgatggc atccagggtg cagccttggt tggggtcaat      240
ccagtactct ccactcttcc agtcagaagt ggcacatctt gaggtcacgg cagggtgcgg      300
gcgggggttct tgcgggctgc cttctgggc tcccgaatg ttctnngaac ttgctgg      357

```

```

<210> 299
<211> 307
<212> DNA
<213> Homo sapien

```

```

<220>
<221> misc_feature
<222> (1)...(307)
<223> n = A,T,C or G

```

```

<400> 299
agcgtggtcg cgcccgaggt ccactagagg tctgtgtgcc attgcccagg cagagtctct      60
gcgttacaaa ctccataggag ggcttgctgt gcggaggggc tgctatggtg tgctgcgggt      120
catcatggag agtggggcca aaggctgcga ggttggtgtg tctgggaaac tccagggaca      180
gagggtctaaa tccatgaagt ttgtggatgg cctgatgata cacagcggag accctgttaa      240
ctactacgtt gacacttgct tgtgcgccac gtgttgctca nacanggggt ggctgggcat      300
caaggng      307

```

```

<210> 300
<211> 351
<212> DNA
<213> Homo sapien

```

```

<400> 300
tcgagcggcc gcccgggcag gtctgccaag gagaccctgt tatgctgtgg ggactggctg      60
gggcatggca gccggctctg gcttccacc cttctgttct gagatggggg tgggtggcag      120
tatctcatct ttgggttcca caatgctcac gtggtcaggc aggggcttct tagggccaat      180
cttaccagtt gggteccagg gcagcatgat cttcaccttg atgccagca caccctgtct      240
gagcaacacg tggcgcacag caagtgtcaa cgtaagtaag ttaacagggt ctccgctgtg      300
gatcatcagg ccatccacaa acttcatgga tttaaccttc tgcctcgga g      351

```

```

<210> 301
<211> 330
<212> DNA
<213> Homo sapien

```

```

<400> 301
tcgagcggcc gcccgggcag gtgtttcaga ggttccaagg tccactgtgg aggtcccagg      60
agtgtggtg gtgggcacag aggtccgatg ggtgaaacca ttgacataga gactgttct      120
gtccagggtg taggggccca gctctttgat gccattggcc agttggctca gctcccagta      180
cagccgctct ctgttgatc cagggtcttt ggggtcaaga tgatggatgc agatggcatc      240
cactccagtg gctgctccat cttctcgga cctgagagag gtcagtctgc agccagagta      300
cagagggccca aactggtgt tctttgaata      330

```

```

<210> 302
<211> 317
<212> DNA
<213> Homo sapien

```

<220>  
<221> misc\_feature  
<222> (1)...(317)  
<223> n = A,T,C or G

<400> 302  
agcgtggtcg cggccgaggt ctgtactggg agctaagcaa actgaccaat gacattgaag 60  
agctgggccc ctacaccctg gacaggaaca gtctctatgt caatggtttc acccatcaga 120  
gctctgtgnc caccaccagc actcctggga cctccacagt ggatttcaga acctcaggga 180  
ctccatcctc cctctccagc cccacaatta tggctgctgg ccctctctg gtaccattca 240  
ccctcaactt caccatcacc aacctgcagt atggggagga catgggtcac cctgntcca 300  
ggaagttcaa caccaca 317

<210> 303  
<211> 283  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(283)  
<223> n = A,T,C or G

<400> 303  
tcgagcggcc gcccgacag gtctgggcgg atagcaccgg gcatattttg gaatggatga 60  
ggtctggcac cctgagcagt ccagcgagga cttggtctta gttgagcaat ttggctagga 120  
ggatagtatg cagcacggnt ctgagncgtg gggatagctg ccatgaagta acctgaagga 180  
ggtgctggct ggtanggggt gattacaggg ttgggaacag ctctacact tgccattctc 240  
tgcatatact ggtagtgag gtgagcctgg ccctcttctt ttg 283

<210> 304  
<211> 72  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(72)  
<223> n = A,T,C or G

<400> 304  
agcgtggtcg cggccgaggt gagccacagg tgaccggggc tgaagctggg gctgctggnc 60  
ctgctgggcc tg 72

<210> 305  
<211> 245  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(245)  
<223> n = A,T,C or G

&lt;400&gt; 305

cagcngctcc	nacggggcct	gngggaccaa	caacaccgtt	ttcaccctta	ggcccttttg	60
ctcctctttc	tccttttaga	ccagggtgac	cagcagcncc	ancaggacca	gcaaattccat	120
tggggccagc	aggaccgacc	tcaccacgtt	caccagggct	tccccgagga	ccagcaggac	180
cagcaggacc	agcagcccca	gcttcgcccc	ggtcacctgt	ggctcacctc	ggccgcgacc	240
acgct						245

&lt;210&gt; 306

&lt;211&gt; 246

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(246)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 306

tcgagcggtc	gccccgggag	gtccaccggg	atagccgggg	gtctggcagg	aatgggaggc	60
atccagaacg	agaaggagac	catgcaaagc	ctgaacgacc	gcctggcctc	ttacctggac	120
agagtgagga	gcctggagac	cganaaccgg	aggctggana	gcaaaatccg	ggagcacttg	180
gagaagaagg	gaccccaggt	caagagactg	gagccattac	ttcaagatca	tcgagggacc	240
tgagag						246

&lt;210&gt; 307

&lt;211&gt; 333

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(333)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 307

agcgnnggtc	cgccgaggt	ccagctctgt	ctcatacttg	actctaaagt	catcagcagc	60
aagacgggca	ttgtcaatct	gcagaacgat	gcgggcattg	tccgcagtat	ttgcgaagat	120
ctgagccctc	aggctcctga	tgatcttgaa	gtaatggctc	cagtctctga	cctgggggtc	180
cttcttctcc	aagtgtctcc	ggattttgct	ctccagcctc	cggttctcgg	tctccaggct	240
cctcactctg	tccaggtaag	aaggccccag	cggtcgttca	ggctttgcat	ggtctccttc	300
tcgttctgga	tgcctcccat	tcctgccaga	ccc			333

&lt;210&gt; 308

&lt;211&gt; 310

&lt;212&gt; DNA

&lt;213&gt; Homo sapien

&lt;400&gt; 308

tcgagcggcc	gccccgggag	gtcaggaagc	acattggtct	tagagccact	gcctcctgga	60
ttccacctgt	gctgcggaca	tctccaggga	gtgcagaagg	gaagcaggtc	aaactgctca	120
gatcagtcag	actggctggt	ctcagttctc	acctgagcaa	ggtcagtctg	cagccagagt	180
acagagggcc	aacactggtg	ttcttgaaca	agggcttgag	cagaccctgc	agaacctctt	240
tccgtggtgt	tgaacttcct	ggaaaccagg	gtgttgcatg	tttttcctca	taatgcaagg	300
ttggtgatgg						310

<210> 309  
<211> 429  
<212> DNA  
<213> Homo sapien

<400> 309  
agcgtgggtcg cggccgaggt ccacatcggc agggctcgag ccctggccgc catactcgaa 60  
ctggaatcca tcggtcatgc tctcgccgaa ccagacatgc ctcttgctct tggggttctt 120  
gctgatgtac cagttcttct gggccacact gggctgagt gggtagaccg caggtctcac 180  
cagtcctccat gttgcagaag actttgatgg catccagggt gcagccttgg ttgggggtcaa 240  
tccagtaact tccactcttc cagtcagaag tgggcacatc ttgaggtcac cggcaggtgc 300  
cgggcccgggg gttcttgagg cttgccctct gggctccgga tgttctcgat ctgcttggtc 360  
caggctcttg aggggtgggtg tccacctcga ggtcacggtc accgaaacct gcccgggcgg 420  
cccgtcga 429

<210> 310  
<211> 430  
<212> DNA  
<213> Homo sapien

<220>  
<221> misc\_feature  
<222> (1)...(430)  
<223> n = A,T,C or G

<400> 310  
tcgagcggtc gcccgggcag gtttcgtgac cgtgacctcg aggtggacac caccctcaag 60  
agcctgagcc agcagatcga gaacatccgg agcccagagg gcagccgcaa gaaccccgcc 120  
cgcacctgcc gtgacctcaa gatgtgccac tctgactgga agagtggaga gtactggatt 180  
gaccccaacc aaggctgcaa cctggatgcc atcaaagtct tctgcaacat ggagactggg 240  
gagacctgcy tgtacccac tcagcccagt gtgggcccag aagaaactgg tacatcagca 300  
aggaacccca aggacaagag gcattgtctt ggttcggcga gnagcatgac ccgatggatt 360  
ccagtttcga gtattggcgg ccagggttc ccgaccttg ccgatgtgga cctcggccgc 420  
gaccaccgct 430

<210> 311  
<211> 2996  
<212> DNA  
<213> Homo sapien

<400> 311  
cagccaccgg agtggatgcc atctgcaccc accgccctga cccacagggc cctgggctgg 60  
acagagagca gctgtatttg gagctgagcc agctgaccca cagcatcact gagctggggc 120  
cctacaccct ggacagggac agtctctatg tcaatggttt cacacagcgg agctctgtgc 180  
ccaccactag cattcctggg acccccacag tggacctggg aacatctggg actccagttt 240  
ctaaacctgg tccctcggct gccagccctc tctggtgct attcactctc aacttcacca 300  
tcaccaacct gcggtatgag gagaacatgc agcaccctgg ctccaggaag ttcaacacca 360  
cggagagggt ccttcagggc ctggtccctg ttcaagagca ccagtgttg ccctctgtac 420  
tctggtgca gactgacttt gctcaggcct gaaaaggatg ggacagccac tggagtggat 480  
gccatctgca cccaccacc tgaccccaaa agccctaggc tggacagaga gcagctgtat 540  
tgggagctga gccagctgac ccacaatatc actgagctgg gccctatgc cctggacaac 600  
gacagcctct ttgtcaatgg tttcactcat cggagctctg tgtccaccac cagcactcct 660  
gggaccccca cagtgtatct gggagcatct aagactccag cctcgatatt tggcccttca 720  
gctgccagcc atctcctgat actattcacc ctcaacttca ccatcactaa cctgcggtat 780  
gaggagaaca tgtggcctgg ctccaggaag ttcaacacta cagagagggt ccttcagggc 840



```

ctgctaaggc ccttgttcaa gaacaccagt gttggccctc tgtactctgg ctgcaggctg 900
accttgctca ggccagagaa agatggggaa gccaccggag tggatgccat ctgcaccac 960
cgccctgacc ccacaggccc tgggctggac agagagcagc tgtatttga gctgagccag 1020
ctgaccacaca gcatcactga gctgggcccc tacacactgg acagggacag tctctatgtc 1080
aatggtttca cccatcgag ctctgtaccc accaccagca ccgggggtgt cagcgaggag 1140
ccattcacac tgaacttcac catcaacaac ctgcgctaca tggcgacat gggccaaccc 1200
ggctccctca agttcaacat cacagacaac gtcatgaagc acctgctcag tcctttgttc 1260
cagaggagca gcctgggtgc accgtacaca ggctgcaggg tcatcgact aaggtctgtg 1320
aagaacgggtg ctgagacacg ggtggacctc ctctgcacct acctgcagcc cctcagcggc 1380
ccaggctctgc ctatcaagca ggtgttccat gagctgagcc agcagacca tggcatcacc 1440
cgggtgggccc cctactctct ggacaaagac agcctctacc ttaacgggta caatgaacct 1500
ggtccagatg agcctcctac aactcccaag ccagccacca cattcctgcc tcctctgtca 1560
gaagccacaa cagccatggg gtaccacctg aagacctca cactcaactt caccatctcc 1620
aatctccagt attcaccaga tatgggcaag ggctcagcta cattcaactc caccgagggg 1680
gtccttcagc acctgctcag acccttggtc cagaagagca gcatgggccc cttctacttg 1740
ggttgccaac tgatctccct caggcctgag aaggatgggg cagccactgg tgtggacacc 1800
acctgcacct accacctga cctgtgggc cccgggctgg acatacagca gctttactgg 1860
gagctgagtc agctgacca tgggtgcacc caactgggct tctatgtcct ggacagggat 1920
agcctcttca tcaatggcta tgcacccag aatttatcaa tcgggggcga gtaccagata 1980
aatttcacaa ttgtcaactg gaacctcagt aatccagacc ccacatcctc agagtacatc 2040
accctgctga gggacatcca ggacaaggtc accacactct acaaaggcag tcaactacat 2100
gacacattcc gcttctgcct ggtcaccaac ttgacgatgg actccgtgtt ggtcactgtc 2160
aaggcattgt tctcctccaa tttggacccc agcctggtgg agcaagtctt tctagataag 2220
accctgaatg cctcattcca ttggctgggc tccacctacc agttgggtgga catccatgtg 2280
acagaaatgg agtcatcagt ttatcaacca acaagcagct ccagcacca gcacttctac 2340
ctgaatttca ccatcaccaa cctaccatat tcccaggaca aagcccagcc aggcaccacc 2400
aattaccaga ggaacaaaag gaatattgag gatgcgtca accaactctt ccgaaacagc 2460
agcatcaaga gttatttttc tgactgtcaa gtttcaacat tcagggtctgt ccccaacagg 2520
caccacaccg ggtgggactc cctgtgtaac ttctcgccac tggctcggag agtagacaga 2580
ggtgccattct atgaggaatt tctgcggatg acccggaatg gtaccagct gcagaacttc 2640
accctggaca ggagcagtg ccttgtggat ggggtattttc ccaacagaaa tgagccctta 2700
actgggaatt ctgaccttcc cttctgggct gtcactcctc tcggcttggc aggactcctg 2760
ggactcatca catgcctgat ctgcggtgtc ctggtgacca cccgcggcg gaagaaggaa 2820
ggagaatata acgtccagca acagtgccca ggctactacc agtcacacct agacctggag 2880
gatctgcaat gactggaact tgccggtgcc tggggtgcct ttccccagc cagggtccaa 2940
agaagcttgg ctggggcaga aataaacctat attggtcggg cacaaaaaaa aaaaaa 2996

```

&lt;210&gt; 312

&lt;211&gt; 914

&lt;212&gt; PRT

&lt;213&gt; Homo sapien

&lt;400&gt; 312

```

Met Ser Met Val Ser His Ser Gly Ala Leu Cys Pro Pro Leu Ala Phe
1           5           10          15
Leu Gly Pro Pro Gln Trp Thr Trp Glu His Leu Gly Leu Gln Phe Leu
20          25          30
Asn Leu Val Pro Arg Leu Pro Ala Leu Ser Trp Cys Tyr Ser Leu Ser
35          40          45
Thr Ser Pro Ser Pro Thr Cys Gly Met Arg Arg Thr Cys Ser Thr Leu
50          55          60
Ala Pro Gly Ser Ser Thr Pro Arg Arg Gly Ser Phe Arg Ala Trp Ser
65          70          75          80
Leu Phe Lys Ser Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu
85          90          95

```

Thr Leu Leu Arg Pro Glu Lys Asp Gly Thr Ala Thr Gly Val Asp Ala  
 100 105 110  
 Ile Cys Thr His His Pro Asp Pro Lys Ser Pro Arg Leu Asp Arg Glu  
 115 120 125  
 Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr His Asn Ile Thr Glu Leu  
 130 135 140  
 Gly Pro Tyr Ala Leu Asp Asn Asp Ser Leu Phe Val Asn Gly Phe Thr  
 145 150 155 160  
 His Arg Ser Ser Val Ser Thr Thr Ser Thr Pro Gly Thr Pro Thr Val  
 165 170 175  
 Tyr Leu Gly Ala Ser Lys Thr Pro Ala Ser Ile Phe Gly Pro Ser Ala  
 180 185 190  
 Ala Ser His Leu Leu Ile Leu Phe Thr Leu Asn Phe Thr Ile Thr Asn  
 195 200 205  
 Leu Arg Tyr Glu Glu Asn Met Trp Pro Gly Ser Arg Lys Phe Asn Thr  
 210 215 220  
 Thr Glu Arg Val Leu Gln Gly Leu Leu Arg Pro Leu Phe Lys Asn Thr  
 225 230 235 240  
 Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu Arg Pro  
 245 250 255  
 Glu Lys Asp Gly Glu Ala Thr Gly Val Asp Ala Ile Cys Thr His Arg  
 260 265 270  
 Pro Asp Pro Thr Gly Pro Gly Leu Asp Arg Glu Gln Leu Tyr Leu Glu  
 275 280 285  
 Leu Ser Gln Leu Thr His Ser Ile Thr Glu Leu Gly Pro Tyr Thr Leu  
 290 295 300  
 Asp Arg Asp Ser Leu Tyr Val Asn Gly Phe Thr His Arg Ser Ser Val  
 305 310 315 320  
 Pro Thr Thr Ser Thr Gly Val Val Ser Glu Glu Pro Phe Thr Leu Asn  
 325 330 335  
 Phe Thr Ile Asn Asn Leu Arg Tyr Met Ala Asp Met Gly Gln Pro Gly  
 340 345 350  
 Ser Leu Lys Phe Asn Ile Thr Asp Asn Val Met Lys His Leu Leu Ser  
 355 360 365  
 Pro Leu Phe Gln Arg Ser Ser Leu Gly Ala Arg Tyr Thr Gly Cys Arg  
 370 375 380  
 Val Ile Ala Leu Arg Ser Val Lys Asn Gly Ala Glu Thr Arg Val Asp  
 385 390 395 400  
 Leu Leu Cys Thr Tyr Leu Gln Pro Leu Ser Gly Pro Gly Leu Pro Ile  
 405 410 415  
 Lys Gln Val Phe His Glu Leu Ser Gln Gln Thr His Gly Ile Thr Arg  
 420 425 430  
 Leu Gly Pro Tyr Ser Leu Asp Lys Asp Ser Leu Tyr Leu Asn Gly Tyr  
 435 440 445  
 Asn Glu Pro Gly Pro Asp Glu Pro Pro Thr Thr Pro Lys Pro Ala Thr  
 450 455 460  
 Thr Phe Leu Pro Pro Leu Ser Glu Ala Thr Thr Ala Met Gly Tyr His  
 465 470 475 480  
 Leu Lys Thr Leu Thr Leu Asn Phe Thr Ile Ser Asn Leu Gln Tyr Ser  
 485 490 495  
 Pro Asp Met Gly Lys Gly Ser Ala Thr Phe Asn Ser Thr Glu Gly Val  
 500 505 510  
 Leu Gln His Leu Leu Arg Pro Leu Phe Gln Lys Ser Ser Met Gly Pro  
 515 520 525  
 Phe Tyr Leu Gly Cys Gln Leu Ile Ser Leu Arg Pro Glu Lys Asp Gly

530 535 540  
 Ala Ala Thr Gly Val Asp Thr Thr Cys Thr Tyr His Pro Asp Pro Val  
 545 550 555 560  
 Gly Pro Gly Leu Asp Ile Gln Gln Leu Tyr Trp Glu Leu Ser Gln Leu  
 565 570 575  
 Thr His Gly Val Thr Gln Leu Gly Phe Tyr Val Leu Asp Arg Asp Ser  
 580 585 590  
 Leu Phe Ile Asn Gly Tyr Ala Pro Gln Asn Leu Ser Ile Arg Gly Glu  
 595 600 605  
 Tyr Gln Ile Asn Phe His Ile Val Asn Trp Asn Leu Ser Asn Pro Asp  
 610 615 620  
 Pro Thr Ser Ser Glu Tyr Ile Thr Leu Leu Arg Asp Ile Gln Asp Lys  
 625 630 635 640  
 Val Thr Thr Leu Tyr Lys Gly Ser Gln Leu His Asp Thr Phe Arg Phe  
 645 650 655  
 Cys Leu Val Thr Asn Leu Thr Met Asp Ser Val Leu Val Thr Val Lys  
 660 665 670  
 Ala Leu Phe Ser Ser Asn Leu Asp Pro Ser Leu Val Glu Gln Val Phe  
 675 680 685  
 Leu Asp Lys Thr Leu Asn Ala Ser Phe His Trp Leu Gly Ser Thr Tyr  
 690 695 700  
 Gln Leu Val Asp Ile His Val Thr Glu Met Glu Ser Ser Val Tyr Gln  
 705 710 715 720  
 Pro Thr Ser Ser Ser Ser Thr Gln His Phe Tyr Leu Asn Phe Thr Ile  
 725 730 735  
 Thr Asn Leu Pro Tyr Ser Gln Asp Lys Ala Gln Pro Gly Thr Thr Asn  
 740 745 750  
 Tyr Gln Arg Asn Lys Arg Asn Ile Glu Asp Ala Leu Asn Gln Leu Phe  
 755 760 765  
 Arg Asn Ser Ser Ile Lys Ser Tyr Phe Ser Asp Cys Gln Val Ser Thr  
 770 775 780  
 Phe Arg Ser Val Pro Asn Arg His His Thr Gly Val Asp Ser Leu Cys  
 785 790 795 800  
 Asn Phe Ser Pro Leu Ala Arg Arg Val Asp Arg Val Ala Ile Tyr Glu  
 805 810 815  
 Glu Phe Leu Arg Met Thr Arg Asn Gly Thr Gln Leu Gln Asn Phe Thr  
 820 825 830  
 Leu Asp Arg Ser Ser Val Leu Val Asp Gly Tyr Phe Pro Asn Arg Asn  
 835 840 845  
 Glu Pro Leu Thr Gly Asn Ser Asp Leu Pro Phe Trp Ala Val Ile Leu  
 850 855 860  
 Ile Gly Leu Ala Gly Leu Leu Gly Leu Ile Thr Cys Leu Ile Cys Gly  
 865 870 875 880  
 Val Leu Val Thr Thr Arg Arg Arg Lys Lys Glu Gly Glu Tyr Asn Val  
 885 890 895  
 Gln Gln Gln Cys Pro Gly Tyr Tyr Gln Ser His Leu Asp Leu Glu Asp  
 900 905 910  
 Leu Gln

&lt;210&gt; 313

&lt;211&gt; 656

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 313

```
acagccagtc ggagctgcaa gtgttctggg tggatcgcy atatgcactc aaaatgctct 60
ttgtaaagga aagccacaac atgtccaagg gacctgaggc gacttgaggg ctgagcaaaag 120
tgcagtttgt ctacgactcc tcggagaaaa cccacttcaa agacgcagtc agtgctggga 180
agcacacagc caactcgac cactctctg ccttggtcac ccccgctggg aagtcctatg 240
agtgtcaagc tcaacaaacc atttcaactg cctctagtga tccgcagaag acggtcacca 300
tgatcctgtc tgcggtccac atccaacctt ttgacattat ctacagattt gtcttcagt 360
aagagcataa atgcccagtg gatgagcggg agcaactgga agaaaccttg cccctgattt 420
tggggctcat cttgggcctc gtcacatggt taacactcgc gatttaccac gtccaccaca 480
aaatgactgc caaccagtg cagatccctc gggacagatc ccagtataag cacatgggct 540
agaggccgtt aggcaggcac cccctattcc tgctcccca actggatcag gtagaacaac 600
aaaagcactt ttccatcttg tacacgagat acaccaacat agctacaatc aaacag 656
```

&lt;210&gt; 314

&lt;211&gt; 519

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 314

```
tggtcggtga ccagtcagct tccgggtgtg actggagcag ggcttgcgt cttcttcaga 60
gtcactttgc aggggttggg gaagctgctc ccattccatgt acagctccca gtctactgat 120
gtttaaggat ggtctcggtg gttaggccca ctagaataaa ctgagtccaa tacctctaca 180
cagtttatgt taactgggct ctctgacacc gggaggaagg tggcggggtt taggtgttgc 240
aaacttcaat ggttatgagg ggatgttcac agagcaagct ttggtatcta gctagtctag 300
cattcattag ctaatggtgt cctttggtat ttattaaaat caccacagca tagggggact 360
ttatgtttag gttttgtcta agagttagct tatctgcttc ttgtgctaac agggctattg 420
ctaccaggga ctttggacat gggggccagc gtttggaaac ctcacttagt ttttttgaga 480
gataggccac tggccttga cctcggccgc gaccacgct 519
```

&lt;210&gt; 315

&lt;211&gt; 441

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 315

```
cacagagcgt ttattgacac caccactcct gaaaattggg atttcttatt aggttcccct 60
aaaagttccc atgttgatta catgtaata gtcacatata tacaatgaag gcagtttctt 120
cagaggcaac cagggtttat agtgctaggt aaatgtcatc tcttttgtgc tactgactca 180
ttgtcaaacg tctctgcact gttttcagcc tctccacgtt gcctctgtcc tgcttcttag 240
ttccttcttt gtgacaaacc aaaagaataa gaggatttag aacaggactg cttttcccct 300
atgatttaaa aattccaatg actttcgccc ttgggagaaa ttccaagga aatctctctc 360
gctcgctctc tccgttttcc tttgtgagct tctgggggag ggtagtggt gactttttga 420
tacgaaaaaa tgcattttgt g 441
```

&lt;210&gt; 316

&lt;211&gt; 247

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 316

```
tggcgaggct gctggatttc accttcttgc acctgccggt gagcgccctg ggtctaaagg 60
ggcgggatac tccattatgg cccctcgccc tgtagggtg gaatagttag aaaaggcaac 120
ccagtctagc ttgtaagaa gagagacatg cccccaacct cggcgccctt tttctcagc 180
atctgctgtc cttacttcag cgactgcagg agcttcacct gcaagaaaac agcattgagc 240
tgctgac 247
```

<210> 317  
<211> 409  
<212> DNA  
<213> Homo sapiens

<400> 317  
tgacagggct cctggagtgt ttaagtcacc aagtagctgc aggggatgga cactgcccc 60  
cacgatgtgg gatgaacagc agccttggtt tgtagcccag ggtgtccatg gatttgacct 120  
gaatgctccc tggaggccct gtggcgagga caggcactgg atgggccaga ccctctggct 180  
ggaggagtgg tggagccagg actgggcctt cagccatgag ggctagaata acctgacctc 240  
ttgcattcta acactgggtc attaatgaca cctttccagt ggatgttgca aaaaccaaca 300  
ctgtcaggaa cctggccctg ggagggtcga ggtgagctca caaggagagg tcaagccaag 360  
ccaaagggta ggkaacacac aacaccaggg gaaaccagcc cccaaacca 409

<210> 318  
<211> 320  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(320)  
<223> n = A,T,C or G

<400> 318  
caaggnagat cttaagnngg gtctatgtga agtgtgctcc tggctccagg gttcctggag 60  
cctcacgagg tcaggggaac cctttagtaa ctccaccagc agcatcatct cgtgaaggat 120  
gtcattggtc aggaagctgt cctggacgta ggccatctcc acatccatgg ggatgccata 180  
gtcactgggc ctttgctcgg gaggaggcat caccagaaa ggcgagatct tggactcggg 240  
gcctgggttg ccagaatagt aaggggagca nagcagggcg aggcagggct ggaagccatt 300  
gctggagccc tgcagccgca 320

<210> 319  
<211> 212  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(212)  
<223> n = A,T,C or G

<400> 319  
tgaagcaata gcgccccat tttacaggcg gagcatggaa gccagagagg tgggtggggg 60  
agggggctct tcctggctc aggcagatgg gaagatgagg aagccgctga agacgctgtc 120  
ggcctcagag ccctggtaaa tgtgacctt tttgggtct ttttcaacct anacctggct 180  
acctgctgc agacctcggc cgcgaccacg ct 212

<210> 320  
<211> 769  
<212> DNA  
<213> Homo sapiens

<400> 320

```
tggaggtgta gcagtgagag gagatytcat gcaagagtgt cacagcagag ccctaaascc 60
tccaactcac cagttagaga tgagactgcc cagtactcag ccttcacttc ctggggccacc 120
tggagggcgt ctttctccat cagcgcatat tgagcagggg tactcagatc cttcttggaa 180
cctacaagga agagaagcac actggaaggg tcattctcct tcagggcacg ggccagccac 240
tgcctgccat gggaggtgga aagtaaggga tgagtgaagc tgcaggggccc ctcccactga 300
cattcatagg cccaattacc ccctctctgg tcctacatgc attcttcttc ttcttgacca 360
ccccctgtt ctgaaccctc tcttcccgga gcctccatt atattgcagg atgctcactt 420
acttggtatg ttccagagat gccacatcat tcagggtgaa gacaatgatg atggcttgga 480
agagtggcag aaacagcccc aggttgacag ggaagacact actgctcatt tccccaatcc 540
ttccagctcc atatgagaaa gccatgtgca ctctgagacc cacctacccc acttcaccca 600
gccccttacc ttgagctcct ctatagtagg ttgatgcaat gcatttgaac ctctcctgcc 660
cagcggatc ccaactggaa ggaaggaaga gtgaagcaca ggtatgtatc ttgggggggtg 720
tgggtgctgg ggagaaggga tagctggaag ggtgtggaa gcactcaca 769
```

<210> 321

<211> 690

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)... (690)

<223> n = A,T,C or G

<400> 321

```
tgggctgtgg gcggcacctg tgctctgcag gccagacagc gatagaagcc tttgtctgtg 60
cctactcccc cggaggcaac tgggaggtca acgggaagac aatcatcccc tataagaagg 120
gtgctgtgtg ttctgtctgc acagccagt tctcaggctg cttcaaagcc tgggaccatg 180
caggggggct ctgtgaggtc cccaggaatc cttgtcgcac gagctgccag aaccatggac 240
gtctcaacat cagcacctgc cactgccact gtccccctgg ctacacgggc agatactgcc 300
aagttaggtg cagcctgcag tgtgtgcacg gccggttccg ggaggaggag tgctcgtgcg 360
tctgtgacat cggctacggg ggagcccagt gtgccaccaa ggtgcatttt cccttcacca 420
cctgtgacct gaggatcgac ggagactgct tcatggtgtc ttcagaggca gacacctatt 480
acagaagcca ggatgaaatg tcagaggaat ggcggggtgc tggcccagat caagagccag 540
aaagtgcagg acatcctcgc cttctatctg ggccgcctgg agaccaccaa cgaggtgact 600
gacagtgact ttgagaccag gaacttctgg atngggctca cctacaagac cgccaaggac 660
tccttncgct ggccacagg ggagcaccag
```

690

<210> 322

<211> 104

<212> DNA

<213> Homo sapiens

<400> 322

```
gtcgcaagcc ggagcaccac catgtagcct ttcccgaagt accggacctt ctcctcctcc 60
acgctcacat cacggacatc atggagcagg accaccacct ggctc 104
```

<210> 323

<211> 118

<212> DNA

<213> Homo sapiens

<400> 323

```
gggccctggg cgcttccaaa tgaccagga ggtggtctgc gacgaatgcc ctaatgtcaa 60
actagtgaat gaagaacgaa cactggaagt agaaatagag cctgggggtga gagacgga 118
```

<210> 324  
<211> 354  
<212> DNA  
<213> Homo sapiens

<400> 324  
tgctctccgg gagcttgaag aagaaactgg ctacaaaggg gacattgccg aatgttctcc 60  
agcgggtctgt atggaccag gcttgtcaaa ctgtactata cacatcgtga cagtcacccat 120  
taacggagat gatgccgaaa acgcaaggcc gaagccaaag ccaggggatg gagagtgtgt 180  
ggaagtcat tctttaccca agaatgacct gctgcagaga cttgatgctc tggtagctga 240  
agaacatctc acagtggacg ccagggtcta ttcctacgct ctacgctga aacatgcaaa 300  
tgcaaaagcca tttgaagtgc ctttcttgaa attttaagcc caaatatgac actg 354

<210> 325  
<211> 642  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(642)  
<223> n = A,T,C or G

<400> 325  
ncatgcttga atgggctcct ggtgagagat tgccccctgg tggtgaaaca atcgtgtgtg 60  
cccactgata ccaagaccaa tgaaagagac acagttaagc agcaatccat ctcatttcca 120  
ggcacttcaa tagtgctgtg attggtcctt gcaccagcag tggtagtcgt acctatttca 180  
gagaggctctg aaattcaggt tcttagtttg ccagggacag gccctacctt atattttttt 240  
ccatcttcat catccacttc tgcttacagt ttgctgctta caataactta atgatggatt 300  
gagttatctg ggtggtctct agccatctgg gcagtgtggt tctgtctaac caaagggcat 360  
tggcctcaaa ccctgcattt ggtttagggg ctaacagagc tcctcagata atcttcacac 420  
acatgtaact gctggagatc ttattctatt atgaataaga aacgagaagt ttttccaaag 480  
tgtagtcag gatctgaagg ctgtcattca gataaccag cttttccttt tggcttttag 540  
ccattcaga ctttgccaga gtcaagccaa ggattgcttt ttgctacag ttttctgcca 600  
aatggcctag ttcttgagta cctggaaacc agagagaaaag ag 642

<210> 326  
<211> 455  
<212> DNA  
<213> Homo sapiens

<400> 326  
tccgtgagga tgagcttcga gtccttcacc aggcactgca ggggcacagt cacgtcaatc 60  
accttcacct tctcgtctct cctgctcttg tcattgacaa acttcccgtg ccaggcattg 120  
acgatgatga ggccattctt ggactcttct gcctcaatta tccttcggac agattcctgc 180  
atcagccgga cagcggactc cgctcttgc ttcttctgca gcacatcggg ggcggcgctt 240  
tccctctgct tctccaattc ctctctttc tgagccctga ggtatggtt gatgatcaga 300  
cggtgcattg caaagtagac cactagaggc ccacgggtgg catagaacat ggcgctgggc 360  
agaagctggg ccgtcaagtg aatagggagc aagtatgtct gactggccct gttgagcttg 420  
actttgagag aaacgccctg tggaactcca acgct 455

<210> 327  
<211> 321  
<212> DNA

<213> Homo sapiens

<400> 327

```
ttcactgtga actcgagtc ctcgatgaac tcgcacagat gtgacagccc tgtctccttg 60
ctctctgagt tctcttcaat gatgctgatg atgcagtcca cgatagcgcg cttatactca 120
aagccaccct cttcccgag catggtgaac aggaagttca taaggacggc gtgtttgcga 180
ggatatttct gacacagggc actgatggcc tggacaacca ccaccttgaa ttcattccgag 240
atttctgaca tgaaggagga gatctgcttc atgaggcggt cgatgctgct ctcgctgccc 300
gtcttaagga ggggtggtgat g                                     321
```

<210> 328

<211> 476

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(476)

<223> n = A,T,C or G

<400> 328

```
tgcaggaggg gccatggggg ctgtgaatgg gatgcagccc catggtgtcc ctgataaatc 60
cagtgtgcag tctgatgaag tctgggtggg tgtggtctac gggctggcag ctacatgat 120
ccaagaggta atgcactcct tttcccatct ctccaccatc tgtatcctgg ccmagaaaaa 180
cttccttca aaccaacca aatttccttt caaaggcata acccaaatgc catccttggg 240
ccggtctaataaagcctccc ccatTTTTCC cctgggtatgc attcccaggc tccctggcct 300
tncagggtct nctgtctgtg ggcatagtt tatctcctcc cacttgtctg gagctccttg 360
aaggcaaaga ctctactgcc tccatctatc cagtgggaagt ggctcttcag aggggtgcaa 420
gttagtatgt atgactgtca tctctcccaa cagggcctga cttggsaggg ctcca 476
```

<210> 329

<211> 340

<212> DNA

<213> Homo sapiens

<400> 329

```
cgaggagat tgccagcacc ctgatggaga gtgagatgat ggagatcttg tcagtgcta 60
ctaagggtga ccacagccct gtcacaaggg ctgctgcagc ctgcctggac aaagcagtgg 120
aatatgggct tatccaacct aaccaagatg gagagtgagg gggttgtccc tgggcccaag 180
gtcatgcac acgctaccta ttgtggcacg gagagtaagg acggaagcag ctttggctgg 240
tgggtggctgg catgcccatt actcttgcct atcctcgctt gctgcccctag gatgtcctct 300
gttctgagtc agcgccacg ttcagtcaca cagccctgct                                     340
```

<210> 330

<211> 277

<212> DNA

<213> Homo sapiens

<400> 330

```
tgtcaccatc acattgggtgc caaataccca gaagacatcg tagatgaaga gtccgcccag 60
caggatgcag ccagtgtgta cattgttgag gtgcaggagc tctactccat taaggagaaa 120
ggccaggcca aaaaggttgt tggcaatcca gtgcttctc agcaggtacc agacgccaac 180
gatgctgctc aggccaggc acaccaggtc cttggtgtca aattcataat tgatgatctc 240
ctccttgttt tcccagaacc ctgtgtgaag agcagac                                     277
```



<210> 331  
<211> 136  
<212> DNA  
<213> Homo sapiens

<400> 331  
ttgcttccca cctcctttct ctgtcctctc ctgaggttct gccttacaat ggggacactg 60  
atacaaacca cacacacaat gaggatgaaa acagataaca ggtaaaatga cctcacctgc 120  
ccgggcggcc gctcga 136

<210> 332  
<211> 184  
<212> DNA  
<213> Homo sapiens

<400> 332  
ttgtgagata aacgcagata ctgcaatgca ttaaaacgct tgaaatactc atcagggatg 60  
ttgtgatctt tattgttgtc taagtagaga gttagaagag agacaggag accagaaggc 120  
agtctggcta tctgattgaa gctcaagtca aggtattcga gtgatttaag acctttaaaa 180  
gcag 184

<210> 333  
<211> 384  
<212> DNA  
<213> Homo sapiens

<400> 333  
cggaaaactt cgaggaattg ctcaaagtgc tgggggtgaa tgtgatgctg aggaagattg 60  
ctgtggctgc agcgtccaag ccagcagtg agatcaaaca ggaggagac actttctaca 120  
tcaaaaacct caccaccgtg cgcaccacag agattaactt caagggtggg gaggagtttg 180  
aggagcagac tgtggatggg aggcctgta agagcctggt gaaatgggag agtgagaata 240  
aaatggtctg tgagcagaag ctctgaagg gagagggcc caagacctcg tggaccagag 300  
aactgaccaa cgatggggaa ctgatcctga ccatgacggc ggatgacgtt gtgtgcacca 360  
gggtctacgt ccgagagtga gcgg 384

<210> 334  
<211> 169  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(169)  
<223> n = A,T,C or G

<400> 334  
cnacaaacag agcagacacc ctggatccgg tctgtctact ggccaggacg gctggaccgt 60  
aaaattgaat ttccacttcc tgaccgccgc cagaagagat tgattttctc cactatcact 120  
agcaagatga acctctctga ggaggttgac ttggaagact atgtngccc 169

<210> 335  
<211> 185  
<212> DNA  
<213> Homo sapiens

&lt;400&gt; 335

```
ccaggtttgc agcccaggct gcacatcagg ggactgcctc gcaatacttc atgctgttgc 60
tgctgactga tgggtctgtg acggatgtgg aagccacacg tgaggctgtg gtgcgtgcct 120
cgaacctgcc catgtcagtg atcattgtgg gtgtgggtgg tgctgacttt gaggccatgg 180
agcag                                     185
```

&lt;210&gt; 336

&lt;211&gt; 358

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(358)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 336

```
ctgccccctgc cttacggcgg ccaganacac acccaggatg gcattggccc caaacttggg 60
tttgttctca gtcccatcca actccagcat caggttgtcc agtttctctt gctccaccac 120
agagagacct gagctgatga gggctggcgc gatggtggag ttgatgtggt ccaactgcctt 180
caggacacct ttgcctaagt aacgctgttt gtctccatcc ctccagctcca gggcctcata 240
gatgcccgtg gaggtccac tgggcactgc agcccgaaa agacctttgg cagtatagag 300
atccacctcc actgtggggg tcccgcggga gtccaggatc tcccgggccc agatcttc 358
```

&lt;210&gt; 337

&lt;211&gt; 271

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(271)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 337

```
cacaaagcca ccagccnggg aaatcagaat ttacttgatg caactgactt gtaatagcca 60
gaaatcctgc ccagcatggg attcagaacc tggctctgcaa ccaaatccac cgtcaaaagt 120
catacaggat aaaacaaatt caattgcctt ttccacatta atagcatcaa gcttcccaa 180
caaagccaaa gttgccaccg cacaaaaaga gaatcttggt tcaatttctc cctactttat 240
aaaagtagat ttttcacatc ccatgaagca g                                     271
```

&lt;210&gt; 338

&lt;211&gt; 326

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(326)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 338

```
ctgtgctccc gactngnnc tctcaggtac caccgactgc actgggcggg gccctctggg 60
gggaaaggct ccacggggca gggatacatc tccaggccag tcatcctctg gaggcagccc 120
aatcagggtca aagattttgc ccaactggtc ggcttcagag tttccacaga agagaggctt 180
```

tcgacgaaac atctctgcaa agatacagcc aacactccac atgtccacag gtgttgcata 240  
tgtggactgc agaagaactt cgggagctcg gtaccagagt gtaacaacca cgggtgtaag 300  
tgccatctgg tagctgtaga ttctgg 326

<210> 339

<211> 260

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(260)

<223> n = A,T,C or G

<400> 339

ttcacctgag gactcatttc gtgccctttg ttgacttcaa gcaaagncct tcanggtctn 60  
caaggacgnc acatttccac ttgcgaatgn nctcanggct catcttgaag aanaagnanc 120  
ccaagtgtcg gatcccagac tcgggggtaa ccttgtgggt aagagctcat ccagtttatg 180  
ctttaggacg tccanctact cgggggagct ggaagcctgc gtggatgcgg ccctgctgga 240  
cctcggccgc gaccacgcta 260

<210> 340

<211> 220

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(220)

<223> n = A,T,C or G

<400> 340

ctggaagccc ggctnggnc tggcagcgaa ggagccaggc aggttcacgc agcgggtgctg 60  
gcagtagcgg tagcggcact cgtctatgtc cacacactcg ggcccgatct tgcggtaacc 120  
atcagggcag gtgcactgat aggagccagg caagttatgg cagtcctggc tggggcgaca 180  
gtcgtgcagg gcctgggcac actcgtccac atccacacag 220

<210> 341

<211> 384

<212> DNA

<213> Homo sapiens

<400> 341

ctgctaccag gggagcgaga gctgactatc ccagcctcgg ctaatgtatt ctacgccatg 60  
gatggagctt cacacgattt cctcctgcgg cagcggcgaa ggtcctctac tgctacaccg 120  
ggcgtcacca gtggcccgtc tgcctcagga actcctccga gtgagggagg agggggctcc 180  
tttcccagga tcaaggccac agggaggaag attgcacggg cactgttctg aggaggaagc 240  
cccgttggct tacagaagtc atggtgttca taccagatgt gggtagccat cctgaatggt 300  
ggcaattata tcacattgag acagaaattc agaaaggag ccagccaccc tggggcagtg 360  
aagtgccact ggtttaccag acag 384

<210> 342

<211> 245

<212> DNA

<213> Homo sapiens

&lt;400&gt; 342

```
ctggctaagc tcatcattgt tactgggtggg caccatgtcc ttgaagcttc aggcaagcaa 60
tgtaaccaac aagaatgacc ccaagtccat caactctcga gtcttcattg gaaacctcaa 120
cacagctctg gtgaagaaat cagatgtgga gaccatcttc tctaagtatg gccgtgtggc 180
cggctgttct gtgcacaagg gctatgcctt tgttcagtag tccaatgagc gccatgcccg 240
ggcag                                     245
```

&lt;210&gt; 343

&lt;211&gt; 611

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 343

```
ccaaaaaaat caagatttaa tttttttatt tgcactgaaa aactaatcat aactgttaat 60
tctcagccat ctttgaagct tgaaagaaga gtctttggta ttttgtaaac gttagcagac 120
tttcctgcca gtgtcagaaa atcctattta tgaatcctgt cggattcctt tggtatctga 180
aaaaaatacc aaatagtacc atacatgagt tatttctaag tttgaaaaat aaaaagaaat 240
tgcacacac taattacaaa atacaagttc tggaaaaaat atttttcttc attttaaaac 300
tttttttaac taataatggc tttgaaagaa gaggcttaat ttgggggtgg taactaaaat 360
caaaagaaat gattgacttg aggtgtctctg tttggttaaga atacatcatt agcttaaata 420
agcagcagaa ggtagtttt aattatgtag cttctgttaa tattaagtgt tttttgtctg 480
ttttacctca atttgaacag ataagtttgc ctgcatgctg gacatgcctc agaaccatga 540
atagcccgta ctagatcttg ggaacatgga tcttagagtc ctttggaata agttcttata 600
taaatacccc c                                     611
```

&lt;210&gt; 344

&lt;211&gt; 311

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(311)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 344

```
nctcgaaaaa gcccagaca gcagaagcag acacctccag tgaactagca aagaaaagca 60
aagaagtatt cagaaaagag atgtcccagt tcacgtcca gtgcctgaac ccttaccgga 120
aacctgactg caaagtggga agaattacca caactgaaga ctttaaacad ctggctcgca 180
agctgactca cgggtgttatg aataaggagc tgaagtactg taagaatcct gaggacctgg 240
agtgcaatga gaatgtgaaa cacaaaacca aggantacat taanaagtac atgcannan 300
tttggggctt g                                     311
```

&lt;210&gt; 345

&lt;211&gt; 201

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 345

```
cacacgggtca tcccagactgc caacctggag gccagggccc tgtggaagga gccgggcagc 60
aatgtcacca tgagtgtgga tgctgagtgt gtgcccattg tcaggacact tctcaggtag 120
ttctactccc gaaggattga catcaccttg tcgtcagtag agtgcttcca caagctggcc 180
tctgcctatg gggccaggca g                                     201
```

<210> 346  
<211> 370  
<212> DNA  
<213> Homo sapiens

<400> 346  
ctgtctccagg gcggtggtgtg ccttcgtggc ctctgcctcc tccgaggagc caggctgtgt 60  
tctcttcaga atgttctgga gcagcagttt gaggcgggtg atgcgttga agggcagaat 120  
cagaaaggac ttgagggaag ggcgctggca gacgggggtc ctctccagct tctccaagac 180  
ctcccggaaa ttgctgttgc tttcatcag gctctggaag gtgcgttcct gataggctctg 240  
gttggtgaca taaggcaggt agaccggcg gaagtctggg gcggtgttca ggactacgtc 300  
acatacttgg aaggagaaga tattgttctc aaagttctct tccaggtctg aaaggaacgt 360  
ggcgtgacg 370

<210> 347  
<211> 416  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(416)  
<223> n = A,T,C or G

<400> 347  
ctgttgtgct gtgtatggac gtgggcttta ccatgagtaa ctccattcct ggtatagaat 60  
ccccatttga acaagcaaag aaggtgataa ccatgtttgt acagcgacag gtgtttgctg 120  
agaacaagga tgagattgct ttagtctctgt ttggtacaga tggcactgac aatccccctt 180  
ctggtgggga tcagtatcag aacatcacag tgcacagaca tctgatgcta ccagattttg 240  
atgttctgga ggacattgaa agcaaatcc aaccagggtc tcaacaggct gacttctctg 300  
atgcactaat cgtgagcatg gatgtgattc aacatgaaac aataggaaa aagtttgag 360  
aagaggcata ttgaaatatt cactgacctc aagcagcccg attcagcaaa agtcan 416

<210> 348  
<211> 351  
<212> DNA  
<213> Homo sapiens

<400> 348  
gtacaggaga ggatggcagg tgacagagcg gcactgagct ctgcaggaga aagggtctcg 60  
cagttggatg ctctctctgga ggctctgaaa ttgaaacggg caggaaatag tctggcagcc 120  
tctacagcag aagaaacggc aggcagtgcc cagggacgag caggagacag atgccttctc 180  
cttgtctcaa ctgcaaagag gcgttccttc ctcttctact aatctctctc agcacagacc 240  
ctttacgggt gtcaggctgg gggacagtaa ggtctttccc tccccacaag gccatatctc 300  
aggctgtctc agtgggggga aaccttgac aataccggg ctttcttggg c 351

<210> 349  
<211> 207  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(207)  
<223> n = A,T,C or G

&lt;400&gt; 349

```
nccgggacat ctccaccctc aacagtggca agaagagcct ggagactgaa cacaaggcct 60
tgaccagtga gattgcactg ctgcagtcca ggctgaagac agagggtctt gatctgtgcg 120
acagagtgag cgaaatgcag aagctggatg cacagggtcaa ggagctggtg ctgaagtcgg 180
cggtggagggc tgagcgccctg gtggctg                               207
```

&lt;210&gt; 350

&lt;211&gt; 323

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 350

```
ccatacaggg ctgttgccca ggccctagag gtcattcttc gtaccctgat ccagaactgt 60
ggggccagca ccattcgtct acttacctcc cttcgggcca agcacaccca ggagaactgt 120
gagacctggg gtgtaaatgg tgagacgggt actttggtgg acatgaagga actgggcata 180
tgggagccat tggctgtgaa gctgcagact tataagacag cagtggagac ggcagttctg 240
ctactgcgaa ttgatgacat cgtttcaggg cacgaaaaga aaggcgatga ccagagccgg 300
caaggcgggg ctctgatgc tgg                               323
```

&lt;210&gt; 351

&lt;211&gt; 353

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;222&gt; (1)...(353)

&lt;223&gt; n = A,T,C or G

&lt;400&gt; 351

```
cgccgcatcc cntggteccct tccantccct ttctcttnt cngggaacgt gtatgcgggt 60
tgtttttgtt ttgtagggtt tttttcttcc tccacctctc cctgtctctt ttgtcccatg 120
ttgtccgttt ctgtggggtt aggtttatgt ttttaatcat ctgagggtcac gtctatttcc 180
tccggactcg cctgcttggg ggcgattctc caccgggttaa tatggtgcgt cccttttttc 240
ttttgttgcg aatctgagcc ttcttctctc agcttctgcc ttttgaactt tgttcttcgg 300
ttctgaaacc atacttttac ctgagtttcc gtgaggctga ggctgtgtgc caa          353
```

&lt;210&gt; 352

&lt;211&gt; 467

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 352

```
ctgcccacac tgatcacttg cgagatgtcc ttaggggtaca agaacaggaa ttgaagtctg 60
aatttgagca gaacctgtct gagaaactct ctgaacaaga attacaattt cgtcgtctca 120
gtcaagagca agttgacaac ttactcttgg atataaatac tgcctatgcc agactcagag 180
gaatcgaaca ggctgttcag agccatgcag ttgctgaaga ggaagccaga aaagcccacc 240
aactctggct ttcagtggag gcattaaagt acagcatgaa gacctcatct gcagaaacac 300
ctactatccc gctgggtagt gcagttgagg ccatcaaagc caactgttct gataatgaat 360
tcaccaagc tttaaccgca gctatccctc cagagtcctt gaccctggg gtgtacagtg 420
aagagaccct tagagcccggt ttctatgctg ttcaaaaact ggcccga          467
```

&lt;210&gt; 353

&lt;211&gt; 350

<212> DNA

<213> Homo sapiens

<400> 353

```
ctgctgcagc cacagtagtt cctcccatgg tgggtggccc tcttggtcct gctggcccag 60
gaaatctgtc cccaccagga acagcccctg gaaaacggcc ccgtcctcta ccaccttggt 120
gaaatgctgc acgggaactg cctcctggag gaccagcttt accttcccca gacatttgtc 180
ctgattgtgt agttttcctg gactgcattt caaattgact caggaactgt ttattgcatg 240
gagttacaac aggattctga ccatgaagtt ctcttttagg taacagatcc attaaccttt 300
ttgaagatgc ttcagatcca acaccaacaa gggcaaaccc ctttgactgg 350
```

<210> 354

<211> 351

<212> DNA

<213> Homo sapiens

<400> 354

```
atttagatga gatctgaggc atggagacat ggagacagta tacagactcc tagatttaag 60
ttttagggtt tttgcttttc taatcaccaa ttcttatata caatgtatat ttagactcgt 120
agcagatgat catcttcata ttaagtcatt ccttttgact gagtatggca ggattagagg 180
gaatggcagt atagatcaat gtctttttct gtaaagtata ggaaaaacca gagaggaaaa 240
aaagagctga caattggaag gtagtagaaa attgacgata atttcttctt aacaaataat 300
agttgtatat acaaggaggc tagtcaacca gattttattt gttgagggcg a 351
```

<210> 355

<211> 308

<212> DNA

<213> Homo sapiens

<400> 355

```
ttttggcgca agttttacag attttattaa agtcgaagct attggtcttg gaagatgaaa 60
atgcaaatgt tgatgaggtg gaattgaagc cagatacctt aataaaatta tatcttggtt 120
ataaaaaata gaaattaaag gtaacatca atgtgccaat gaaaaccgaa cagaagcagg 180
aacaagaaac cacacacaaa aacatcgagg aagaccgcaa actactgatt caggcggcca 240
tcgtgagaat catgaagatg aggaagggtc tgaaacacca gcagttactt ggcgaggtcc 300
tcactcag 308
```

<210> 356

<211> 207

<212> DNA

<213> Homo sapiens

<400> 356

```
ctgtcccaag tgctcccaga aggcaggatt ctgaagacca ctccagcgat atgttcaact 60
atgaagaata ctgcaccgcc aacgcagtca ctgggccttg ccgtgcatcc ttcccacgct 120
ggtactttga cgtggagagg aactcctgca ataacttcat ctatggaggc tgccggggca 180
ataagaacag ctaccgctct gaggagg 207
```

<210> 357

<211> 188

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(188)

<223> n = A,T,C or G

<400> 357

```
tcgaccacgc cctcgtagcg catgngctnc aggacgatgc tcagagtgat gaacacccccg 60
gtgcggccca cgccagcact gcagtgcacc gtgataggcc catcctgtcc aaactgtccc 120
ttggtcttat gcacctgcc gatgaagtca atgaatccct cgctgtgctt gggcacgccc 180
tgctctgg                                     188
```

<210> 358

<211> 291

<212> DNA

<213> Homo sapiens

<400> 358

```
ctgggagcat cggcaagcta ctgccttaaa atccgatctc cccgagtgca caatttctgt 60
cccttttaag gggtcacaa actaaagatt tcacatgaaa gggttgtgat tgatttgagc 120
aggcagggcg tacgtgacag gggctgcatg caccggtggt cagagagaaa cagaacaggg 180
caggggaattt cacaatgttc ttctatacaa tggctggaat ctatgaataa catcagtttc 240
taagttatgg gttgattttt aactactggg tttaggccag gcaggcccag g          291
```

<210> 359

<211> 117

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(117)

<223> n = A,T,C or G

<400> 359

```
gccaccacac tccagcctgg gcaatacagc aagactgtct caaaaaaaaa aaaaaaaaaa 60
ccccaaaaaa ctcaaaaang taatgaatga tacccaangn gccttttcta gaaaaag    117
```

<210> 360

<211> 394

<212> DNA

<213> Homo sapiens

<400> 360

```
ctgttcctct ggggtggtcc agttctagag tgggagaaa ggagtcaggc gcattgggaa 60
tcgtgggtcc agtctggttg cagaatctgc acatttgcca agaaattttc cctgtttgga 120
aagtttgccc cagctttccc gggcacacca ccttttgccc caagtgtctg ccggtcgacc 180
aatctgcctg ccacacattg accaagccag acccggttca cccagctcga ggatcccagg 240
ttgaagagtg gcccttgag gccctggaaa gaccaatcac tggacttctt cccttgagag 300
tcagagggtca cccgtgattc tgcctgcacc ttatcattga tctgcagtga tttctgcaaa 360
tcaagagaaa ctctgcaggg cactccctgt tttc                                     394
```

<210> 361

<211> 394

<212> DNA

<213> Homo sapiens

<220>



<221> misc\_feature  
<222> (1)...(394)  
<223> n = A,T,C or G

<400> 361  
ctgggcgat agcaccgggc atattttntt natggatgag gtctggcacc ctgagcagtc 60  
cagcgaggac ttggtcttag ttgagcaatt tggctaggag gatagtatgc agcacgggtc 120  
tgagtctgtg ggatagctgc catgaagtaa cctgaaggag gtgctggctg gtaggggttg 180  
attacagggt tgggaacagc tcgtacactt gccattctct gcatatactg gttagttagg 240  
tgagcctggc gctcttcttt gcgctgagct aaagctacat acaatggctt tgtggacctc 300  
ggccgcgacc acgctaagcc gaattccagc aactggcgg ccgttactag tggatccgag 360  
ctcgtacca agcttggcgt aatcatggtc atag 394

<210> 362  
<211> 268  
<212> DNA  
<213> Homo sapiens

<400> 362  
ctgcgcgtgg accagtcagc ttccgggtgt gactggagca gggcttgtcg tcttcttcag 60  
agtcactttg caggggttgg tgaagctgct cccatccatg tacagctccc agtctactga 120  
tgtttaagga tggctctcgt ggtagggccc actagaataa actgagtcca atacctctac 180  
acagttatgt ttaactgggc tctctgacac cgggaggaag gtggcggggt ttaggtgttg 240  
caaacttcaa tggttatgcg gggatgtt 268

<210> 363  
<211> 323  
<212> DNA  
<213> Homo sapiens

<400> 363  
ccttgacctt ttcagcaagt gggaagggtgt aatccgtctc cacagacaag gccaggactc 60  
gtttgtaccc gttgatgata gaattggggtg ctgatgcaac agttgggtag ccaatctgca 120  
gacagacact ggcaacattg cggacaccct ccaggaagcg agaatgcaga gtttcctctg 180  
tgatatcaag cacttcaggg ttgtatagtc tgccattgtc gaacacctgc tggatgacca 240  
gcccaaagga gaagggggag atgttgagca tgttcagcag cgtggcttcg ctggctccca 300  
ctttgtctcc agtcttgatc aga 323

<210> 364  
<211> 393  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(393)  
<223> n = A,T,C or G

<400> 364  
ccaagctctc catcgtcccc gtgcgcagng gctactgggg gaacaagatc ggcaagcccc 60  
aactgtctcc ttgcaagggt acaggccgct gcggctctgt gctggtagc ctcactactg 120  
caccagggg cactggcatc gtctccgcac ctgtgcctaa gaagctgctc atgatggctg 180  
gcatcgatga ctgctacacc tcagcccggt gctgactgac caccctgggc aacttcgcca 240  
aggccacctt tgatgccatt tctaagacct acagctacct gacccccgac ctctggaagg 300  
agactgtatt caccaagtct ccctatcagg agttcactga ccacctcgtc aagacccaca 360

ccagagtctc cgtgcagcgg actcaggctc cag

393

<210> 365

<211> 371

<212> DNA

<213> Homo sapiens

<400> 365

cctcctcaga gcggtagctg ttcttattgc cccggcagcc tccatagatg aagttattgc 60  
aggagttcct ctccacgtca aagtaccagc gtgggaagga tgcacggcaa ggcccagtga 120  
ctgcgttggc ggtgcagtat tcttcatagt tgaacatata gctggagtgg tcttcagaat 180  
cctgccttct gggagcactt gggacagagg aatccgctgc attcctgctg gtggacctcg 240  
gccgcgacca cgctaagccg aattccagca cactggcggc cgttactagt ggatccgagc 300  
tcggtaccaa gcttggcgta atcatggtca tagctgttcc ctgtgtgaaa ttgttatccg 360  
ctcacaaattc c 371

<210> 366

<211> 393

<212> DNA

<213> Homo sapiens

<400> 366

atttcttgcc agatgggagc tctttggtga agactccttt cgggaaaagt tttttggctt 60  
cttcttcagg gatggttgga aggaccatca cactatcccc atccttccaa tcaactgggg 120  
tggcaaccct tttttctgct gtcagctgga gagagatgac taccctgaga atctcatcaa 180  
agttcctgcc agtggtagct gggtagagga tagacagctt cagcttctta tcaggaccaa 240  
aaacaaacac cacacgagct gccacaggca tgcccttttc atccttctct gctggatcca 300  
gcatgcccaa caggatggca agctcccgat tcctatcatc gatgatggga aaaggtaact 360  
tttctgtggg ctcttcacaa ttgtaagcat tga 393

<210> 367

<211> 327

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(327)

<223> n = A,T,C or G

<400> 367

ccagctctgt ctcatacttg actctaaagt cttnagcagc aagacgggca ttgnaaatct 60  
gcagaacgat gcgggcattg tccacagtat ttgcgaagat ctgagccctc aggtcctcga 120  
tgatcttgaa gtaatggctc cagtctctga cctgggggtcc cttcttctcc aagtgtctcc 180  
ggattttgct ctccagcctc cggttctcgg totccaggct cctcactctg tccaggtaag 240  
aggccaggcg gtcgttcagg ctttgcattg tctcttcttc gttctggatg cctcccattc 300  
ctgccagacc cccggtatc ccggtgg 327

<210> 368

<211> 306

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(306)

<223> n = A,T,C or G

<400> 368

```
ctggagaagg acttcagcag tttnaagaag tactgccaag tcatccgtgt cattgcccac 60
accagatgc gcctgcttcc tctgcgccag aagaaggccc acctgatgga gatccagggtg 120
aacggaggca ctgtggccga gaagctggac tgggcccgcg agaggcttga gcagcaggta 180
cctgtgaacc aagtgtttgg gcaggatgag atgatcgacg tcatcggggt gaccaagggc 240
aaaggctaca aaggggtcac cagtcgttgg cacaccaaga agctgccccg caagaccac 300
cgagga 306
```

<210> 369

<211> 394

<212> DNA

<213> Homo sapiens

<400> 369

```
tcgaccaca ccggaacacg gagagctggg ccagcattgg cacttgatag gatttcccgt 60
cggctgccac gaaagtgcgt ttctttgtgt tctcgggttg gaaccgtgat ttccacagac 120
ccttgaaata cactgcgttg acgaggacca gtctggtgag cacaccatca ataagatctg 180
gggacagcag attgtcaatc atatccctgg ttctattttt aacccatgca ttgatggaat 240
cacaggcaga ggctggatcc tcaaagttca cattccggac ctacactgg aacacatctt 300
tgttccttgt aacaaaaggc acttcaattt cagaggcatt cttaacaaac acggcgtag 360
ccactgtcac aatgtcttta ttcttcttgg agac 394
```

<210> 370

<211> 653

<212> DNA

<213> Homo sapiens

<400> 370

```
ccaccacacc caattccttg ctggtatcat ggcagccgcc acgtgccagg attaccggct 60
acatcatcaa gtatgagaag cctgggtctc ctcccagaga agtgggtccct cggccccgcc 120
ctggtgtcac agaggctact attactggcc tggaaaccggg aaccgaatat acaatttatg 180
tcattgccct gaagaataat cagaagagcg agcccctgat tggaaaggaaa aagacagacg 240
agcttcccca actggtaacc cttccacacc ccaatcttca tggaccagag atcttggatg 300
ttccttccac agttcaaaaag acccctttcg tcaccacacc tgggtatgac actggaaatg 360
gtattcagct tcctggcact tctggtcagc aaccagtggt tgggcaacaa atgatctttg 420
aggaacatgg ttttaggcgg accacaccgc ccacaacggc ccccccata aggcataagg 480
caagaccata cccgccgaat gtaggacaag aagctctctc tcagacaacc atctcatggg 540
ccccattcca ggacacttct gactacatca ttcatgtca tcctgttggc actgatgaag 600
aacccttaca gttcagggtt cctggaactt ctaccagtgc cactctgaca gga 653
```

<210> 371

<211> 268

<212> DNA

<213> Homo sapiens

<400> 371

```
ctgccagcg cccattggcg agtttgagaa ggtgtgcagc aatgacaaca agaccttcga 60
ctcttcttgc cacttctttg ccacaaagtg caccctggag ggcaccaaga agggccacaa 120
gtccacctg gactacatcg ggccttgcaa atacatcccc ccttgcttgg actctgagct 180
gaccgaattc cccctgcgca tgcgggactg gctcaagaac gtctgtgtca ccctgtatga 240
gagggatgag gacaacaacc ttctgact 268
```

<210> 372  
<211> 392  
<212> DNA  
<213> Homo sapiens

<400> 372  
gctggtgccc ctggtgaacg tggacctcct ggattggcag gggccccagg acttagaggt 60  
ggaactggtc cccttggtcc cgaaggagga aagggtgctg ctggtcctcc tgggccacct 120  
ggtgctgctg gtactcctgg tctgcaagga atgcctggag aaagaggagg tcttgggaagt 180  
cctggtccaa agggtgacaa ggggtgaacca ggcggtcag gtgctgatgg tgtcccaggg 240  
aaagatggcc caaggggtcc tactggtcct attggtcctc ctggcccagc tggccagcct 300  
ggagataagg gtgaagggtg tgcctccgga cttccaggta tagctggacc tcgtggtagc 360  
cctggtgaga gaggtgaaac ctcggccgcg ac 392

<210> 373  
<211> 388  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(388)  
<223> n = A,T,C or G

<400> 373  
ccaagcgctc agatcggcaa ggggcaccan ttttgatctg ccagtgacac agccccacaa 60  
ccaggtcagc gatgaaggta tcttcagtct cccccgaacg atgagacacc atgacgcccc 120  
aaccattggc ctgggccagc ttgcacgcct gaagagactc ggtcacggag ccaatctggt 180  
tgactttgag caggaggcag ttgcaggact tctcgttcac ggccttggcg atcctctttg 240  
ggttggtcac tgtgagatca tccccacta cctggattcc tgactggct gtgaacttct 300  
gccaagctcc ccagtcaccc tgggtcaaagg gatcttcgat agacaccact gggtagtctc 360  
tgatgaagga cttgtacagg tcagccag 388

<210> 374  
<211> 393  
<212> DNA  
<213> Homo sapiens

<400> 374  
ctgacgaccg cgtgaacccc tgcattgggg gtgtcatcct cttccatgag acactctacc 60  
agaaggcgga tgatgggcgt cccttcccc aagttatcaa atccaagggc ggtggtgtgg 120  
gcatcaaggt agacaagggc gtggtcccc tggcagggac aaatggcgag actaccaccc 180  
aagggttga tgggctgtct gagcgctgtg ccagtagcaa gaaggacgga gctgacttcg 240  
ccaagtggcg ttgtgtgctg aagattgggg aacacacccc ctgagccctc gccatcatgg 300  
aaaatgccaa tgttctggcc cgttatgcca gtatctgcca gcagaatggc attgtgcccc 360  
tcgtggagcc tgagatcctc cctgatgggg acc 393

<210> 375  
<211> 394  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(394)

<223> n = A,T,C or G

<400> 375

```
ccacaaatgg cgtggtccat gtcacacn ttnttctgca gcctccagcc aacagacctc 60
aggaaagagg ggatgaactt gcagactctg cgcttgagat cttcaaaca gcacagcgt 120
tttccagggc ttcccagagg tctgtgcgac tagccctgt ctatcaaaag ttattagaga 180
ggatgaagca ttagcttgaa gactacagg aggaatgcac caggcgagct ctccgccaat 240
ttctctcaga ttccacaga gactgtttga atgttttcaa aaccaagtat cacacttta 300
tgtacatggg ccgcaccata atgagatgtg agccttgtgc atgtggggga ggaggagag 360
agatgtactt tttaaatcat gttcccccta aaca 394
```

<210> 376

<211> 392

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(392)

<223> n = A,T,C or G

<400> 376

```
ctgccagcc cccattggcg agtttgattn ggtgtgcagc aatgacaaca agaccttcca 60
ctcttcttgc cacttctttg ccacaaagtg caccctggag ggcaccaaga agggccacaa 120
gctccacctg gactacatcg ggccttgcaa atacatcccc ccttgccctg actctgagct 180
gaccgaattc cccctgcgca tgcgggactg gctcaagaac gtcctggtca cctgtatga 240
gagggatgag gacaacaacc ttctgactga gaagcagaag ctgcgggtga agaagatcca 300
tgagaatgag aagcgcctgg aggcaggaga ccaccccgct gagctgctgg cccgggactt 360
cgagaagaac tataacatgt acatcttccc tg 392
```

<210> 377

<211> 292

<212> DNA

<213> Homo sapiens

<400> 377

```
caatgtttga tgcttaaccc ccccaatttc tgtgagatgg atggccagtg caagcgtgac 60
ttgaagtgtt gcatgggcat gtgtgggaaa tcttgcgttt cccctgtgaa agcttgattc 120
ctgccatag gaggaggctc tggagtctct ctctgtgtgg tccaggtcct ttccacctg 180
agacttggt ccaccactga tatcctcctt tggggaaagg cttggcacac agcaggcttt 240
caagaagtgc cagttgatca atgaataaat aaacgagcct atttctcttt gc 292
```

<210> 378

<211> 395

<212> DNA

<213> Homo sapiens

<400> 378

```
ctgctgcttc agcgaagggt ttctggcata tccaatgata aggctgccaa agactgttcc 60
aataccagca ccagaaccag ccactcctac tgttgagca cctgcaccaa taaatttggc 120
agcagtatca atgtctctgc tgattgcact ggtctgaaac tcccttggga ttagctgaga 180
cacaccattc tgggccctga ttttcttaag atagaactcc aactctttgc cctctagcac 240
atagccatct gctcggccac actgtcccgg cctgaagcg atgcacgcaa gaagcttgcc 300
ctgctggaac tgctcctcca ggagactgct gattttggca ttctttttcc tttcatcata 360
tttcttctga attttttaga tcgttttttg tttaa 395
```

<210> 379  
<211> 223  
<212> DNA  
<213> Homo sapiens

<400> 379  
ccagatgaaa tgctgccgca atggctgtgg gaaggtgtcc tgtgtcactc ccaatttctg 60  
agctccagcc accaccaggc tgagcagtga ggagagaaag tttctgcctg gccctgcac 120  
tggttccagc ccacctgccc tccccttttt cgggactctg tattccctct tgggctgacc 180  
acagcttctc cctttcccaa ccaataaagt aaccactttc agc 223

<210> 380  
<211> 317  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(317)  
<223> n = A,T,C or G

<400> 380  
tcgaccacag tattccaacc ctctgtgcn tngagaagt atggaggggtg ctgacaacca 60  
gggtgcagga gaacaaggta gaccagttag gcagaatat tatcggggat atagaccacg 120  
attccgcagg ggccctcctc gccaaagaca gcctagagag gacggcaatg aagaagataa 180  
agaaaatcaa ggagatgaga cccaaggtca gcagccacct caacgtcggg accgccgcaa 240  
cttcaattac cgacgcagac gccagaaaa ccctaaacca caagatggca aagagacaaa 300  
agcagccgat ccaccag 317

<210> 381  
<211> 392  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<222> (1)...(392)  
<223> n = A,T,C or G

<400> 381  
cctgaaggaa gagctggcct acctgaatnn naaccatgag gaggaatca gtacgctgag 60  
gggccaagtg ggaggccagg tcagtgtgga ggtggattcc gtcgccggca ccgatctcgc 120  
caagatcctg agtgacatgc gaagccaata tgaggtcatg gccgagcaga accggaagga 180  
tgctgaagcc tggttcacca gccggactga agaattgaac cgggaggtcg ctggccacac 240  
ggagcagctc cagatgagca ggtccgaggt tactgacctg cggcgcaccc ttcagggtct 300  
tgagattgag ctgcagtcac agacctcggc cgcgaccacg ctaagccgaa ttccagcaca 360  
ctggcggccg ttactagtgg atccgagctc gg 392

<210> 382  
<211> 234  
<212> DNA  
<213> Homo sapiens

<400> 382

```
cctcgatgtc taaatgagcg tggtaaagga tgggtgcctgc tgggggtctcg tagataacctc 60
gggacttcat tccaatgaag cggttctcca cgatgtcaat acggcccacg ccatgcttgc 120
ccgcgacttc gttcaggtac atgaagagct ccaaggaggt ctggtgggtg gtgccatcct 180
tgacgttggt caccttcaca gggacccctt ttttgaactc catctccaga atgt 234
```

<210> 383

<211> 396

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<222> (1)...(396)

<223> n = A,T,C or G

<400> 383

```
ccttgacctt ttcagcaagt gggaagggtg tttccgtctc cacagacaag gccaggactc 60
gtttgnaccc gttgatgata gaatggggtg ctgatgcaac agttgggtag ccaatctgca 120
gacagacact ggcaacattg cggacaccca ggatttcaat ggtgcccctg gagatttttag 180
tggtgatacc taaagcctgg aaaaaggagg tcttctcggg cccgagacca gtgttctggg 240
ctggcacagt gacttcacat ggggcaatgg caccagcacg ggcagcagac ctgcccgggc 300
ggccgctcga aagccgaatt ccagcacact ggcggccgtt actagtggat ccgagctcgg 360
taccaagctt ggcgtaatca tggcatagc tgtttc 396
```

<210> 384

<211> 396

<212> DNA

<213> Homo sapiens

<400> 384

```
gctgaatagg cacagagggc acctgtacac cttcagacca gtctgcaacc tcaggctgag 60
tagcagtga ctcaggagcg ggagcagtc attcaccctg aaattcctcc ttggtcactg 120
ccttctcagc agcagcctgc tcttcttttt caatctcttc aggatctctg tagaagtaca 180
gatcaggcat gacctccat ggggtgttcac gggaaatggt gccacgcatg cgcagaactt 240
cccagagccag catccaacc atcaaaccca ctgagtgaac tcccttggtt ttgcatggga 300
tggcaatgtc cacatagcgc agaggagaat ctgtgttaca cagcgcaatg gtaggttagt 360
taacataaga tgccctcgtg agaggctggt ggtcag 396
```

<210> 385

<211> 2943

<212> DNA

<213> Homo sapiens

<400> 385

```
cagccaccgg agtggatgcc atctgcaccc accgccctga cccacagggc cctgggctgg 60
acagagagca gctgtatttg gagctgagcc agctgaccca cagcatcact gagctgggcc 120
cctacaccct ggacagggac agtctctatg tcaatggttt cacacagcgg agctctgtgc 180
ccaccactag cattcctggg acccccacag tggacctggg aacatctggg actccagttt 240
ctaaacctgg tccctcggct gccagccctc tccctggtgct attcactctc aacttcacca 300
tcaccaacct gcggtatgag gagaacatgc agcaccctgg ctccagggaag ttcaaacacca 360
cggagagggt ccttcagggc ctggtccctg ttcaagagca ccagtgttg ccctctgtac 420
tctggtgca gactgacttt gctcaggcct gaaaaggatg ggacagccac tggagtggat 480
gccatctgca cccaccaccc tgaccccaaa agccctaggc tggacagaga gcagctgtat 540
tgggagctga gccagctgac ccacaatatc actgagctgg gccctatgc cctggacaac 600
gacagcctct ttgtcaatgg tttcactcat cggagctctg tgtccaccac cagcactcct 660
```

```

gggacccccca cagtgtatct gggagcatct aagactccag cctcgatatt tggcccttca 720
gctgccagcc atctcctgat actattcacc ctcaacttca ccatcactaa cctgcggtat 780
gaggagaaca tgtggcctgg ctccaggaag ttcaacacta cagagagggt ccttcagggc 840
ctgctaaggc ccttgttcaa gaacaccagt gttggccctc tgtactctgg ctgcaggctg 900
accttgctca ggccagagaa agatggggaa gccaccggag tggatgccat ctgcacccac 960
cgccctgacc ccacaggccc tgggctggac agagagcagc tgtatttga gctgagccag 1020
ctgaccacaca gcatcactga gctgggcccc tacacactgg acagggacag tctctatgtc 1080
aatggtttca cccatcgag gctctgtaccc accaccagca ccgggggtgt cagcgaggag 1140
ccattcacac tgaacttcac catcaacaac ctgcgctaca tggcggacat gggccaaccc 1200
ggctccctca agttcaacat cacagacaac gtcatgaagc acctgctcag tcctttgttc 1260
cagaggagca gcctgggtgc acggtacaca ggctgcaggg tcatcgcaact aaggctctgtg 1320
aagaacggtg ctgagacacg ggtggacctc ctctgcacct acctgcagcc cctcagcggc 1380
ccaggtctgc ctatcaagca ggtgttccat gagctgagcc agcagacca tggcatcacc 1440
cggctggggc cctactctct ggacaaagac agcctctacc ttaacggtta caatgaacct 1500
ggtccagatg agcctcctac aactcccaag ccagccacca cattcctgcc tcctctgtca 1560
gaagccacaa cagccatggg gtaccacctg aagaccctca cactcaactt caccatctcc 1620
aatctccagt attcaccaga tatgggcaag ggctcagcta cattcaactc caccgagggg 1680
gtccttcagc acctgctcag accottgttc cagaagagca gcatggggcc cttctacttg 1740
ggttgccaac tgatctccct caggcctgag aaggatgggg cagccactgg tgtggacacc 1800
acctgcacct accaccctga ccctgtgggc cccgggctgg acatacagca gctttactgg 1860
gagctgagtc agctgaccca tgggtgcacc caactgggct tctatgtcct ggacagggat 1920
agcctcttca tcaatggcta tgcaccccag aatttatcaa tccggggcga gtaccagata 1980
aatttccaca ttgtcaactg gaacctcagt aatccagacc ccacatcctc agagtacatc 2040
accctgctga gggacatcca ggacaaggtc accacactct acaaaggcag tcaactacat 2100
gacacattcc gcttctgcct ggtcaccaac ttgacgatgg actccgtgtt ggtcactgtc 2160
aaggcattgt tctctccaa tttggacccc agcctggtgg agcaagtctt tctagataag 2220
accctgaatg cctcattcca ttggtgggc tccacctacc agttggtgga catccatgtg 2280
acagaaatgg agtcatcagt ttatcaacca acaagcagct ccagcaccga gcacttctac 2340
ctgaatttca ccatcaccaa cctaccatat tcccaggaca aagcccagcc aggcaccacc 2400
aattaccaga ggaacaaaag gaattattgag gatgcggcac cacaccgggg tggactccct 2460
gtgtaacttc tcgccactgg ctcgagagat agacagagtt gccatctatg aggaatttct 2520
gcggtgacc cggaatggta cccagctgca gaacttcacc ctggacagga gcagtgtcct 2580
tgtggatggg tattttccca acagaaatga gcccttaact gggaattctg accttccctt 2640
ctgggctgtc atcctcatcg gcttggcagg actcctggga ctcatcacat gcctgatctg 2700
cgggtgcctg gtgaccaccc gccggcggaa gaagggaagg gaatacaacg tccagcaaca 2760
gtgccaggc tactaccagt cacacctaga cctggaggat ctgcaatgac tggaaactgc 2820
cggtgccctg ggtgccttcc cccagccag ggtccaaaga agcttggtg gggcagaaat 2880
aaaccatatt ggtcggaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa aaaaaaaaaa 2940
aaa 2943

```

&lt;210&gt; 386

&lt;211&gt; 2608

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 386

```

gttcaagagc accagtgttg gccctctgta ctctggctgc agactgactt tgctcaggcc 60
tgaaaaggat gggacagcca ctggagtggg tgccatctgc acccaccacc ctgaccccaa 120
aagccctagg ctggacagag agcagctgta ttgggagctg agccagctga ccacaatat 180
cactgagctg gggccctatg ccttggaaca cgacagcctc tttgtcaatg gtttcaacta 240
tcggagctct gtgtccacca ccagcactcc tgggaccccc acagtgtatc tgggagcatc 300
taagactcca gcctcgatat ttggcccttc agctgccagc catctcctga tactattcac 360
cctcaacttc accatcacta acctgcggta tgaggagaac atgtggcctg gctccaggaa 420
gttcaacact acagagaggg tccttcaggg cctgctaagg cccttgttca agaaccacag 480
tgttggccct ctgtactctg gctgcaggct gaccttgctc aggccagaga aagatgggga 540

```



agccaccgga gtggatgcca tctgcaccca ccgccctgac cccacaggcc ctgggctgga 600  
cagagagcag ctgtatttgg agctgagcca gctgaccac agcatcactg agctgggccc 660  
ctacacactg gacagggaca gtctctatgt caatggttcc acccatcgga gctctgtacc 720  
caccaccagc accggggtgg tcagcgagga gccattcaca ctgaacttca ccatcaacaa 780  
cctgcgctac atggcggaca tgggccaacc cggtccctc aagttcaaca tcacagacaa 840  
cgtcatgaag cactgctca gtcctttgtt ccagaggagc agcctgggtg cacggtacac 900  
aggctgcagg gtcatcgcac taaggctgtg gaagaacggt gctgagacac ggggtggacct 960  
cctctgcacc tacctgcagc ccctcagcgg ccaggtctg cctatcaagc aggtgttcca 1020  
tgagctgagc cagcagaccc atggcatcac ccggtgggc ccctactctc tggacaaaaga 1080  
cagcctctac cttaacggtt acaatgaacc tggccagat gagcctccta caactcccaa 1140  
gccagccacc acattcctgc ctctctgtc agaagccaca acagccatgg ggtaccacct 1200  
gaagaccctc aactcaact tcaccatctc caatctccag tattcaccag atatgggcaa 1260  
gggtcagct acattcaact ccaccgaggg ggtccttcag cacctgctca gacccttgtt 1320  
ccagaagagc agcatgggcc ccttctactt gggttgccaa ctgatctccc tcaggcctga 1380  
gaaggatggg gcagccactg gtgtggacac cactgcacc taccacctg accctgtggg 1440  
ccccgggctg gacatacagc agctttactg ggagctgagt cagctgaccc atgggtgtcac 1500  
ccaactgggc ttctatgtcc tggacaggga tagcctcttc atcaatggct atgcacccca 1560  
gaatttatca atccggggcg agtaccagat aaatttccac attgtcaact ggaacctcag 1620  
taatccagac cccacatcct cagagtacat caccctgctg agggacatcc aggacaagg 1680  
caccacactc tacaaggca gtcaactaca tgacacattc cgcttctgcc tggtcaccaa 1740  
cttgacgatg gactcgtgt tggctactgt caaggcattg ttctcctcca atttggaccc 1800  
cagcctggtg gagcaagtct ttctagataa gacctgaat gcctcattcc attggctggg 1860  
ctccacctac cagttggtgg acatccatgt gacagaaatg gagtcatcag tttatcaacc 1920  
aacaagcagc tccagcacc agcacttcta cctgaatttc accatcacca acctaccata 1980  
ttcccaggac aaagcccagc caggcaccac caattaccag aggaacaaaa ggaatattga 2040  
ggatgcgctc aaccaactct tccgaaacag cagcatcaag agttattttt ctgactgtca 2100  
agtttcaaca ttcaggtctg tccccaacag gcaccacacc ggggtggact ccctgtgtaa 2160  
cttctcgcca ctggctcgga gagtagacag agttgccatc tatgaggaat ttctgcggat 2220  
gacccggaat ggtacccagc tgcagaactt aactgggaat tctgacctc ccttctgggc 2280  
tgggtatttt cccaacagaa atgagccctt aactgggaat tctgacctc ccttctgggc 2340  
tgtcatctc atcggttgg caggactcct gggactcatc acatgcctga tctgcggtgt 2400  
cctggtgacc acccgccggc ggaagaagga aggagaatac aacgtccagc aacagtgcc 2460  
aggctactac cagtcacacc tagacctgga ggatctgcaa tgactggaac ttgccggtgc 2520  
ctggggtgcc ttccccccag ccagggtcca aagaagcttg gctggggcag aaataaacca 2580  
tattggtcgg acacaaaaaa aaaaaaaaaa 2608

<210> 387

<211> 1761

<212> DNA

<213> Homo sapiens

<400> 387

ctgaacttca ccatcaacaa cctgcgctac atggcggaca tgggccaacc cggtccctc 60  
aagttcaaca tcacagacaa cgtcatgaag cactgctca gtcctttgtt ccagaggagc 120  
agcctgggtg cacggtacac aggtgcagg gtcatcgcac taaggctgtg gaagaacggt 180  
gctgagacac ggggtggacct cctctcagg taggtgcaga ggaggtccac ggcacaccc 240  
ggctgggccc ctactctctg gacaaagaca gcctctacct taacgctccc aagccagcca 300  
ccacattcct gcctcctctg tcagaagcca caacagccat ggggtaccac ctgaagaccc 360  
tcacactcaa cttcaccatc tccaatctcc agtattcacc agatatgggc aagggtcag 420  
ctacattcaa ctccaccgag ggggtccttc agcacctgct cagacccttg ttccagaaga 480  
gcagcatggg ccccttctac ttgggttgc aactgatctc cctcaggcct gagaaggatg 540  
gggcagccac tgggtggac accacctgca cctaccacc tgaccctgtg ggccccgggc 600  
tggacatata gcagctttac tgggagctga gtcagctgac ccatgggtgt acccaactgg 660  
gcttctatgt cctggacagg gatagcctct tcatcaatgg ctatgcaccc cagaatttat 720  
caatccgggg cgagtaccag ataaatttcc acattgtcaa ctggaacctc agtaatccag 780

```

acccacatc ctcagagtac atcaccctgc tgaggagacat ccaggacaag gtcaccacac 840
tctacaaagg cagtcaacta catgacacat tccgcttctg cctgggcacc aacttgacga 900
tggaactcgt gttggctact gtcaaggcat tgttctcctc caatttggac cccagcctgg 960
tggaagcaagt ctttctagat aagaccctga atgcctcatt ccattggctg ggctccacct 1020
accagttggt ggacatccat gtgacagaaa tggagtcac agtttatcaa ccaacaagca 1080
gctccagcac ccagcacttc tacctgaatt tcaccatcac caacctacca tattcccagg 1140
acaaagccca gccaggcacc accaattacc agaggaaaca aaggaatatt gaggatgcgc 1200
tcaaccaact cttccgaaac agcagcatca agagttatct ttctgactgt caagtttcaa 1260
cattcaggtc tgtccccaac aggcaccaca ccgggggtgga ctccctgtgt aacttctcgc 1320
cactggctcg gagagtagac agagttgcca tctatgagga atttctgcgg atgaccggga 1380
atggtaccca gctgcagaac ttcaccctgg acaggagcag tgccttctgt gatgggtatt 1440
ttccaacag aatgagccc ttaactggga attctgacct tcccttctgg gctgtcatcc 1500
tcatcggtt ggcaggactc ctgggactca tcacatgcct gatctgcggt gtcctggtga 1560
ccaccgccc gcggaagaag gaaggagaat acaacgtcca gcaacagtgc ccaggctact 1620
accagtcaca cctagacctg gaggatctgc aatgactgga acttgccggt gcctgggggtg 1680
cctttccccc agccagggtc caaagaagct tggctggggc agaaataaac catattggtc 1740
ggacacaaaa aaaaaaaaaa a 1761

```

&lt;210&gt; 388

&lt;211&gt; 772

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 388

```

Met Ser Met Val Ser His Ser Gly Ala Leu Cys Pro Pro Leu Ala Phe
                    5                      10                      15

```

```

Leu Gly Pro Pro Gln Trp Thr Trp Glu His Leu Gly Leu Gln Phe Leu
                    20                      25                      30

```

```

Asn Leu Val Pro Arg Leu Pro Ala Leu Ser Trp Cys Tyr Ser Leu Ser
                    35                      40                      45

```

```

Thr Ser Pro Ser Pro Thr Cys Gly Met Arg Arg Thr Cys Ser Thr Leu
                    50                      55                      60

```

```

Ala Pro Gly Ser Ser Thr Pro Arg Arg Gly Ser Phe Arg Ala Trp Ser
                    65                      70                      75                      80

```

```

Leu Phe Lys Ser Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu
                    85                      90                      95

```

```

Thr Leu Leu Arg Pro Glu Lys Asp Gly Thr Ala Thr Gly Val Asp Ala
                    100                     105                     110

```

```

Ile Cys Thr His His Pro Asp Pro Lys Ser Pro Arg Leu Asp Arg Glu
                    115                     120                     125

```

```

Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr His Asn Ile Thr Glu Leu
                    130                     135                     140

```

```

Gly Pro Tyr Ala Leu Asp Asn Asp Ser Leu Phe Val Asn Gly Phe Thr
                    145                     150                     155                     160

```

```

His Arg Ser Ser Val Ser Thr Thr Ser Thr Pro Gly Thr Pro Thr Val

```

	165		170		175
Tyr	Leu Gly	Ala Ser Lys Thr	Pro Ala Ser Ile Phe Gly	Pro Ser Ala	
	180		185	190	
Ala Ser	His Leu Leu Ile Leu	Phe Thr Leu Asn Phe Thr	Ile Thr Asn		
	195	200	205		
Leu Arg Tyr	Glu Glu Asn Met Trp	Pro Gly Ser Arg Lys Phe Asn Thr			
	210	215	220		
Thr Glu Arg Val	Leu Gln Gly Leu Leu Arg	Pro Leu Phe Lys Asn Thr			
	225	230	235	240	
Ser Val Gly Pro	Leu Tyr Ser Gly Cys Arg	Leu Thr Leu Leu Arg Pro			
	245	250	255		
Glu Lys Asp Gly	Glu Ala Thr Gly Val Asp Ala Ile Cys Thr His Arg				
	260	265	270		
Pro Asp Pro Thr Gly	Pro Gly Leu Asp Arg Glu Gln Leu Tyr Leu Glu				
	275	280	285		
Leu Ser Gln Leu Thr	His Ser Ile Thr Glu Leu Gly Pro Tyr Thr Leu				
	290	295	300		
Asp Arg Asp Ser Leu Tyr Val	Asn Gly Phe Thr His Arg Ser Ser Val				
	305	310	315	320	
Pro Thr Thr Ser Thr Gly Val Val	Ser Glu Glu Pro Phe Thr Leu Asn				
	325	330	335		
Phe Thr Ile Asn Asn Leu Arg Tyr	Met Ala Asp Met Gly Gln Pro Gly				
	340	345	350		
Ser Leu Lys Phe Asn Ile Thr	Asp Asn Val Met Lys His Leu Leu Ser				
	355	360	365		
Pro Leu Phe Gln Arg Ser Ser	Leu Gly Ala Arg Tyr Thr Gly Cys Arg				
	370	375	380		
Val Ile Ala Leu Arg Ser Val Lys Asn Gly	Ala Glu Thr Arg Val Asp				
	385	390	395	400	
Leu Leu Cys Thr Tyr Leu Gln Pro Leu Ser Gly	Pro Gly Leu Pro Ile				
	405	410	415		
Lys Gln Val Phe His Glu Leu Ser Gln Gln Thr His Gly	Ile Thr Arg				
	420	425	430		
Leu Gly Pro Tyr Ser Leu Asp Lys Asp Ser Leu Tyr Leu Asn Gly Tyr					
	435	440	445		
Asn Glu Pro Gly Pro Asp Glu Pro Pro Thr Thr Pro Lys Pro Ala Thr					
	450	455	460		

Thr Phe Leu Pro Pro Leu Ser Glu Ala Thr Thr Ala Met Gly Tyr His  
 465 470 475 480  
 Leu Lys Thr Leu Thr Leu Asn Phe Thr Ile Ser Asn Leu Gln Tyr Ser  
 485 490 495  
 Pro Asp Met Gly Lys Gly Ser Ala Thr Phe Asn Ser Thr Glu Gly Val  
 500 505 510  
 Leu Gln His Leu Leu Arg Pro Leu Phe Gln Lys Ser Ser Met Gly Pro  
 515 520 525  
 Phe Tyr Leu Gly Cys Gln Leu Ile Ser Leu Arg Pro Glu Lys Asp Gly  
 530 535 540  
 Ala Ala Thr Gly Val Asp Thr Thr Cys Thr Tyr His Pro Asp Pro Val  
 545 550 555 560  
 Gly Pro Gly Leu Asp Ile Gln Gln Leu Tyr Trp Glu Leu Ser Gln Leu  
 565 570 575  
 Thr His Gly Val Thr Gln Leu Gly Phe Tyr Val Leu Asp Arg Asp Ser  
 580 585 590  
 Leu Phe Ile Asn Gly Tyr Ala Pro Gln Asn Leu Ser Ile Arg Gly Glu  
 595 600 605  
 Tyr Gln Ile Asn Phe His Ile Val Asn Trp Asn Leu Ser Asn Pro Asp  
 610 615 620  
 Pro Thr Ser Ser Glu Tyr Ile Thr Leu Leu Arg Asp Ile Gln Asp Lys  
 625 630 635 640  
 Val Thr Thr Leu Tyr Lys Gly Ser Gln Leu His Asp Thr Phe Arg Phe  
 645 650 655  
 Cys Leu Val Thr Asn Leu Thr Met Asp Ser Val Leu Val Thr Val Lys  
 660 665 670  
 Ala Leu Phe Ser Ser Asn Leu Asp Pro Ser Leu Val Glu Gln Val Phe  
 675 680 685  
 Leu Asp Lys Thr Leu Asn Ala Ser Phe His Trp Leu Gly Ser Thr Tyr  
 690 695 700  
 Gln Leu Val Asp Ile His Val Thr Glu Met Glu Ser Ser Val Tyr Gln  
 705 710 715 720  
 Pro Thr Ser Ser Ser Ser Thr Gln His Phe Tyr Leu Asn Phe Thr Ile  
 725 730 735  
 Thr Asn Leu Pro Tyr Ser Gln Asp Lys Ala Gln Pro Gly Thr Thr Asn  
 740 745 750

Tyr Gln Arg Asn Lys Arg Asn Ile Glu Asp Ala Ala Pro His Arg Gly  
 755 760 765

Gly Leu Pro Val  
 770

<210> 389  
 <211> 833  
 <212> PRT  
 <213> Homo sapiens

<400> 389  
 Phe Lys Ser Thr Ser Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr  
                     5                    10                    15  
 Leu Leu Arg Pro Glu Lys Asp Gly Thr Ala Thr Gly Val Asp Ala Ile  
                     20                    25                    30  
 Cys Thr His His Pro Asp Pro Lys Ser Pro Arg Leu Asp Arg Glu Gln  
                     35                    40                    45  
 Leu Tyr Trp Glu Leu Ser Gln Leu Thr His Asn Ile Thr Glu Leu Gly  
                     50                    55                    60  
 Pro Tyr Ala Leu Asp Asn Asp Ser Leu Phe Val Asn Gly Phe Thr His  
                     65                    70                    75                    80  
 Arg Ser Ser Val Ser Thr Thr Ser Thr Pro Gly Thr Pro Thr Val Tyr  
                     85                    90                    95  
 Leu Gly Ala Ser Lys Thr Pro Ala Ser Ile Phe Gly Pro Ser Ala Ala  
                     100                    105                    110  
 Ser His Leu Leu Ile Leu Phe Thr Leu Asn Phe Thr Ile Thr Asn Leu  
                     115                    120                    125  
 Arg Tyr Glu Glu Asn Met Trp Pro Gly Ser Arg Lys Phe Asn Thr Thr  
                     130                    135                    140  
 Glu Arg Val Leu Gln Gly Leu Leu Arg Pro Leu Phe Lys Asn Thr Ser  
                     145                    150                    155                    160  
 Val Gly Pro Leu Tyr Ser Gly Cys Arg Leu Thr Leu Leu Arg Pro Glu  
                     165                    170                    175  
 Lys Asp Gly Glu Ala Thr Gly Val Asp Ala Ile Cys Thr His Arg Pro  
                     180                    185                    190  
 Asp Pro Thr Gly Pro Gly Leu Asp Arg Glu Gln Leu Tyr Leu Glu Leu  
                     195                    200                    205  
 Ser Gln Leu Thr His Ser Ile Thr Glu Leu Gly Pro Tyr Thr Leu Asp  
                     210                    215                    220

Arg Asp Ser Leu Tyr Val Asn Gly Phe Thr His Arg Ser Ser Val Pro  
 225 230 235 240  
 Thr Thr Ser Thr Gly Val Val Ser Glu Glu Pro Phe Thr Leu Asn Phe  
 245 250 255  
 Thr Ile Asn Asn Leu Arg Tyr Met Ala Asp Met Gly Gln Pro Gly Ser  
 260 265 270  
 Leu Lys Phe Asn Ile Thr Asp Asn Val Met Lys His Leu Leu Ser Pro  
 275 280 285  
 Leu Phe Gln Arg Ser Ser Leu Gly Ala Arg Tyr Thr Gly Cys Arg Val  
 290 295 300  
 Ile Ala Leu Arg Ser Val Lys Asn Gly Ala Glu Thr Arg Val Asp Leu  
 305 310 315 320  
 Leu Cys Thr Tyr Leu Gln Pro Leu Ser Gly Pro Gly Leu Pro Ile Lys  
 325 330 335  
 Gln Val Phe His Glu Leu Ser Gln Gln Thr His Gly Ile Thr Arg Leu  
 340 345 350  
 Gly Pro Tyr Ser Leu Asp Lys Asp Ser Leu Tyr Leu Asn Gly Tyr Asn  
 355 360 365  
 Glu Pro Gly Pro Asp Glu Pro Pro Thr Thr Pro Lys Pro Ala Thr Thr  
 370 375 380  
 Phe Leu Pro Pro Leu Ser Glu Ala Thr Thr Ala Met Gly Tyr His Leu  
 385 390 395 400  
 Lys Thr Leu Thr Leu Asn Phe Thr Ile Ser Asn Leu Gln Tyr Ser Pro  
 405 410 415  
 Asp Met Gly Lys Gly Ser Ala Thr Phe Asn Ser Thr Glu Gly Val Leu  
 420 425 430  
 Gln His Leu Leu Arg Pro Leu Phe Gln Lys Ser Ser Met Gly Pro Phe  
 435 440 445  
 Tyr Leu Gly Cys Gln Leu Ile Ser Leu Arg Pro Glu Lys Asp Gly Ala  
 450 455 460  
 Ala Thr Gly Val Asp Thr Thr Cys Thr Tyr His Pro Asp Pro Val Gly  
 465 470 475 480  
 Pro Gly Leu Asp Ile Gln Gln Leu Tyr Trp Glu Leu Ser Gln Leu Thr  
 485 490 495  
 His Gly Val Thr Gln Leu Gly Phe Tyr Val Leu Asp Arg Asp Ser Leu  
 500 505 510  
 Phe Ile Asn Gly Tyr Ala Pro Gln Asn Leu Ser Ile Arg Gly Glu Tyr

515	520	525
Gln Ile Asn Phe His Ile Val Asn Trp Asn Leu Ser Asn Pro Asp Pro		
530	535	540
Thr Ser Ser Glu Tyr Ile Thr Leu Leu Arg Asp Ile Gln Asp Lys Val		
545	550	555
Thr Thr Leu Tyr Lys Gly Ser Gln Leu His Asp Thr Phe Arg Phe Cys		
	565	570
Leu Val Thr Asn Leu Thr Met Asp Ser Val Leu Val Thr Val Lys Ala		
	580	585
Leu Phe Ser Ser Asn Leu Asp Pro Ser Leu Val Glu Gln Val Phe Leu		
	595	600
Asp Lys Thr Leu Asn Ala Ser Phe His Trp Leu Gly Ser Thr Tyr Gln		
	610	615
Leu Val Asp Ile His Val Thr Glu Met Glu Ser Ser Val Tyr Gln Pro		
	625	630
Thr Ser Ser Ser Ser Thr Gln His Phe Tyr Leu Asn Phe Thr Ile Thr		
	645	650
Asn Leu Pro Tyr Ser Gln Asp Lys Ala Gln Pro Gly Thr Thr Asn Tyr		
	660	665
Gln Arg Asn Lys Arg Asn Ile Glu Asp Ala Leu Asn Gln Leu Phe Arg		
	675	680
Asn Ser Ser Ile Lys Ser Tyr Phe Ser Asp Cys Gln Val Ser Thr Phe		
	690	695
Arg Ser Val Pro Asn Arg His His Thr Gly Val Asp Ser Leu Cys Asn		
	705	710
Phe Ser Pro Leu Ala Arg Arg Val Asp Arg Val Ala Ile Tyr Glu Glu		
	725	730
Phe Leu Arg Met Thr Arg Asn Gly Thr Gln Leu Gln Asn Phe Thr Leu		
	740	745
Asp Arg Ser Ser Val Leu Val Asp Gly Tyr Phe Pro Asn Arg Asn Glu		
	755	760
Pro Leu Thr Gly Asn Ser Asp Leu Pro Phe Trp Ala Val Ile Leu Ile		
	770	775
Gly Leu Ala Gly Leu Leu Gly Leu Ile Thr Cys Leu Ile Cys Gly Val		
	785	790
Leu Val Thr Thr Arg Arg Arg Lys Lys Glu Gly Glu Tyr Asn Val Gln		
	805	810
		815

Gln Gln Cys Pro Gly Tyr Tyr Gln Ser His Leu Asp Leu Glu Asp Leu  
 820 825 830

Gln

<210> 390  
 <211> 438  
 <212> PRT  
 <213> Homo sapiens

<400> 390  
 Met Gly Tyr His Leu Lys Thr Leu Thr Leu Asn Phe Thr Ile Ser Asn  
 5 10 15  
 Leu Gln Tyr Ser Pro Asp Met Gly Lys Gly Ser Ala Thr Phe Asn Ser  
 20 25 30  
 Thr Glu Gly Val Leu Gln His Leu Leu Arg Pro Leu Phe Gln Lys Ser  
 35 40 45  
 Ser Met Gly Pro Phe Tyr Leu Gly Cys Gln Leu Ile Ser Leu Arg Pro  
 50 55 60  
 Glu Lys Asp Gly Ala Ala Thr Gly Val Asp Thr Thr Cys Thr Tyr His  
 65 70 75 80  
 Pro Asp Pro Val Gly Pro Gly Leu Asp Ile Gln Gln Leu Tyr Trp Glu  
 85 90 95  
 Leu Ser Gln Leu Thr His Gly Val Thr Gln Leu Gly Phe Tyr Val Leu  
 100 105 110  
 Asp Arg Asp Ser Leu Phe Ile Asn Gly Tyr Ala Pro Gln Asn Leu Ser  
 115 120 125  
 Ile Arg Gly Glu Tyr Gln Ile Asn Phe His Ile Val Asn Trp Asn Leu  
 130 135 140  
 Ser Asn Pro Asp Pro Thr Ser Ser Glu Tyr Ile Thr Leu Leu Arg Asp  
 145 150 155 160  
 Ile Gln Asp Lys Val Thr Thr Leu Tyr Lys Gly Ser Gln Leu His Asp  
 165 170 175  
 Thr Phe Arg Phe Cys Leu Val Thr Asn Leu Thr Met Asp Ser Val Leu  
 180 185 190  
 Val Thr Val Lys Ala Leu Phe Ser Ser Asn Leu Asp Pro Ser Leu Val  
 195 200 205  
 Glu Gln Val Phe Leu Asp Lys Thr Leu Asn Ala Ser Phe His Trp Leu  
 210 215 220



Gly Ser Thr Tyr Gln Leu Val Asp Ile His Val Thr Glu Met Glu Ser  
 225 230 235 240  
 Ser Val Tyr Gln Pro Thr Ser Ser Ser Ser Thr Gln His Phe Tyr Leu  
 245 250 255  
 Asn Phe Thr Ile Thr Asn Leu Pro Tyr Ser Gln Asp Lys Ala Gln Pro  
 260 265 270  
 Gly Thr Thr Asn Tyr Gln Arg Asn Lys Arg Asn Ile Glu Asp Ala Leu  
 275 280 285  
 Asn Gln Leu Phe Arg Asn Ser Ser Ile Lys Ser Tyr Phe Ser Asp Cys  
 290 295 300  
 Gln Val Ser Thr Phe Arg Ser Val Pro Asn Arg His His Thr Gly Val  
 305 310 315 320  
 Asp Ser Leu Cys Asn Phe Ser Pro Leu Ala Arg Arg Val Asp Arg Val  
 325 330 335  
 Ala Ile Tyr Glu Glu Phe Leu Arg Met Thr Arg Asn Gly Thr Gln Leu  
 340 345 350  
 Gln Asn Phe Thr Leu Asp Arg Ser Ser Val Leu Val Asp Gly Tyr Phe  
 355 360 365  
 Pro Asn Arg Asn Glu Pro Leu Thr Gly Asn Ser Asp Leu Pro Phe Trp  
 370 375 380  
 Ala Val Ile Leu Ile Gly Leu Ala Gly Leu Leu Gly Leu Ile Thr Cys  
 385 390 395 400  
 Leu Ile Cys Gly Val Leu Val Thr Thr Arg Arg Arg Lys Lys Glu Gly  
 405 410 415  
 Glu Tyr Asn Val Gln Gln Gln Cys Pro Gly Tyr Tyr Gln Ser His Leu  
 420 425 430  
 Asp Leu Glu Asp Leu Gln  
 435

&lt;210&gt; 391

&lt;211&gt; 2627

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 391

ccacgcgtcc gccacgcgt ccggaaggca gcggcagctc cactcagcca gtaccagat 60  
 acgctgggaa ccttcccag ccattgcttc cctggggcag atcctcttct ggagcataat 120  
 tagcatcatc attattctgg ctggagcaat tgcactcatc attggctttg gtatttcagg 180  
 gagacactcc atcacagtca ctactgtcgc ctcagctggg aacattgggg aggatggaat 240  
 cctgagctgc acttttgaac ctgacatcaa actttctgat atcgtgatac aatggctgaa 300  
 ggaaggtgtt ttaggcttgg tccatgagtt caaagaaggc aaagatgagc tgctcgagca 360

```

ggatgaaatg ttcagaggcc ggacagcagt gtttgctgat caagtgatag ttggcaatgc 420
ctctttgcmg ctgaaaaacg tgcaactcac agatgctggc acctacaaat gttatatcat 480
cacttctaaa ggcaaggga atgctaacct tgagtataaa actggagcct tcagcatgcc 540
ggaagtgaat gtggactata atgccagctc agagaccttg cgggtgtgagg ctccccgatg 600
gttccccag cccacagtgg tctgggcac ccaagttgac caggagacca acttctcgga 660
agtctccaat accagctttg agctgaactc tgagaatgtg accatgaagg ttgtgtctgt 720
gctctacaat gttacgatca acaacacata ctctgtatg attgaaaatg acattgccaa 780
agcaacaggg gatatacaag tgacagaatc ggagatcaaa aggcggagtc acctacagct 840
gctaaactca aaggcttctc tgtgtgtctc ttctttcttt gccatcagct gggcacttct 900
gcctctcagc ccttacctga tgctaaaata atgtgccttg gccacaaaaa agcatgcaaa 960
gtcattgtta caacagggat ctacagaact atttcaccac cagatatgac ctagttttat 1020
atctctggga ggaaatgaat tcatatctag aagtctggag tgagcaaaaca agagcaagaa 1080
acaaaaagaa gcaaaaagca gaaggctcca atatgaacaa gataaatcta tcttcaaaga 1140
catattagaa gttgggaaaa taattcatgt gaactagaca agtgtgttaa gagtgataag 1200
taaaatgcac gtggagacaa gtgcatcccc agatctcagg gacctcccc tgctgtcac 1260
ctggggagtg agaggacagg atagtgcag ttctttgtct ctgaattttt agttatatgt 1320
gtctctaagt tctctgagg aagccccctg aaagtctatc ccaacatata cacatcttat 1380
attccacaaa ttaagctgta gtatgtacct taagacgctg ctaattgact gccacttcgc 1440
aactcagggg cggctgcatt ttagtaatgg gtcaaatgat tcacttttta tgatgcttcc 1500
aaaggtgcct tggcttctct tccaactga caaatgccaa agttgagaaa aatgatcata 1560
atcttagcat aaacagagca gtccggcgaca ccgattttat aaataaactg agcaccttct 1620
ttttaacaa acaaatgcgg gtttatttct cagatgatgt tcatccgtga atgggtccagg 1680
gaaggacctt tcaccttgac tatatggcat tatgtcatca caagctctga ggcttctcct 1740
ttccatcctg cgtggacagc taagacctca gtttcaata gcacttagag cagtgggact 1800
cagctggggg gatttcgccc cccatctccg ggggaatgtc tgaagacaat ttggttacc 1860
tcaatgaggg agtgaggag gatacagtgc tactaccaac tagtgataa aggccaggga 1920
tgctgctcaa cctcctacca tgtacaggac gtctcccat tacaactacc caatccgaag 1980
tgtcaactgt gtcaggacta agaaaccctg gttttgagta gaaaagggcc tggaaagagg 2040
ggagccaaca aatctgtctg ctctctcaca ttagtcattg gcaaataagc attctgtctc 2100
tttggtgct gcctcagcac agagagccag aactctatcg ggcaccagga taacatctct 2160
cagtgaacag agttgacaag gcctatggga aatgcctgat gggattatct tcagcttgtt 2220
gagcttctaa gtttctttcc ctctattcta cctgcaagc caagttctgt aagagaaatg 2280
cctgagttct agctcaggtt ttcttactct gaatttagat ctccagacct ttcttgcca 2340
caattcaaata taaggcaaca aacatatacc ttccatgaag cacacacaga cttttgaaag 2400
caaggacaat gactgcttga attgaggcct tgagggaatga agctttgaag gaaaagaata 2460
ctttgtttcc agcccccttc ccacactctt catgtgttaa ccactgcctt cctggacctt 2520
ggagccacgg tgactgtatt acatgttgtt atagaaaact gattttagag ttctgatcgt 2580
tcaagagaat gattaaatat acatttccta caccacaaaa aaaaaaa 2627

```

&lt;210&gt; 392

&lt;211&gt; 310

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 392

```

His Ala Ser Ala His Ala Ser Gly Arg Gln Arg Gln Leu His Ser Ala
          5                      10                      15

```

```

Ser Thr Gln Ile Arg Trp Glu Pro Ser Pro Ala Met Ala Ser Leu Gly
          20                      25                      30

```

```

Gln Ile Leu Phe Trp Ser Ile Ile Ser Ile Ile Ile Leu Ala Gly
          35                      40                      45

```

```

Ala Ile Ala Leu Ile Ile Gly Phe Gly Ile Ser Gly Arg His Ser Ile

```

50                      55                      60  
 Thr Val Thr Thr Val Ala Ser Ala Gly Asn Ile Gly Glu Asp Gly Ile  
 65                      70                      75                      80  
 Leu Ser Cys Thr Phe Glu Pro Asp Ile Lys Leu Ser Asp Ile Val Ile  
                     85                      90                      95  
 Gln Trp Leu Lys Glu Gly Val Leu Gly Leu Val His Glu Phe Lys Glu  
                     100                      105                      110  
 Gly Lys Asp Glu Leu Ser Glu Gln Asp Glu Met Phe Arg Gly Arg Thr  
                     115                      120                      125  
 Ala Val Phe Ala Asp Gln Val Ile Val Gly Asn Ala Ser Leu Arg Leu  
                     130                      135                      140  
 Lys Asn Val Gln Leu Thr Asp Ala Gly Thr Tyr Lys Cys Tyr Ile Ile  
 145                      150                      155                      160  
 Thr Ser Lys Gly Lys Gly Asn Ala Asn Leu Glu Tyr Lys Thr Gly Ala  
                     165                      170                      175  
 Phe Ser Met Pro Glu Val Asn Val Asp Tyr Asn Ala Ser Ser Glu Thr  
                     180                      185                      190  
 Leu Arg Cys Glu Ala Pro Arg Trp Phe Pro Gln Pro Thr Val Val Trp  
                     195                      200                      205  
 Ala Ser Gln Val Asp Gln Gly Ala Asn Phe Ser Glu Val Ser Asn Thr  
                     210                      215                      220  
 Ser Phe Glu Leu Asn Ser Glu Asn Val Thr Met Lys Val Val Ser Val  
 225                      230                      235                      240  
 Leu Tyr Asn Val Thr Ile Asn Asn Thr Tyr Ser Cys Met Ile Glu Asn  
                     245                      250                      255  
 Asp Ile Ala Lys Ala Thr Gly Asp Ile Lys Val Thr Glu Ser Glu Ile  
                     260                      265                      270  
 Lys Arg Arg Ser His Leu Gln Leu Leu Asn Ser Lys Ala Ser Leu Cys  
                     275                      280                      285  
 Val Ser Ser Phe Phe Ala Ile Ser Trp Ala Leu Leu Pro Leu Ser Pro  
                     290                      295                      300  
 Tyr Leu Met Leu Lys  
 305

&lt;210&gt; 393

&lt;211&gt; 283

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;400&gt; 393

Met Ala Ser Leu Gly Gln Ile Leu Phe Trp Ser Ile Ile Ser Ile Ile  
                                   5                                  10                                  15  
 Ile Ile Leu Ala Gly Ala Ile Ala Leu Ile Ile Gly Phe Gly Ile Ser  
                                   20                                  25                                  30  
 Gly Arg His Ser Ile Thr Val Thr Thr Val Ala Ser Ala Gly Asn Ile  
                                   35                                  40                                  45  
 Gly Glu Asp Gly Ile Leu Ser Cys Thr Phe Glu Pro Asp Ile Lys Leu  
                                   50                                  55                                  60  
 Ser Asp Ile Val Ile Gln Trp Leu Lys Glu Gly Val Leu Gly Leu Val  
                                   65                                  70                                  75                                  80  
 His Glu Phe Lys Glu Gly Lys Asp Glu Leu Ser Glu Gln Asp Glu Met  
                                   85                                  90                                  95  
 Phe Arg Gly Arg Thr Ala Val Phe Ala Asp Gln Val Ile Val Gly Asn  
                                   100                                  105                                  110  
 Ala Ser Leu Arg Leu Lys Asn Val Gln Leu Thr Asp Ala Gly Thr Tyr  
                                   115                                  120                                  125  
 Lys Cys Tyr Ile Ile Thr Ser Lys Gly Lys Gly Asn Ala Asn Leu Glu  
                                   130                                  135                                  140  
 Tyr Lys Thr Gly Ala Phe Ser Met Pro Glu Val Asn Val Asp Tyr Asn  
                                   145                                  150                                  155                                  160  
 Ala Ser Ser Glu Thr Leu Arg Cys Glu Ala Pro Arg Trp Phe Pro Gln  
                                   165                                  170                                  175  
 Pro Thr Val Val Trp Ala Ser Gln Val Asp Gln Gly Ala Asn Phe Ser  
                                   180                                  185                                  190  
 Glu Val Ser Asn Thr Ser Phe Glu Leu Asn Ser Glu Asn Val Thr Met  
                                   195                                  200                                  205  
 Lys Val Val Ser Val Leu Tyr Asn Val Thr Ile Asn Asn Thr Tyr Ser  
                                   210                                  215                                  220  
 Cys Met Ile Glu Asn Asp Ile Ala Lys Ala Thr Gly Asp Ile Lys Val  
                                   225                                  230                                  235                                  240  
 Thr Glu Ser Glu Ile Lys Arg Arg Ser His Leu Gln Leu Leu Asn Ser  
                                   245                                  250                                  255  
 Lys Ala Ser Leu Cys Val Ser Ser Phe Phe Ala Ile Ser Trp Ala Leu  
                                   260                                  265                                  270  
 Leu Pro Leu Ser Pro Tyr Leu Met Leu Lys  
                                   275                                  280

## 11729.1 contg

TTAGAGAGGCACAGAAGGAAGAAGAGTTAAAAGCAGCAAAGCCGGGTTTTTTGTTTTGT  
TTTGTGTTTTGTTTTGTTTTGAGATGGAGTCTCACTCTGTTGCCCAAGCTGGAGTACAACGGCA  
TGATCTCAGCTCGCTGCAACCTCCGCTCCACGTTCAAGTGATTCTCCTGCCTCAGCCTCC  
CAAGTAGCTGGGATTACAGGCGCCCGCCACCACGCTCAGCTAAATTTTTTGTATTTTAGT  
AGAGACAGGGTTTCACCAGGTTGCCAGGCTGCTCTTGAACCTCCTGACCTCAGGTGATCCA  
CCCGCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCACGCCCGGCCCCCAA  
AGCTGTTTCTTTTGTCTTTAGCGTAAAGCTCTCCTGCCATGCCAGTATCTACATAACTGACGT  
GACTGCCAGCAAGCTCAGTCACTCCGTGGTC

## 11729-45.21.21.cons1

TAGGATGTGTTGGACCCTCTGTGTCAAAAAAACCTCACAAAGAATCCCTGCTCATTACA  
GAAGAAGATGCATTTAAAAATATGGGTTATTTTCACTTTTTATCTGAGGACAAGTATCCAT  
TAATTATTGTGTCAGAAGAGATTGAATACCTGCTTAAGAAGCTTACAGAAGCTATGGGAG  
GAGGTTGGCAGCAAGAACAATTTGAACATTATAAAATCAACTTTGATGACAGTAAAAATG  
GCCTTTCTGCATGGGAACCTTATTGAGCTTATTGGAATGGACAGTTTAGCAAAGCCATGGA  
CCGGCAGACTGTGTCTATGCCAATTAATGAAGTCTTTAATGAACCTTATATTAGATGTGTTA  
AAGCAGGTTACATGATGAAAAAGGCCACAGACGGAAAACTGCACTGAAAGATGGTT  
TGTAATAAAACCCAACTAATTTCTTACTATGTGAGTGAGGATCTGAAGGATAAGAAAGG  
AGACATTCTCTGGATGAAAAATTGCTGTGTAGAGTCTTGCTGACAAAGATGGA

## 11729-45.21.21.cons2

TTAGAGAGGCACAGAAGGAAGAAGAGTTAAAAGCAGCAAAGCCGGGTTTTTTGTTTTGT  
TTTGTGTTTTGTTTTGTTTTGAGATGGAGTCTCACTCTGTTGCCCAAGCTGGAGTACAACGGCA  
TGATCTCAGCTCGCTGCAACCTCCGCTCCACGTTCAAGTGATTCTCCTGCCTCAGCCTCC  
CAAGTAGCTGGGATTACAGGCGCCCGCCACCACGCTCAGCTAAATTTTTTGTATTTTAGT  
AGAGACAGGGTTTCACCAGGTTGCCAGGCTGCTCTTGAACCTCCTGACCTCAGGTGATCCA  
CCCGCTCGGCCTCCCAAAGTGCTGGGATTACAGGCGTGAGCCACCACGCCCGGCCCCCAA  
AGCTGTTTCTTTTGTCTTTAGCGTAAAGCTCTCCTGCCATGCCAGTATCTACATAACTGACGT  
GACTGCCAGCAAGCTCAGTCACTCCGTGGTC

## 11731.1contig

TCTTTTCTTTTCGATTTCTTCAATTTGTCACGTTTGATTTTATGAAGTTGTTCAAGGGCTAA  
CTGCTGTTGTTATAGCTTTCTCTGAGTTCCTTCAGCTGATTGTTAAATGAATCCATTTCTG  
AGAGCTTAGATGCAGTTTCTTTTCAAGAGCATCTAATTTGTTCTTTAAGTCTTTGGCAATAAT  
TCTTCCTTTCTGATGACTTTTATGAAGTAACTGATCCCTGAATCAGGTGTGTTACTGAG  
CTGCATGTTTTAAATTTCTTTGTTTAAATAGCTGCTTCTCAGCGACCAGATAGATAAGCTTAT  
TTGATATTCTTAAGCTCTTTGTTAAGTTGTTTCAATTTCCATAATTTCCAGGTCACACTGT  
TTATCCAAAACCTTCTAGCTCAGTCTTTTGTGTTGCTTTCTGATTTGGACATCTTGTAGTCTG  
CCTGACATCTGCTGATGXTTCCATTCAGTCTTCCAGTTCCAGGTGCAGACTTTCCTTTCT  
GGAGCTCAGCCTGACAATGCCCTTCTTGXTCCCT

FIG. 1A

## 11731.2contig

AGCCAGATGGCTGAGAGCTGCAAGAAGAAGTCAGGATCATGATGGCTCAGTTTCCCACAG  
CGATGAATGGAGGGCCAAATATGTGGGCTATTACATCTGAAGAACGTAAGCATGATA  
AACAGTTTGATAACCTCAAACCTTCAGGAGGTTACATAACAGGTGATCAAGCCCGTACTTT  
TTTCTACAGTCAGGTCTGCCGGCCCCGGTTTTAGCTGAAATATGGGCCTTATCAGATCTG  
AACAAAGGATGGGAAGATGGACCAGCAAGAGTTCTCTATAGCTATGAAACTCATCAAGTTA  
AAGTTGCAGGGCCAACAGCTCCCTGTAGTCTCCCTCCTATCATGAAACAACCCCTATGT  
TCTCTCCACTAATCTCTGCTCGTTTTGGGATGGGAAGCATGCCCAATCTGTCCATTCATCAG  
CCATTGCTCCAGTTGCACCTATAGCAACACCCTTGTCTTCTGCTACTTCAGGGACCAGTAT  
TCCTCCCTAATGATGCCTGCTCCCTAGTGCCTTCTGTAGTA

## 11734.1contig

AATAGATTTAATGCAGAGTGTCAACTTCAAJTGATTGATAGTGGCTGCCTAGAGTGCTGTG  
TTGAGTAGGTTTCTGAGGATGCACCCTGGCTTGAAGAGAAAGACTGGCAGGATTAACAAT  
ATCTAAAATCTCACTTGTAGGAGAAACACAGGCACCAGAGCTGCCACTGGTGCTGGCAC  
CAGCTCCACCAAGGGCCAGCGAAGAGCCCAATGTGAGAGTGGCGGTCAGGCTGGCACCAG  
CACTGAAGCCACCCTGGTGCTGGCACTGGCACTGGCACTGTTATTGGTACTGGTACTGGC  
ACCAGTGCTGGCACTGCCACTCTCTTGGGCTTTGGCTTTAGCTTCTGCTCCCGCTGGATCC  
GGGCTTTGGCCCAGGGTCCGATATCAGCTTCGTCCAGTTGCAGGGCCCGGCAGCATTCTC  
CGAGCCGAGCCCCAATGCCCATTCGAGCTCTAATCTCGGCCCTAGCCTTGGCTTCAGCTGCA  
GCCTCAGCTGCAGCCTTCAAATCCGCTTCCATCGCCTCTCGGTAC

## 11734.2contig

GCCAAGAAAGCCCGAAACGCTGAAGCATCTGGATGGGGAAGAGGATGGCAGCAGTGATCA  
GAGTCAGGCTTCTGGAACACAGGTGGCCGAAGGGTCTCAAAGGCCCTAATGGCCTCAAT  
GGCCCGCAGGGCTTCAAGGGCTCCCATAGCCTTTGGGCCCCGAGGGCATCAAGGACTCG  
GTTGGCTGCTTGGGCCCCGAGACCTTGGTCTCCCTGAGATCACCTAAAGCCCGTAGGGGC  
AAGCCTCGCCGTAGAGCTGCCAAGCTCCAGTCAATCCAAAGAGCCTGAAGCACCACCACCT  
CGGGATGTGGCCCTTTTGAAGGGAGGGCAAAATGATTTGGTGAAGTACCTTTTGGCTAAAG  
ACCAGACGAAGAATCCCATCAACCCCTGGGACATGCTGAAGGACATCATCAAGAATACA  
CTGATGTGTACCCCGAAATCATTGAACGAGCAGGCTATTCCTTGGAGAAGGTATTTGGGAT  
TCAATTGAAGGAAATTCATAAGAAATGACCCTTGTACATTCTTCTCAGC

## 11736.1contig

GAGGTCTCACTATGTTGCCCAGGCTGTTCTTGAACCTCCTGGGATCAAGCAATCCACCCATG  
TTGGTCTCCAAAAGTGCTGGGATCATAGGCGTGAGCCACCTCACCCAGCCACCAATTTTCA  
ATCAGGAAGACTTTTTCTTCTTCAAGAAGTGAAGCGTTTCCAGAGTATAGCTACACTATT  
GCTTGCCTGAGCGTGACTACAAAATTCCTTGGTAAAAGGTTAGGATGGGTAAAGAATTAG  
ATTTTCTGAATGCAAAAATAAAAATGTGAACCTAATGAACCTTTAGGTAATACATATTCATAAA  
ATAATTATTCACATATTTCTGATTATCACAGAAATATGTATGAAATGCTTTGAGTTTCT  
TGGAGTAAACTCCATTACTCATCCCAAGAAACCAATTATATAAGTATCACTGATAATAAGAA  
CAACAGGACCTTGTATATAATCTGGATAAGAGAAATAGTCTCTGGGTGTTTGTCTTAAT  
TGATAAAATTTACTTGTCCATCTTTAGTTTCAAGATCACAAAA

FIG. 1B

## 11736.2contig

AAGCGGAAATGAGAAAGGAGGGAAAAATCATGTGGTATTGAGCGGAAAACTGCTGGATGA  
CAGGGCTCAGTCCTGTTGGAGAACTCTGGGTGGTGTGTAGAACAGGGCCACTCACAGTG  
GGGTGCACAGACCAGCAGGGCTCTGTGACCTGTTTGTACAGGTCCATGATGAGGTAAAC  
AATACACTGAGTATAAGGGTTGGTTTAGAAAACCTTTACAGCAATTTGACAAAGTAATCTTC  
TGTGCAGTGAATCTAAGAAAAAAATTGGGGCTGTATTTGTATGTTTCTTTTTCATTTTCAT  
GTTCTGAGTTACCTATTTTATTGCAATTTACAAAAGCATCCTTCCATGAAGGACCGGAAGT  
TAAAAACAAAGCAGGTCTTTATCACAGCACTGTCTGTAGAACACAGTTCAGAGTTATCCAC  
CCAAGGAGCCAGGGAGCTGGGCTAAACC.AAAGAAATTTTGCTTTTGGTTAATCATCAGGTA  
CTTGAGTTGGAATTGTTTAAATCCCATCATTACCAGGCTGGAXGTG

## 11739-1&amp;2

CCGCGGCTCCTGTCCAGACCCTGACCCTCCCTCCCAAGGCTCAACCGTCCCCCAACAACCG  
CCAGCCTTGTACTGATGTGGCTGCGAGAGCCTGTGCTTAAGTAAGAATCAGGCCTTATTG  
GAGACATTCAGCAAAGGTTGGACA.AACTACTTTTCCAGAACAGAAAGGAACTCATGCCAT  
CAGAAAAGGTGACTAATAAAGGTACCAGAAGAATATGGCTGCACAAATACCAGAACTGA  
TCAGATAAAACAGTTTAAGCAATTTCTGGGGACCTACAATAAACTTACAGAGACCTGCTTT  
TTGGACTGTGTTAGAGACTTCACAACAAGAGAAGTAAACCTGAAGAGACCACCTGTTCA  
GAACATTGCTTACAGAAATATTTAAAAATGACACAAAGAATATCCATGAGATTCAGGAA  
TATCATATTCAGCAGAAATGAAGCCCTGGCAGCCAAAGCAGGACTCCTTGCCCAACCACGA  
TAGAGAAGTCTGTATGATGAATCTTTGATGAAAGATTGCCAACAGCTGCTTTATTGGAAA  
TGAGGACTCATCTGATAGAAATCCCTGAAAGCAGTAGCCACCATGTTCAACCATCTGTCAT  
GACTGTTTGGCAAATGGAAACCGCTGGAGAAACAAAATTTGCTATTTACCAGGAATAATCA  
CAATAGAAAGCTTTATTTGTCAGTGAATAATAAGATGCAACATTTGTTGAGGCTTATGA  
TTCAGCAGCTTGGTCACTTGATTAGAAAAATAAACCAATTTGTTCTCAATTGTGACTGTTA  
ATTTTAAAGCAACTTATGTGTCGATCATGTATGAGATAGAAAAATTTTATTACTCAAAG  
TAAAAATAAATGGA

## 11740.1.contig

GAAAAAAATATAAAACACACTTTTGGGAAAACGGTGGCCCTAAAAGAGGAAAAAGATTT  
CACCAATATAAATCCAA.TTTATGAAAACCTGACAAATTAATCCAAGAACTACTTTGTAAA  
TGAAGCTAGCAAGTGATGATATGATAAAATAAACGTGGAGGAAATAAAAACACAAGACTT  
GGCATAAGATATATCCACTTTGATA.TTAACTTGTGAAGCAATTTCTTCGACAAATTTGTG  
AAAGCGTTCCTGATCTTGCTTGTCTCCATTTCA.AATAAGGAGGCATATCATATCCCAAGA  
GTAACAGAAAAAGAAAAAGACATTTTGCATTTTGTAGATGAACCAAGACACAAAACAA  
AACCAACA.AAGTGTCATGTCTAACTTAGCCTCTGAAATAAACCTTGAACATCTCTACAA  
GGCACCGTGATTTTGTAA.TCTAACTGAAGAAATGTGATGACTTTTGTGGACATGAAAA  
TCAGATGAGAAAACCTGTGGTCTTTCCAAAGCCTGAACCTCCCTGAAAACCTTTTGA

FIG. 1C

## 11766.1.contig

CTGGGATCATTCTCTTGATGTCATAAAAGACTCTTCTTCTCTCTTCATCCTCTTCTTCAT  
CCTCTTCTGTACAGTGCTGCCGGGTACAACGGCTATCTTTGTCTTTATCCTGAGATGAAGAT  
GATGCTTCTGTTTCTCCTACCATAAAGTGAAGAAATTCGCTGGAAGTCGTTTGAAGTGGCTGT  
TTCTCTGACTTCACCTTCTTTGTCAAACCTGAGTCTTTTACCTCATGCCCTCAGCTTCCAC  
AGCATCTTCATCTGGATGTTATTTTTCAAAGGGGCTCACTGAGGAACTTCTGATTGAGAG  
GTGGAAGAGTCACTGTGATTTTCTCTCAATTTGCTGCAAAATTCCTCTTTGCTGTCTGT  
GCTCTCAGGCAACCCATTTGTTGTCAATGGGGGCTGACAAAGAAACCTTTGGTCGATTAAGT  
GGCTGGGTGTCCAGGCCCATTTATATTAGACCTCTCAGTATAGCTTGGTGAATTTCCAG  
GAAACATAACACCAATTCATTCGATTTAACTATTGGAATTGGTTTT

## 11766.2.contig

GAGGGTTGGTGGTAGCGGCTTGGGGAGGTGCTCGCTCTGTGGTCTTGCTCTCTCGCACGC  
TTCCCCCGCTCCCTTCGTTTCCCCCCCCCGGTGCGCTGCGTGGCGAGTGTGTGCGAGGG  
AGGGGGAGGGCGTGGGGGGGTGGGGGAGCGGTTCCGGTCCCCAAGAGACCCGCGGAG  
GGAGGCGGAGGCTGTGAGGACTCCGGGAAGCCATGGACGTCGAGAGGCTCCAGGAGGC  
GCTGAAAGATTTTGAGAAGAGGGGGAAAAAGGAAGTTGTCTGTCTGATCAGTTTCT  
TTGTATGTAGCCAAGACTGGAGAAACAAATGATTGAGTGGTCCCAATTTAAAGGCTATTTT  
ATTTCAAACCTGGAGAAAGTGAATGATGATTTTCAAACTTCAGCTCCTGAGCCAAGAGGTC  
CTCCAACCTTAATGTGA

## 11773.2.contig

AAGCAGGGGGCTCCCGGCTCGGACGGGGCTGCCACCTGCCCGCCCGCCGCTCGCTCGCT  
CGCCCGCGCGCGCTCGCGACCGCCAGCATGCTCCGAGAGTGGGCTGCCCGCGCT  
GCCGXTGCCG

## 11775-1&amp;2

ATCTCTTGATGCCAAATAATTAATAAATCTTTGAAACAAGTTCAGATGAAATAAAAAAT  
CAAAGTTTGCAAAAACGTGAAGATTAAGTTAATTTGTCAAATAATCCTCATTGCCCCAAATC  
AGTATTTTTTATTTCTATGCCAAAAGTATGCTTCAAAGTCTTAAATGATATATGATATG  
ATACACAAACCAAGTTTCAAATAGTAAAGCCAGTCACTTGCATTTGTAAGAAATAGGTA  
AAAGATATAAGACACCTTACACACACACACACACACACACCGTGTGCACGCCAATGAC  
AAAAACAATTTGCCCTCTCCTAAAAAAGAAACATGAAGACCCTTAATGCTGCCAGGAG  
GGAACACTGTGTACCCCTCCCTACAAATCCAGGTAGTTTCTTTAATCCAATAGCAATCT  
GGGCATATTTGAGAGGAGTGAATTTGACAGCCAGGTTGAAATCTGTGGGGAACCATTCAT  
GTCCACCACTGGTGCCTGAAAAAATGCCAATAATTTTCGCTCCCACTTCTGCTGCTGAC  
TCTTCCACATCCTCACATAGACCCAGACCCGCTGGCCCTGGCTGGGCATCGCATTTGCTG  
GTAGAGCAAGTCATAGGTCTGCTTTGACGTCACAGAAGCGATACACCAAATTCCTGCT  
CGGTCAATGTATAACCAGAGA

FIG. 1D



## 11777.1&amp;2.cons

CAGACGGGGTTTCACTATGTTGGCTAGGCTGGTCTTGAACCTCTGACTTCAGGTGATCTGC  
CTGCCCTTGGCCTCCCAAAGTGCTGGGATTACAGGCATAAGCCACTGCGCCCGCTGATCTG  
ATGGTTTCATAAGGCTTTTCCCCCTTTTGGCTACGCACTTCTCCTTCTGCGCCATGTGAAG  
AAGGACATGTTTGGCTTCCCCCTTCCACCACGATTGTAAGTTGTTTCTGAGGCCCTCCCCGGCC  
ATGCTGAACCTGTGAGTCAATTAAACCTCTTCTTTATAAAATTATCCAGTTTGGGTATGTC  
TTTATTAGTAGAATGAGAACAGACTAATACAAACCTTAAAGGAGACTGACGGAGAGGATT  
CTTCTGGATCCCAGCACTTCTCTGAATGCTACTGACATTCTTCTGAGGACTTTAAACTG  
GGAGATAGAAAACAGATTCCATGGCTCAGCAGCCTGAGAGCAGGGAGGGAGCCAAAGCTA  
TAGATGACATGGGCAGCCTCCCCTGAGGCCAGGTGTGGCCGAACCTGGGCAGTGCTGCAC  
CCACCCACCAGGGCCAAAGTCTGTCTTGGAGAGCCAAGCCTCAATCACTGCTAGCCTCA  
AGTGTCCTCCAAAGCCACAGTGGCTAGGGGGAAGTTCAGTCTGCCCTACTT  
CTCTTACCTTTACCCCTCATACCTCCAAAGTAGACCATGTTTATGAGGTCCAAAGG

## 11779.2.contig

AAGCGAGGAAGCCACTGCGGCTCCTGGCTGAAAAGCGCGGCCAGGCTCGGGAACAGAGG  
GAACCGGAAGAACAGGAGCGGAAGCTGCAAGGCTGAAAGGGACAAGCGAATGCGAGAGG  
AGCAGCTGGCCCCGGGAGGCTGAACCCCGGGCTGAACGTGAGGCCGAGGCCGGAGACGG  
GAGGAGCAGGAGGCTCGAGAGAAAGGCGCAGCCTGAGCAGGAGGAGCAGGAAGGACTGCA  
GAAGCAGAAAGAGGAAGCCGAAGCCCGGTCCCGGGAAGAAGCTGAGCGCCAGCGCCAGG  
AGCGGGAAGAAAGCACTTTCAGAAAGGAGCAACAGGAGAGACAAGAGCGAAGAAAGCGGCTG  
GAGGAGATAATGAAGAGGACTCCGAAATCAGAAGCCCGCGAAGCAAGAGCAGGATGC  
AAAGGAGACCGCAGCTAACAATTCGCGCCAGACCCCTTGTGAAAGCTGTAGAGACTCGGC  
CCTCTGGGCTTCCAGAAAGCAATCTATTCCAGAAAGGAAGGAGCTTGGCCCCCAAGGA

## 11781 &amp; 37.cons

CTCTGTGGAAAACCTGATGAGGAATGAATTTACCAATTACCAATGTTCTCATCCCCAAGCAAA  
GTGCTGGGTCTGATTACTGCAACACAGAGAAGCAAGAAGAAGCTTTTCTCATACAGGATC  
AGCAGGCCCTCATCACACTGGGCTGGATTTCATCTACCCCAACACAGAGCGGCTTTCTCTC  
CAGTGTGACCTACACACTCACTGCTTACCAGATGATGTTGCCAGAGTCAGTAGCCATT  
GTTTGCTCCCCCAAGTTCAGGAAGCTGGATTCTTTAAACTAACTGACCATGGACTAGAGG  
AGATTCTTCTGTGCGCCAGAAAGCAATTCATCCACACAGCAAGGATCCACCTCTGTTCTG  
TAGCTGCAGCCACGTGACTGTTGTGACAGAGCAGTGACCATCACAGACCTTCGATGAGC  
GTTTGAGTCCAACACCTTCCAAGAACAAACAAACCATATCACTGTACTGTAGCCCCCTTAAT  
TTAAGCTTTCTAGAAAGCTTTGCAAGTTTTTGTAGATAGTAGAAAGGGGGGCATCACXTGA  
GAAAGAGCTGATTTTGTATTTACGTTTGAAGAAGAAATAACTGAACATATTTTATAGGCAA  
GTCAGAAAGAGAACATGCTCACCCAAAGCAACTGTAACTCAGAAATTAAGTTACTCAGA  
AATTAAGTAGCTCAGAAATTAAGAAAGCAATGGTATAATGAACCCCATATACCCTTCCTTC  
TGGATTACCAATTTGTAACAATTTTCTCTCAGCTATCCTTCTAATTTCTCTCTAATTTT  
AATTTGTTATATTTACCTCTGGGCTCAATAAGGCCATCTGTCCAGAAATTTGGAAGCCAT  
TTAGAAAATCTTTGGAATTTCTGTGTTTATGGCAATATGAATGGAGCTTATTACTGGG  
GTGAGGACAGCTTACTCCAATTTGACCAGATTGTTGGCTAACACATCCCGAAGAAATGATT  
TTGTCAGGAATTAATGTTATTTAATAAATAATTCAGGATAATTTTCTCTACAATAAAGTAA  
CAAT

FIG. 1E

11781-76-87-37

CTCTGTGGAAAAGTGTGAGGAATGAATTTACCATTACCCATGTTCTCATCCCCAAGCAAA  
GTGCTGGGTCTGATTACTGCAACACAGAGAACGAAGAAGAACTTTTCTCATACAGGATC  
AGCAGGGCCTCATCAGACTGGGCTGGATTCTACTCACCACACAGACCGGTTTCTCTC  
CAGTGTGACCTACACACTCAGTGTCTTACCAGATGATGTTGCCAGAGTCAGTAGCCATT  
GTTTGTCCCCCAAGTTCAGGAACTGGATTCTTTAACTAACTGACCATGGACTAGAGG  
AGATTTCTTCTGTGCGCCAGAAAGGATTTCCACACAGCAAGGATCCACCTCTGTTCTG  
TAGCTGCAGCCAGGTGACTGTTGTGGACAGAGCAGTGACCATCACAGACCTTCGATGAGC  
GTTTGAGTCCAACACCTTCCAAGAACAACAAAACCATATCAGTGTACTGTAGCCCTTAAT  
TTAAGCTTTCTAGAAAGCTTTGGAAGTTTTGTAGATAGTAGAAAGGGGGGCATCACCTGA  
GAAAGAGCTGATTTTGTATTTTCTAGGTTTTGAAAAGAAATAACTGAACATATTTTTAGGCAA  
GTCAGAAAGAGAACATGGTCACCCAAAAGCAACTGTAAGTCAAGAAATTAAGTTACTCAGA  
AATTAAGTAGCTCAGAAATTAAGAAAGAAATGGTATAATGAACCCCATATACCCTTCTTC  
TGGAATCACCATTGTTAACATTTTTCTCTCAGCTATCCTTCTAATTTCTCTCTAATTC  
AATTTGTTTATATTTACCTCTGGGCTCAATAAGGGCATCTGTGCAGAAATTTGGAAGCCAT  
TTAGAAAATCTTTTGGATTTTCTGTGTTTATGGCAATATGAATGGAGCTTATTACTGGG  
GTGAGGGACAGCTTACTCCATTTGACCAGATTGTTTGGCTAACACATCCCGAAGAAATGATT  
TTGTCAGGAATTATTGTTATTAATAAATATTTCAGGATATTTTCTCTACAATAAAGTAA  
CAATTA

1178-1 &amp; 2

GGACGACAAGGCCATGGCGATATCCGATCCGAATTCAAGCCTTTGGAATTAATAAACCT  
GGAACAGGGAAGGTGAAAGTTGCAAGTCAGATGCTTCCATATCTATACCTTTGTGCACAGT  
TGAATCGGAAGTGTGCTTTAGGCACTTAGAGTTGATTGATGGAAAAAGCAGACAG  
GAACTGCTGGGAGGTCAGTGGCGAAGTTGTTGAATGTGGAATAACTTACCTTTGTGCTC  
CACTTAAACCAGATGTTTCCAGCTTTCTGACATGCAAGGATCTACTTTAATCCACACT  
CTCATTAATAAATTTGAATAAAAGGGAATGTTTGGCACTGATATAATCTGCCAGGCTATG  
TGACAGTAGGAAGGAATGGTTTCCCTAACAGCCCAATGCACCTGGTCTGACTTTATAAT  
TATTTAATAAAATGAACATTAATC

11785.2.contig

GGCAGTGACATTCACCATCATGGGAACCACTTCCCTTTCTTCAGGATTCTCTGTAGTGG  
AAGAGAGCACCCAGTGTGGGCTGAAACATCTGAAAGTAGGGAGAAGAACCTAAAATA  
ATCAGTATCTCAGAGGGCTCTAAGGTGCCAAGAAGTCTCAGTGGACATTTAAGTGCCAAAC  
AAAGGCATCTTTGGAAATGGCAAGTCAAAACTTTCTAACTTCTGTCTCTCAGAGACA  
AGTGAGACTCAAGAGTCTACTGCTTGTGGCAACTACAGAAAAGTGGTGTACCCAGAA  
AAACAGGAGCAATTAGAAATGGTTCCTAATTTCAAAGCTCCGCAAAACAGGATGTGCTTT  
CCTTTGCCCATTTAGGGTTTCTCTTTCTTTCTTTTATTAAACCACT

FIG. 1F

11718-1&amp;2 cons

TGCGCTGAAAA<sup>2</sup>AACGGCCTCCTTTACTGTTAAATGCAGCCACAGGTGCTTAGCCGTGGG  
CATCTCAACCACCAGCCTCTGTGGGGGGCAGGTGGGCGTCCCTGTGGGCCTCTGGGCCCAC  
GTCCAGCCTCTGTCTCTGCCTTCCGTTCTTCGACAGTGTCCCGGCATCCCTGGTCACTTG  
GTACTTGGCGTGGGCCTCCTGTGCTGCTCCAGCAGCTCCTCCAGGXGGTCGGCCCCGCTTCA  
CCGCAGCCTCATGTTGTGTCCGGAGGCTGCTACGGCCTCCTCCTCCTCGGAGGGCTGT  
CTTCACCTCCGGXGCACCTCCTCCAGCTCCAGCTGCTGGCGGGCCTGCAGCGTGGCCAGC  
TCGGCCTTGGCCTGCCGCTCCTCCTC.ARAGGCTGCCAGCCGGTCTCGAACTCCTGGC  
GGATCACCTGGGCCAGGTTGCTGCGCTCGCTAGAAAAGCTGCTCGTTCACCGCCTGGGCATC  
CTCCAGCGCCCGCTCCTTCTGCCGC.AAAGGCCCTGCAGACGCAGATTCTCGCCCTCGGC<sub>2</sub>T  
CCCCAAGCTGGCCCTT.CAGCTCCGAGC.ACCGCTCCTGAAGCTTCCGCTCCGACTGCTCCAG  
CTCGGAGAGCTCGGCCTCGT.ACTTGTCCCGTAAAGCGTTGATGCGGCTCTCGGCAGCCTTC  
TCACTCTCCTCTGGCCAGCGCCATGTCCGGCTCCAGCCGGTGAATGACAGCTCAATCT  
CCTTGTCCCGGCTTTCGGATTCTTCCCTCAGCTCCTGTTCCCGTT.CAGCAGCCACGCC  
TCCTCCTTCTGGTGGGGCGGCCTCCACGCCTGCTCTCCAGCTCCAGCTGCTGCTTCAG  
GGTATTCAGCTCCATCTGGCGGGCCTGCAGCGTGGCCA

13690.4

CAACTTATTACTTGAAAATTATAATATAGCCTGTCCGTTTGCTGTTTCCAGGCTGTGATATAT  
TTTCCTAGTGGTTTGACTTTAAAAATAAATAAGGTTTAAATTTCTCCCC

13693.1

TGCAAGTCACGGGAGTTTATTTATTTAAATTTTTTCCCCAGATGGAGACTCTGTGCCCCAGG  
CTGGAGTGCAATGGTGTGATCTTGGCTCACTGCAACCTCCACCTCCTGGGTTCAAGCGATT  
CTCCTGCCACAGCCTCCCGAGTAGCTGGGATTACAGGTGCCCGCCACCACACCCAGCTAAT  
TTTTATATTTTAAAGTAAAGACAGGGTTTCCCATGTTGGCCAGGCTGGTCTTGAATTTCTGA  
CCTCAGGTGATCCACCTGCCCTCGGCCCTCC.AAAGTGTTCGGATTACAGGCGTGAGCTACCC  
GTGCCTGCCAGCCACTGGAGTTTAAAGGACAGTCATGTTGGCTCCAGCCTAAGGCGGCA  
TTTTCCCCATCAGAAAGCCCGCGCTCCTGTACCTCAAAATAGGGCACCTGTAAAGTCAG  
TCAGTGAAGTCTCTCCTCTAACTGGCCACCCGGGGCCATTGGCNTCTGACACAGCCTTGCC  
AGGANGCCTGCATCTGCAAAAG.AAAAGTTCACTTCCTTTCCG

13694.1

CAGAGAACTKAGAAAGATGTCGGCTTTTCTTTTAAATGAATGAGAGAAGCCCATTTGTATC  
CCTGAATCAATTGAGAAAAGCCCGCGGTGGCGACAGCGCGGACCTAGGGATCGATCTGGAG  
GGACTTGGGGAGCGTGCAGAGACCTCTAGCTCGAGCGCGAGGGACCTCCCGCCGGGATGC  
CTGGGGAGCAGATGGACCTACTGGAAGTCAGTTGCAATCAGATTTCTCTCAGCAAGATAC  
TCCTTGCTGATAATTGAAGATTCTCAGCCTGAAAGCCAGGTTCTAGAGGATGATTCTGGT  
TCTCACTTCAGTATGCTATCTCGACACCTTCCTAATCTCCAGACGCACAAAG.AAAATCCTG  
TGTTGGATGTTGNGTCCAAATCCTTGAACAAACAGCTGGAGAAGAACGAGGAGACCGGTA  
TAGTGGGTTCAATGAACAATTTGAAAGAAAACCAGGTTGCAGACCCTG

FIG. 1G

13694.2

GACTGTCCTGAACAAGGGACCTCTGACCAGAGAGCTGCAGGAGATGCAGAGTGGTGGCAG  
GAGTGGAAAGCCAAAGAACACCCACCTTCCTCCCTTGAAGGAGTAGAGCAACCATCAGAAG  
ATACTGTTTTATTGCTCTGGTCAAACAAGTCTTCCTGAGTTGACAAAACCTCAGGCTCTGGT  
GACTTCTGAATCTGCAGTCCACTTTCATAAGTCTTGTGACAGACAACCTGTTCTTTTGCTTC  
CATAGCAGCAACAGATGCTTTGGGGCTAAAAGGCATGCTCTGACCTTGACAGGTGGTGG  
ATTTTGCTCTTTACAACATGTACATCCTTACTGGGCTGTGCTGTCACAGGGATGTCCTTGC  
TGGACTGTTCTGCTATGGGGATATCTTCGTTGGACTGTTCTTCATGCTTAATTGCAGTATTA  
GCATCCACATCAGACAGCCTGGTATAACCAGAGTTGGTGGTTACTGATTGTAGCTGCTCTT  
TGTCCACTTCATATGGCACAAGTATTTTCTCAACATCCTGGCTCTGGGAAG

13695.1

GAAATGTATATTTAATCATTCTCTTGAACGATCAGAACTCTRAAATCAGTTTTCTATAACAR  
CATGTAATACAGTCACCGTGGCTCCAAGGTCCAGGAAGGCAGTGGTTAACACATGAAGAG  
TGTGGGAAGGGGGCTGGAAACAAAGTATTTCTTTCTTCAAAGCTTCATTCTCAAGGCCT  
CAATTCAAGCAGTCATTGTCTTGTCTTTCAAAAGTCTGTGTGCTTCATGGAAGGTATAT  
GTTTGTGCTTAAATTTGAATTTGTTGGCCAGGAAGGGTCTGGAGATCTAAATTCAGAGTAAG  
AAAACCTGAGCTAGAACTCAGGCAATTTCTTTACAGAACTTGGCTTGCAGGGTAGAATGA  
ANGGAAAGAACTTAGAAGCTCAACAAGCTGAAGATAATCCCATCAGGCATTTCCCATAG  
GCCTTGAACCTCTGTTCACTGAGAGATGTTATCTCTG

13695.2

AGTCTGGAGTGAGCAAAACAAGAGCAACAACAARRAGAAGCCAAAAGCAGAAGGCTCCA  
ATATGAACAAGATAAAATCTATCTTCAAAGACATATTAGAAGTTGGGAAAATAATTTCATGT  
GAACTAGACAAGTGTGTTAAGAGTGATAAGTAAAATGCACGTGGAGACAAGTGCATCCCC  
AGATCTCAGGGACCTCCCCCTGCTGTACCTGGGGACTGAGAGGACAGGATAGTGCAATG  
TTCTTTGTCTCTCAATTTTAGTTATATGTCTGTAAATGTTGCTCTGAGGAAGCCCTGGAA  
AGTCTATCCCAACATATCCACATCTTATATCCACAAATTAAGCTGTAGTATGTACCCTAA  
GACGCTGCTAATTCAGTCCACTTCCCAACTCAGGGGGGGCTGCATTTTAGTAATGGGTCA  
AATGATTCACCTTTTATGATGCTTCCCAAGGTGCTTGGCTTCTCTTCCCAACTGACAAATG  
CCCAAGTTGAGAAAAATGATCATAATTTTAGCATAAACCGAGCAATCGGGACCCCC

13697.1

TAGCTGTCTTCCTCACTCTTATGGCAATGACCCCATATCTTAATGGATTAAAGATAATGAAA  
GTGTAATTTCTTACACTCTGTATCTATCACCAGAAGCTGAGGTGATAGCCCGCTTGTCATTGT  
CATCCATATTTCTGGCACTCAGGGGGGAATTTCTGGAATATTGCCAGGGAGCATGGCAGA  
GGGGCACAGTGCAATTTCTGGGGGAATGCACATTTGGCTCAGCCTGGGTAAATGAGTGATATAC  
ATTACCTCTGTTACAACTCAATGGCCAGCAGCTCACAAAGGCCCAACCAATACCAGAG  
CCCAAGAAATGTAGTCTCTTGTATATGTTTCTGTGTCCCAACCAATCTCATCTTGA  
ATTGTAAGCTCCCAATAATCCCATGTGTTGTGGCAGGGACCTGGTG

FIG. 1H

13697.2

ATCATGAGGATGTTACCAAAGGGATGGTACTAAACCATTTGTAATTCGTCTGTTTTCACT  
GCTTTGAAGATACTACCTGAGACTGGGTAAATTTATAAACAAAAGAGATTTAATTGACTCAC  
AGTTCTGCAATGGCTGAAGAGGCCTCAGGAACTTACAGTCATGGTGGAAAGGCAAAGGAGG  
AGCAAGGCATGTCTTACATGTCAGTAGGAGAGAGCGAGAGCAGGAGAACCTGCCACTT  
ATAAACCATTCAGATCTCATAACTCCCTATCATGAGAAAAACATGGAGGAAACCACCCTC  
ATGATCCAATCACCTCCCCCAGGTCCCTCCCTCGACACGTGGGGATTATAATTCAGGATT  
AGAGGGACACAGAGACAAACCATATCATCATTCATGAGAAATCCACCCTCATAGTCCAAT  
CAGCTCCTACCAGGCCCCACCTCCAACACTGGGGATTGCAATTCACATGAGATTTGGATG  
GGGACACAGATTCAAACCATATCATA

13699.1&amp;2

CATGGCCTTTCTCCTTAGAGGCCAGAGGTGCTGCCCTGGCTGGGAGTGAAGCTCCAGGCAC  
TACCAGCTTTCCTGATTTTCCCGTTTGGTCCATGTGAAGAGCTACCACGAGCCCCAGCCTCA  
CAGTGTCCACTCAAGGGCAGCTTGGTCTCTTGTCTGCAGAGGCAGGCTGGTGTGACCCT  
GGGAACCTTGACCCGGGAACAACAGGTGGCCCGAGAGTGAGTGTGGCCTGGCCCCCTCAACCT  
AGTGTCCGTCTCTCTCTCTGGAGCCAGTCTTGAGTTTAAAGGCATTAAGTGTTAGATA  
CAAGCTCCTTGTGGCTGGAAAAACACCCCTCTGCTGATAAAGCTCAGGGGGCACTGAGGA  
AGCAGAGGGCCCTTGGGGGTGCCCTCCTGAAGAGAGCGTCAGGCCATCAGCTCTGTCCCTC  
TGGTGTCTCCACGTCTGTTCCTCACCTCCATCTCTGGGAGCAGCTGCACCTGACTGGCCAC  
GCGGGGGCAGTGGAGGCACAGGCTCAGGGTGGCCGGGCTACCTGGCACCTATGGCTTAC  
AAAGTAGAGTTGGCCAGTTTCTTCCACCTGAGGGGAGCAGTCTGACTCCTAACAGTCTT  
CCTTGGCCCTGCCATCATCTGGGGTGGCTGCTGTCAAGAAAGGCCGGGCATGCTTTCTAAA  
CACAGCCACAGGAGGCTTGTAGGGCATCTTCCAGGTGGGGAAACAGTCTTAGATAAGTAA  
GGTGAATGGCTAAGGCCCTCCAGCACCTTGTATCTTGGAGTCTCACAGCAGACTGCATGT  
SAACAACCTGCAACCGAAAAACATCCCTCAGTATAAAA

13703.3

CCAGAACCTCCTTCTCTTTGGAGAAAGGGGAGGCCTCTTGGAGACACAGAGGGTTTCACT  
TGGATGACCTCTAGAGAAAATGGCCAAAGAGCCACCTTCTGGTCCCAACCTGCCAGACCCC  
ACAGCAGTCAGTTGGTCAGGCCCTCTCTAGAAAGGTCACTTGGCTCCATTGCCTGCTTCCA  
ACCAATGGGCAGGAGAGAAAGCCCTTATTTCTCGCCACCCATTCTCCTGTACCAGCACCT  
CCGTTTTAGTCAGYGTGTGCCAGCAACGGTACCGTTTACACAGTCA

13705.1

TGCATGTAGTTTTATTTATGTGTTTTSGTCTGGAAAACCAAGTGTCCCAGCAGCATGACTGA  
ACATCACTCACTTCCCTACTTGATCTACAAGGCCAAGCCGAGAGCCCAGACCAGGATT  
CAAACACACTGCACGAGAAATTTGTGGATCCGCTGTCAAGTAAAGTGTCCGTCACTGACCC  
RACGCTGTTACGTGGCACAAGACTGTACAGTGCCACGTAACAGCACTGTACTTTTCTCCA  
TGAACAGTTACCTGCCATGTATCTACATGATTGAGAACATTTTGAACAGTTAATTCTGACA  
CTTGAATAATCCCATCAAAAACCGTAAAAATCACTTTGATGTTTGTAAACGACAAACATAGCAT  
CACTTTACGACAGAAATCATCTGGAAAAACAGAAACGAATACATACATCTTAAAAAATG  
CTGGGGTGGGCCAGGCACAGCTTCACGCCGTGAATCCAGCACTTTGGGAGGCTTAAGCG  
GGTG

TGGGGCGGAAAGAAAGCCAAGGCCAAGGAGCTGGTGGCGGACGCTGCAGCTGGAGGCCGAG  
GAGCAGAGGAAGCAGAAGAAGCGGCAGAGTGTGTCGGGCCTGCACAGATACCTTCACCTTG  
CTGGATGGAAATGAATAATACCCGTGTCTGTGGATGCAGACGGTGATGTGATTCTCTCC  
CACCAATAACCACAGTGAGAAAGACAAAGGTTAAGAAAACGACTTCTGATTTGTTTTGG  
AAGTACAAGATGCCACCGATCTGCAGATTGCAAGGATGTCATGGATGCCCTCATTCTGAA  
AATGGCAAGAAATGAAAAAGTACACTTTAGAAAAATAAAGAGGAAGGATCACTCTCAGAT  
ACTGAAGCCGATGCAGTCTCTGGACAACCTCCAGATCCCAACGAATCCCAAGTGCTGGA  
AAGGACGGGCCCTTCTCTTCTGGTGGTGGAAACANGTCCCGGTGGTGGATCTTGAANGGAA  
CTGAANGTGGTGTACCCCGTCCAAGGCCGACCTTGGCCAC

TCCCGCGCTCGCAGGGCNCGTGCCACCTGCCYGTCCGCCCGCTCGCTCGCTCGCCCGCCGC  
GCCGCGCTGCCGACCGYCACGATGCTGCCGAGAGTGGGCTGCCCGCGCTGCCGCTGCCG  
CCGCCCGCGCTGCTGCCGCTGCTGCCGCTGCTGCTGCTGC

GGCGGGTAGGCATGGAACCTGAGAAAGACGAAAGAGCTTTCAGACTACGTGGGGAAGAAT  
GAAAAAACCAAAATTAATGCCAAGATTCAGCAAACGGGGACAGGGAGCTCCAGCCCGAGA  
GCCTATTATTAGCAGTGGAGGAGCAGAAAGCAGCTGATGCTGTACTATCACAGAAGACAAGA  
GGAGCTCAAGAGATTGGAAAGAAATGATGATGATGCTCTTTAACTCACCATGGGGCGGA  
TAACACTGCTTTGAAAAACAGATTTTCATGGAGTGAAAGACATAAAGTGGAGACCAAGATG  
AAGTTCACCAGCTGATGACACTTCCAAACAGATTAGCTCACT

TCTGAAGGTTAAATGTTTCATCTAAATACCGATAATGRTAAACACCTATAGCATAGAGTTG  
TTTGAGATTAAATGAGATAATACATGTAATAATTATGTCCCTGGCATACAGCAAGATTGTTG  
TTGTTGTTGATGATGATGATGATGATGATAATAATTTTTCTATCCCCAGTGCACAACCTGCTTG  
AACCTATTAGATAAATCAATACATGTTTCTTCAACTGAGATCAATTTCCCCATGTTGTCTGAC  
TGATGAAGCCCTACATTTTCTCTAGAGGAGATGACATTTGAGCAAGATCTTAAAGAAAAAT  
CAGATGCCCTTCCACCTGACCACTGCTTGGTGAATCCCATGGCACTTTGTACATCTCTCCATTAG  
CTCTGATCTCACCAAGCCCATCATTTGTATGTGCTGCCTTCTGAAGCTTGCAGCTGGCTAC  
CATCMGGTAGAATAAAAAATCATCTCTTTCATATAAATAGTGACCCTCCTTTTTATTTCGATTT  
CCCAAGGCCAAGCACCGTGGGANGGTAG

FIG. 1J

13709.2

TATGAAGAAGGGAAGAAGATAATTTGTGAAAGAAATGGGTCCAGTTACTAGTCTTTGA  
AAAGGGTCAGTCTGTAGCTCTTCTTAATGAGAATAGGCAGCTTTCAGTTGCTCAGGGTCAG  
ATTCCTTAGTGGTGTATCTAATCACAGGAAACATCTGTGGTTCCTCCAGTCTCTTTCTGG  
GGGACTTGGGCCCCTTCTCAATTCATTTAATTAGAGGAAATAGAACTCAAAGTACAATTT  
ACTGTGTTTAAACAATGCCACAAAGACATGGTTGGGAGCTATTTCTTGATTGTGTAAAAT  
GCTGTTTTGTGTGCTCATAATGGTTCCAAAAAATGGGTGCTGGCCAAAGAGAGATACTGT  
TACAGAAGCCAGCAAGAAGACCTCTGTTCAATCACACCCCGGGATATCAGGAATTGAC  
TCCAGTGTGTGCAATCCAGTTTGGCCTATCTTCT

13712.1&amp;2

TGAGGGACTGATTGGTTTGTCTCTGCTATTCAATTCCTCCCAAGCCCCTTGTTCCTGCAGCG  
TCCTCCTTCTCAATCCCTTTAGTTGTACCTCTCTTTCATCTGAGACCTTTCCTTCTTGATGT  
CGCCTTTTCTTCTTCTGCTTTTCTGATGTTCTGCTCAGCATGTTCTGGGTGCTTCTCATCT  
GCATCATTCCTTTCAGATGCTGTAGCTTCTTCTCTCTTCTGCTCCTTTTCTTTTCTTTT  
TTTTGGGGGGCTTCTCTCTGACTCCAGTTGAGGGGCCCCAGGGTCTGGCCTTTGAGACG  
AGCCAGGAAGGCCTGCTCCTGGCCCTCTAGGCGAGCAAGCTTGGCCTTCATTGTGATCCCA  
AGACGGGCAGCCTTGTGTGCTGTTCGCCCCCTCACAGGCTTGGAGCAGCATCTCATCAGTCA  
GAATCTTTGGGGACTTGGACCCCTGGTTGTCTCATCTGCAGCTCTCCAAGTCTTTGTTT  
GGCTTCTCTCCACCTGAAGTCAATGTAGCCATCTTCACAACTTCTGATACAGCAAGTTGG  
GCTTGGGATGATTATAACGGGTGGTCTCTCTTAGAAAGGGCTCCTTATCTGTACTCCATCCTG  
CCCAGTTTCCACTACCAAGTTGGCCGAGTCTTGTGTAAGAGCTCATTCACCAGTGGTTT  
GTGAATCCTTGGCAGGGTCACTCTTACCCCATGAGTGTCTTGGTTCAGYGTACCCCTGA  
GAGCCTGAGTGATACCAATCTCTCTCC

13714.1&amp;2

GACAACATGAAATAAATCCTAGAGGACAAAATTAAGTCAATAGAGTGTAGTCTAGTTAA  
AAACTCGAAAAATGAGCAAGTCTGGTGGGAGTGCAGCAAGGGCTATACTATAAATCCAAG  
TGGCCCTCCTGATCTTAACAAGCCATGCTCATATACACATCTCTGAAGTGGACATACCAC  
CTTTACGCAGGAAACAGGGCTTGGAACTTCTAAGGGAATTAACATGCACCAACCCACATC  
TAACCTACCTGCCGGGTAGGTACCATCCCTGCTTGGTGAATCAGTGCTC

13716.1&amp;2

TTGGAATTAAATAAACCTGGAACAGGGAAGGTGAAAGTTGGAGTGAGATGTCTTCCATAT  
CTATACCTTTGTGCACAGTTGAATCGGAATCTTTGGGTTTAGGGCATCTTAGAGTTGATT  
GATGGAATAAAGCAGACAGGAATCGTGGGAGGTCAAGTGGGGAAGTTGGTGAATGTGGA  
ATAACTTACCTTTGTCTCCACTTAAACCAGATGTGTTGCAGCTTTCTGACATGCAAGGA  
TCTACTTTAATTCACACTCTCATTAATAAATTGAATAAAGGGAATGTTTTGGCACCTGA  
TATAATCTGCCAGGCTATGTGACAGTAGGAAGGAATGGTTTCCCTAACAAGCCCAATGC  
ACTGGTCTGACTTTATAAATAATTAATAAATAAAGTAACTAATATC

13718.2

AAACTGGACCTGCAACAGGGACATGAATTTACTGCARGGTCTGAGCAAGCTCAGCCCCCTCT  
ACCTCAGGGCECCACAGCCATGACTACCTCCCCAGGAGCGGGAGGGTGAAAGGGGGCCTG  
TCTCTGCAAGTGGAGCCAGAGTGGAGGAATGAGCTCTGAAGACACAGCACCCAGCCTTCT  
CGCACCAGCCAAGCCTTAAGTGCCTGCTGACCCTGAACCAGAACCCAGCTGAACTGCCCC  
TCCAAGGGACAGGAAGGCTGGGGGAGGGAGTTACAACCCAAGCCATTCCACCCCCTCCC  
CTGCTGGGGAGAATGACACATCAAGCTGCTAACAAATTGGGGGAAGGGGAAGGAAGAAAA  
CTCTGAAAAACAAAATCTTGT

13722.3

CATGCGTTTCACCACTGTTGGCCAGGCTGGTCTCGAACTCCTGGCCTCAAGCAATCCACCC  
GCCTCAGCCTCCAAAAGTGCTGGGATTACAGATGTGAGCCATGGCACCATGCCAAAAGGC  
TATATTCCTGGCTCTGTGTTCCGAGACTGCITTTAATCCCACTTCTTACATTTAGATTA  
AAAAATATTTTATTCATGGTCAATCTGGAACATAATTACTGCATCTTAAGTTTCCACTGAT  
GTATATAGAAGGCTAAAGGCACAAATTTTATCAAATCTAGTAGAGTAACCAAAACATAAAA  
TCATTAATTACTTTCACTTAATAACTAATTGACATTCTCAAAGAGCTGTTTTCAATCCT  
GATAGGTTCTTTATTTTCAAAAATATATTGGCATGGGATGCTAATTGCAATAAGGCGC  
ATAATGAGAATACCCCAAACTGGA

13722.4

GTTGGACCCCCAGGGACTGGAAAGACACTTCTGCCCGAGCTGTGGCGGGAGAAAGCTGAT  
GTTCTTTTTATATGCTTCTGATCCGAATTTGATGAGATGTTTGTGGGTCTGGGAGCCAG  
CCGTATCAGAAATCTTTTAGGGAAAGCAAAGCCGAATGCTCCTTGTTTATATTTATTGAT  
GAATTAGATTCTGTTGGTGGGAAGAGAAATCAATCTCCAATGCATCCATATTCAAGGCAGA  
CCATAAATCAACTTCTTGCTGAAATGGATGGTTTTAAACCCAATGAAGGAGTTATCATAAT  
AGGAGCCACAAACTTCCACAGGCAATTAGATAATGCCTTAATACCGTCTGGTCTGTTTTGA  
CATGCAAGTTACAGTTCCAAGCCAGATGTAAAAGGTGGAACAGAAATTTTGAAATGGTA  
TCTCAATAAAATAAAGTTTGATCAATCCCGTTGATCCAGAAATTAAGCCTCGAGGTACTG  
GTGGCTTTTCCGGAAGCAGAGTTGGGAGAAATCTT

13724-13698-13748

GCCTACAACATCCAGAAAGAGTCTACCTGCACTGGTCTCGTCTCAGAGGTGGGATGC  
AGATCTTCGTGAAGACCTGACTGGTAAGACCATCACTCTCGAAGTGGAGCCGAGTGACA  
CCAATGAGAACGTCAAAGCAAAGATCCARGACAAGGAAGGCRTYCCTCTGACCAGCAGA  
GGTTGATCTTTGCCGGAAGCAGCTGGAAGATGGDCCACCCCTGTCTGACTACAACATCC  
AGAAAGAGTCYACCTGCACTGGTCTCCGTCTCAGAGGTGGGATGCARATCTTCGTGA  
AGACCTGACTGGTAAGACCATCACTCTGAGGTGGAGCCCAAGTGACACCATCGAGAAATG  
TCAAGGCAAAGATCCAAGATAAGCAAGCCATCCCTCTGATCAGCAGAGGTTGATCTTTG  
CTGGGAAACAGCTGGAAGATGCAAGCCACCTGCTGACTACAACATCCAGAAAGAGTCCA  
CTCTGCACTTGGTCTGCGCTTGAGGGGGGGTGTCTAAGTTTCCCTTTAAGGTTTCMAC  
AAATTCATTGCACTTTCCTTTCAATAAAGTTGTTGCATTCCC



13730.1

GAAGTGGGCTCTGAGCCCAAGTCATGCCTTGTGTCCGCATCTGCCGTGTACCTCTGTGCC  
TGCCCCCTACCCCTCCCTCCTGGTCTTCTGAGCCAGCACCATCTCCAAATAGCCTATTCCTT  
CCTGCAAATCACACACACATGCGGGCCACACATACCTGCTGCCCTGGAGATGGGGAAGTA  
GGAGAGATGAATAGAGGGCCATACATTGTACAGAAGGAGGGGCAGGTGCAGATAAAAGC  
AGCAGACCCAGCGGCAGCTGAGGTGCATGGAGCACGGTTGGGGCCGGCATTGGGCTGAGC  
ACCTGATGGGCTCATCTCGTGAATCCTCGAGGCAGCGCCACAGCAGAGGAGTTAAGTGG  
CACCTGGGCGGAGCAGAGCAGGAGACTGAGGGTCAGAGTGGAGGCTAAGCTGCCCTGGA  
ACTCTCAATCTTGCTGCCCTCTAGTATGAAGCCCCCTTCTGCCCTACAATTCCTGA

13732.1

ATGGATCTTACTTTGCCACCCAGGTTGGAGTGCAGTGCATCTTGGCTCACTGCAGCC  
TTAACCTCCCAGGCTCAAGCTATCCTCCTGCCAAAGCCTTCCACATAGCTGGGACTACAGG  
TACACNGCCACCACACCCAGCTAAAATTTTGTATTTTGTAGAGACGGGATCTCGCCAC  
GTTGCCCAGGCTGGTCCCATCCTGACCTCAAGCAGATCTGCCCACCTCAGCCCCCAACGT  
GCTAGGATTACAGCGGTGAGCCACCGCACCCAGCCTTTGTTTGTCTTTAATGGAATCACC  
AGTTCCCTCCGTGTCTCAGCAGCAGCTGTGAGAAATGCTTTGCATCTGTGACCTTTATGA  
AGGGGAACCTTCCATGCTGAATGAGGCTAGGATTACATGCTCCTGTTTCCCGGGGTCAAG  
AAAGCCTCAGACTCCAGCATGATAAGCAGGGTGAG

13732.2

ATAGGGGCTTTAAGGAGGGAATTCAGGTTCAATGAGGTGTAAGGCCAGGGCTCTTATCC  
AGTAAGACTGGGGTCTTACATGAGAAAGAGACACCCGAGGTCTTCTCTGCGGTGTG  
AGGATGCATCAAGAAGCGGGCGCTCTGCAAGCGAAGGAGAGCGCCGACACAGAAACCGAC  
ACCTTCATCTTGGACTTGCAGCTCTAGAACTGAGAAAATAACTGTCTGTTGTTAAGCCA  
CCAGTTTGTAGTATCTCTTATGGCTTCTAAGCAGACTAACAAACAAACACCCAAAAT  
AACTGATGGCTTCCTCTCTCTGTAAATAATGCTATGAGAGAACTTTCACTCACTGTTTT  
GCAGTTTCTCCCTCAGTCCCTGGTCTTCTCTCACATAATCCCAATTTCAATTTATAGTTC  
ATGCCCCAGGCAGAGTCAATTCACCGGCATCTCCTGAGCTAAACCAGCACCTGCTCTGCT  
CACTTCTTGACTGGCTGCTCATCATCAGCCCTCTTGCAGAGATTTCATTTCTCCCGTGCCA  
GGTACTTCACGCACCAAGCTCA

FIG. 1M

13735.1

GGATAATGAAGTGTGTTTATTAGCTTGGAC.AAAAAGGCATATTCCTCTATTTTCTTATACA  
ACAAATATCCCC.AAAATAAAGCAAGCATATATCTTGAATGTGTAATAATCCAGTGATA  
AACAAGAGCAGTACTTT.AAAAGAAAA.AAAATATGTATTTCTGTCAAGGTTAAATGAGAA  
TCAAAACCATTTACTCTGCTAACTCATTATTTTTGCTTTCTTTTGGTTAAGAGAGGCAAT  
GCAATACACTGAAAAAGGTTTTATCTTATCTGGCATTGGAATTAGACATATTCAAACCCC  
AGCCCCCATTTCCAACTTTAAGACCAC.AAAC.AAGTAATTTACTTTTCTGAACATTTGGTTTT  
TTCTGGAAAAATGGGAATTTATA.AAAATAGACTTTGCAGACTCTTATGAGATTAAATAAGATA  
ATGTATGAAATTTCTTCTTTT.TACTTCTTTTCTTTTGGAGATGGAGTCTCACCCCGT  
CACCCAGGCTGGAGTACAGTG

13735.2

CCACTGCACTCCAGCCTGGGTGACGGAGTGAGACTCTGTCTCAAAAAACAAACAAACAA  
ACAAACAAAAAACTGAAAAGGAAATAGAGTTCCTCTTCTCATATATGAATATATTATTT  
CAACAGATTGTTGATCACCTACCATATGCTTGGTATTGTTCTAAATGCTGGGGATACAGCA  
AGAGGTTCTCCAGAACTTCATGGAGCATGAAAGTAAATAAACAAAGTTAAATTC AAGGCC  
AGGCATGGTTGCTCACACCTTTAGTCCCAGCACTTTGGGAGGCTGAGGCCAGGTGGATCACT  
TGGGCCCAGGAGTTCAAGGCTGCAGTGACCCAAGATTGTGCCACTACTCTCCAGCGCTGGG  
CAACAGAGCAAGACCTGTCTCAGGGGGAACAAAAAGTTAAATTCAGATTGTTTAAGTG  
CTGTAAAGGAAGATAAGGTTGATATCAAGAGAGCACCTGAAGGCCAGGCGTGGTGGC  
TCACGGCTGTGGTCTACCGCTTTGGGAACCCCGAGCGGGCGGATCACAAAGTTCAGGAGAA  
TTTTGGCCAGGCATGGTG

13-36.1

AGAATCCATTATTTGGGTTTTAACTAGTTACACAACCTGAAATCAGTTTGGCACTACTTTA  
TACAGGGGATTACGCCTGTGTATGCCGACACTTAAATACTGTACCCAGGACCCTGCTGTGCT  
TAGGTCTGTATTCAGTCATTCAGCATGTAGATACTAAAAATATCTGTAGTTTCCTTTAA  
GGAAGACTGTACAGGGTGTGTGCAAGATGACATTCACCAATTTGTGAATTAATTCACACC  
ACAAGATACCTTTCACTCTATAAACTTTGTATAGGCAAAATGTGGTGTAGCATTGAGAG  
ATGACACACAAAAATGTTACATAAAAAGTTTCAGACATTTCTAATGATAAGTGAACCTGAAAAA  
AAAAAACCACATGTCTAAATTTGTAACAAGATAAAGAAAATAATTTAAAAACACAAA  
AAATGGCATTCACTGGGTACAAAAGC

13737.142

CAAAATATTTAAATATAAAATCTTTGAACACAAGTTCAGAKGAAATAAAAAATCAAAGTTTGCAA  
AAACGTGAAGATTAACTTAAATGTCAAATATTCCTCATATGCCCCAAATCAGTATTTTTTTTA  
TTTCTATGCAAAAGTATGCCCTTCAAACCTGCTTAAATGATATATGATGATACACAAACGA  
GTTTTCAAATAGTAAAGCCAGTCACTTGCAAATGTGAAGAAATAGGTAAAAAGATTATAAG  
ACACCTTGACACACACACACACACACACACACAGTGTGCACGCCAATGACAAAAAAC  
AATTGGCCCTCTCTAAAATAAGAAACATGAAGACCCCTTAATTGCTGCCAGGAGGGAACAC  
TGTGTACCCCTCCCTACAACTCCAGGTACTTTCTTTAATCCAATAGCAAATCTGGGCCATAT  
TTGAGAGGAGTGATTCTGCACGCCACGTTGAAATCCTGTGGGGAACCAATCATGTGCCACC  
CACTGGTGGCCCTGAAAAAATGCCAATAATTTTTCGCTCCCACCTTCTGCTGTCTCTTCCA  
CATCCTCACATAGACCCAGACCGCGCTGGCCCTGGCTGGGCATCGCATTGCTGGTAGAGC  
AAGTCATAGGTCTCGTCTTTGACGTACAGAAAGCGATACACCAAATTGCTGTGGTCAAT  
TGTCATAACCAAG

FIG. 1N

TTTGACTTTAGTAGGGGTCTGAACATTTATTTTACTTTGCCMGTAATTTTARACCYTATA  
TATCTTTTCATTATGCCATCTTATCTTCTAATGBCAAGGGAACAGWTGCTAAMCTGGCTTCT  
GCATTWATCACATTTAAAAATGGCTTTCTTGGAAAACTCTTGATGAATGAATAAAGGATCTT  
TTAAGCCATCATTTAAAGCMGGNTTCTCTCCAACACGAGTCTGCTSAAGGGGGGKGAGCT  
GTGAAGCTCTGGCTGAAGGCTTTCCCATACACACTGCAATGACMTGGTTTCTGACCAGBTG  
AGTTA

AGAGAAGCCCCATAAATGCCAATCAGTGTGGGAAGGCCTTCAGTCAGAGCTCAAGCCTTTT  
CCTCCATCATCGGGTTCATACTGGAGAGAAACCTATGTATGTAATGAATGCGGCAGAGCC  
TTTGGTTTAACTCTCATCTTACTGAACACAGTAAGGATTCACACAGGAGAAAAACCTATG  
TTTGTAAATGAGTGCGGCAAAAGCCTTTCTGTCGGAGTTCCACTCTTGTTCAGCATCGAAGAGT  
TCACACTGGGGAGAAAGCCCTACCAGTGGCTTGAATGTGGGAAAGCTTTCAGCCAGAGCTC  
CCAGCTCACCCCTACATCAGCCGAGTTTCACTGGAGAGAAGCCCTATGACTGTGGTGACTG  
TGGGAAGGCCTTCAGCCGGAGGTCAACCCCTATTAGCATCAGAAAGTTTACAGCGGAGA  
GACTCGTAAGTGCAGAAAACATGGTCCAGCCTTTGTTCATGGCTCCAGCCTCAGCAGAT  
GGACAGATTCCCCTGGAGAGAAAGCACCGGCAGAACCTTTAACCATGGTGCAAACTCTATT  
CTGCGCTGGACAGTTC

GAGACAGGGGCTCAGCTTGTGACCCAGGGCTGGAATGACAGTGGTGGGATCTTACGTAGCTCA  
CTGCAGCCCTGACCTCTGGACTCAAAACAATCTCTGGCTCAGCCCTGCAAGTAGCTGGG  
ACTGTGGGTGCATGCCACCATGCGCTGGCTAACTTTGTAGTTTGTAAAGATGGGGTTTT  
GCCATGTTGCACATCTCTGCTTTGAACCTCTGAGCTCAAGACGATCTGCCACCTCGGCCCTC  
CCAGAATGTTGGGATTACAGGGGTAACCACGACGCGCTGGGCCCCATTAGGTAATCTTAGC  
ATCCACTTGCTCACTGAGATAAATCATAAAGAGATGATAAGCACTGGAAGAAAAAATTTTT  
ACTAGGCTTTGGATAATTTCTCTCTCAGCTTTATACAGAGGATTGGAATCTTTAGTTTTT  
CTTTAACTGATAATAAAACATTAAGACCAATAAGTTACCTGAGATTACAGAGATAAC  
CGGCATCACTCCCTTGTCTAAATCCAGCTTTTACCACATCAATTTTTCAGAGGTGCAGGA  
TAAAGGCTTTAGTCTGCTTTCGCACCTTTCTTCCACTTTTGTAAACCTGTTGCTTGACA  
AATGGAATTGACAGCGTATGCCATGACTATCCATTTGTCAGGCATACGCTGTCAATTTTT  
CCACCAATCCCTTGCTCTCTTTGGAGAGATCTTCTTATCAGCTAGTCTTTGGCAAAAGTA  
ATTGCAACTTCTTCTAGGTAATCTATTGTCGGTTCAGTGGTGGAAACCCCTGGGACCAGGA  
CTAAAACTCCAG

ATCTCATATATATATTTCCTGACTTATTGCTTGCTTCTGNCACGCAITTTAAAAATATC  
ACAGAGACCAAAATAGAGCGGCTTTCTGGTGGAAACGATGGCAGTACACAGGACAAAAATAC  
AAAAGCTAGGGGGCTCTGTCTCTCATACATACAAATTTTCAAGTATTTTTTTTATGTACA  
AAGAGCTACTCTATCTGAAAAAAAATAAAAAATAAATGAGACAAAGATAGTTTATGCATC  
CTAGCAAGAAAGAATGGGAAGAAAGACGGGGCAGTTGGGTACAAATTCCTGTCCCCCTGT  
TCCCAGGGACCACTACCTTCTGCGCACTGAGTTTCCCCCAGCGCTCACCCATCATGTGCACA  
GGGCAAGTGCCAGGGTAGGTGGGGACCACTGGAGACAGGAACCAACATACTTTGGC  
CTGGAAGATAAGGAGAAAGTCTCAGAAACACACTGGTGGGAAGCAATCCCACNGGCCGT  
GCCCAAGAGCTTCCCACCTGCTGCTGGCTCCCTGGGTGGCTTTGGGAACAGAGCTGGGCAG  
GCCCTTTGGGTCCGGNCCAACTGGGCCTTTGGGCCCCGTGTGGAAG

FIG. 10

13742.1

AAACATTGAGATGGAATGATAGGGTTTCCCAGAATCAGGTCCATATTTTAACTAAATGAA  
AATTATGATTTATAGCCTTCTCAAATACCTGCCATACTTGATATCTCAACCAGAGCTAATTT  
TACCTCTTTACAAATTAATAAGCAAGTAACTGGATCCACAATTTATAATACCTGTCAATT  
TTTTCTGTATTAACCTCTATCATAGTTTAAGCCTATTAGGGTACTTAATCCTTACAAATAA  
ACAGGTTTAAAAATCACCTCAATAGGCAACTGCCCTTCTGGTTTCTTCTTTGACTAAACAAT  
CTGAATGCTTAAGATTTTCCACTTTGGGTGCTAGCAGTACACAGTGTACACTCTGTATTCC  
AGACTTCTTAAATTTATAGAAAAAGGAATGTACACTTTTGTATTCTTTCTGAGCAGGGCCG  
GGAGGCAACATCATCTACCATGGTAGGGACTTGTATGCATGGACTACTTTA

14351.1

ACTCTGTGCCCCAGGCTGGAGCCCCABTGGMGGCATCTCGACTCCCTGCAAGCTMCGCCTC  
ACAGGWTCAATGCCATTCTCCTGCCTCAGCATCTGGAGTAGCTGGGACTACAGGCGCCAGC  
CACCATGCCAGCTAATTTTT

14351.2

ACCTTAAAGACATAGGAGAAATTTACTGGGAGAGAAAGCTTACAAATGTAAGGTTTCTG  
ACAAGACTTGGGAGTGATTCACACCTGGAAACAACATACTGGACTTCACACTGGABAGAAA  
CCTTACAAGTGTAATGAGTGTTGCCAAAGCCTTTGGCAAGCAGTCAACACTTATTCACCATC  
AGGCAATTCAT

14354.2

AGTCAGGATCATGATGGCTCAGTTTCCCACAGCGATGAATGGAGGGCCAAATATGTGGGC  
TATTACATCTGAAGAACCTACTAAGCATGATAAACAGTTTGATAACCTCAAACCTTCAGGA  
GGTTACATAACAGGTGATCAAGCCCGTACTTTTCTTACAGTCAGGTCTGCCGGCCCCGG  
TTTTAGCTGAAATATGGCCCTTATCAGATCTGAACAAGGATGGGAAGATGGACCAGCAAG  
AGTTCTCTATAGCTATGAACTCATCAAGTTAAAGTTGCAGGGCCAAACAGCTGCCTGTAGT  
CCTCCCTCCTATCATGAACAACCCCTATGTTCTCTCCACTAATCTCTGCTGTTTTGGGA  
TGGGAAGCATGCCCAATCTGTCCAATCATCAGCCATTGCCTCCAGTTGCACCTATAGCAAC  
ACCTTGTCTTCTGCTACTTCAGGGACCAGTATTCCTCCCTAATGATGCCTGCT

14354.1

CTTTCGATTTCCTTCAATTTCTCAGCTTTCATTTATGAAGTTGTTCAAGGGCTAACTGCTG  
TGTAATTATAGCTTTCTCTGAGTTCTTCAGCTGATTGTTAAATGAATCCATTTCTGAGAGCT  
TAGATGCAGTTTCTTTTCAAGAGCATCTAAATGTTCTTTAAGTCTTTGGCATAATTTCTTCC  
TTTTCTGATGACTTTCTATGAAGTAACTGATCCCTGAATCAGGTGTGTTACTGAGCTGCAT  
GTTTTTAATTTCTTTGTTTAAATACCTGCTTCTCAGGGACCAGATAGATAAGCTTATTTTGAT  
ATTCTTAAAGCTCTTGGTGAAGTTGTTGATTTCCATAATTTCCAGGTACACTGGTTATCC  
CAAACTTCT

FIG. 1P

16431.1.2

GTGGAGGTGAAACGGAGGCAAGAAAGGGGGCTACCTCAGGAGCGAGGGACAAAGGGGGC  
GTGAGGCACCTAGGCCCGCGGACCCCCGGGACAGGAAGCCGTCCTGAACCGGGCTACCGG  
GTAGGGGAAGGGCCCGCGTAGTCCTCGCAGGGCCCCAGAGCTGGAGTCGGCTCCACAGCC  
CCGGGCCGTGGGCTTCTCACTTCCTGGACCTCCCCGGCGCCCGGGCTGAGGACTGGCTCG  
GCGGAGGGAGAAAGAGGAAACAGACTTGAGCAGCTCCCCGTTGTCTCGCAACTCCACTGCC  
GAGGAACTCTCATTTCTTCCCTCGCTCCTTACCCCCACCTCATGTAGAAAGGTGCTGAA  
GCGTCCGGAGGGAAGAAGAACCTGGGCTACCGTCTGGCCTTCCCMCCCCCTTCCCGGGG  
CGCTTGGTGGGCGTGGAGTTGGGGTGGGGGGTGGGTGGGGTCTTTTTTGGAGTGCT  
GGGGAACCTTTTTTCCCTTCTCAGGTCAGGGGAAAGGGAATGCCCAATTCAGAGAGACAT  
GGGGCAAGAAGGACGGGAGTGGAGGAGCTTCTGGAACCTTGCAGCCGTCATCGGGAGG  
CGGAGCTCTAACAGCAGAGAGCGTCACCGCTTGGTATCGAAGCACAAGCGGCATAAGTC  
CAAACACTCCAAAGACATGGGGTGGTGACCCCGAAGCAGCATCCCTGGGCACAGTTAT  
CAAACCTTTGGTGGAGTATGATGATATCAGCTCTGATTCCGACACCTTCTCCGATGACATG  
GCCTTCAAACCTAGACCGAAGGGAGAACGACGAACGTCGTGGATCAGATCGGAGCGACCGC  
CTGCACAAACATCGTCAACCACGACAGCGCTTCCCGGACTTACTAAAAGCTAAACAG  
ACCG

16432-1

GACATGTTTGCCTGCAGGGGACAGAGACAATGGGATTAGCCAGTGCTCACTGTTCTTTAT  
GCTTCCAGAGAGGATGGGGACAGCTCTCAGGTCAGAATCCAGGCTGAGAAGGGCAATGCTG  
GTTGGGGGCCCCCGGAAGCACGGTCCGGATCCTCCCTGGCATCAGCGTAGACCCGCTGCTC  
AGGCTTGGGGTACCAAACCTCATGCTCTGTACTGTTTGGCCCCATGGGGTGAAGGAAAAC  
CTAGAAAAAGATTGGTCTGCTAAGGAATCAGCTGCCCGCTCATCTCCGCATCCAATGCT  
GGTGACAAACATATCCCTCTCCGAGGACACAGACTCGGTGACTCCACACTGGGCTGACTGG  
CCTCTGGAGGCTCGTGGCCTAAGGCAGGGCTCCGTAAGGCTGATCGGCTGAACCTGGGTGG  
GGTGAGGGTCTCTGACCTTCCCTTCCCATCCCATACCGCTGTCAATGAGCTCACACTGT  
GGTCA

16432-2

GATGGCATGGTCTGTCTAAATGTCCTCTGGGATGGAGCACTTCTCCTGTGAGCCCAGG  
GGACCCGCTGTCCCTGGAGCTTGGGGCAAGGAGGGAAGAGTGATACCAGGAAGGTGGG  
GCTGCAGCCAGGGGCCAGAGTCAGTTACAGGAGTGGTCTCGGCCCTCAAAGCTCCTCCG  
GGGACTGCTCAGGAGTGATGGTGGCCTCGAGTTTGGCCCCAATTCCTTGGCCACCTGGAA  
GGTGCTGGCTGCTCCAGGCTCTAGGCTGGGCTGATGGGTTTCTCCAGGACACAAGTATC  
ATTAAGGCCACCTCTCTCAGCTTGTAGGCGGCACATGTGGGACAGGCTGTGCTCACAA  
CCCCCTGGCCTGCCCTGCCCTCCATCAGGAGGAGCCAGTGGAACTTCCGAAAGCTCCAG  
CATCTCAGCAGCCCTCAAAGCTCTCTGGGGCAAGCTCTGCTCTCTCTGACTGGAGGTCA  
TCTGGGCTTGGGCTGCTCTCTCTCC

17184.3

TAAAAAAGTGTAACAAGGTTTATTTAGACTTCTTCATGCCCCCAGATCCAGGATGTCTA  
TGTAACCGTATCTTACAAAGAAAGCACAATATTTGGTATAAACTAAGTCAGTCACTTGC  
TTAACTGAATAACCGTCCATCCAAAGTGGGTTAAGGTAAACTACCTGACGATATTGGC  
GGGATCTCTCAGTTTGAAGTCTTCCCGGGTTGTCCAGGCTTCCGGTCTGTTCTTGGC  
ACTCATGGGACAGGCATCTCTCTGTGTGGGGCCCCGCTGGAGCCCTTACGTGAAGCT  
GAAGGTATCCAGCCTAGGGGGCTTAGGGCAGTGGGACCTTCATCCGGAATAACAAGG  
TCGGGGAGAGGCTCTTGGGCTATGTGG

FIG. 10

17184.4

CAAGCGTTCCTTTATGGATGTAAATTC.AAACAGTCATGCTGAGCCATCCCGGGCTGACAGT  
CACGTTWAAGAQACTAGGTGCGGCGCCACAGTGCCACCCAAGGAGAAGAAGAATTTGGA  
ATTTTTCATGAAGATGTACGGAATCTGATGTTGAATATGAAAATGGCCCCAAATGGAA  
TTCCAAAAGGTTACCACAGGGGCTGTAAGACCTAGTGACCTCCTAAGTGGGAAAGAGGA  
ATGGAGAATAGTATTTCTGATGCATCAAGAACATCAGAATATAAACTGAGATCATAATG  
AAGGAAAATTCATATCCAATATGAGTTTACTCAGAGACAGTAGAACTATTCCAGG

17185.1

TAGGAATAACAAATGTTTATTCAGAAAATGGATAAGTAATACATAATCACCTTTCATCTCTT  
AATGCCCCCTCTCTCTCTCTGACAGGAGACACAGATGGGTAACATAGAGGCATGGGAA  
GTGGAGGAGGACACAGGACTAGCCCACCCTTCTCTTCCCGGTCTCCCAAGATGACTGCT  
TATAGAGTGGAGGAGGCAACAGGTCCCCTCAATGTACCAGATGGTCACCTATAGCACCA  
GCTCCAGATGGCCACGTGGTTGCAGCTGGACTCAATGAACTCTGTGACAACCAGAAGAT  
ACCTGCTTTGGGATGAGAGGGAGGATAAAGCCATGCAAGGAGGATATTTACCATCCCTAC  
CCTAAGCACAGTGCAAGCAGTGAGCCCCCGGTCCCAGTACCTGAAAAACCAAGGCCTAC  
TGNCCTTTGGATGCTCTCTTGGCCACG

17188.2

AAGCCTCCTGCCCTGGAATCTGGAGCCCCCTTGGAGCTGAGCTGGACGGGGCAGGGAGGG  
GCTGAGAGGCAAGACCGTCTGCTCTCTCTGCTGCTGCTGCTTCCCCAGCAGCCACTGCTGGGC  
ACAGCAGAAACGCCAGCACAGAAAATGGGAGCGGAGAGTCTTACGCCCTGGAGCTGAGG  
CTGCTCTGGGCTGACCCGCTGCTGTACGTGGCCAGAACTGGCGTTGGCATCTGGCATCC  
ATTTAGGCCAGGGTGGAGGAAAGGGAGGCCAACAGAGGAAAACCTATTCTGCTGTGAC  
AACACAGCCCTTGTCCACCCAGCCTAAGTGCAGGCAGCGTGATGAAGTCAGGCAGCCAG  
TCGGGGAGGAGGAGGTAACTCAGCAGCAATGTCACCTTGTAGCCTATGCGCTCAATGGCC  
CGGAGGGGCAGCAACCCCCCCCACACGTCAGCCAACAGCAGTGCCTCTGCAGGCACCAAG  
AGAGCGATCATGGAATGAGGCCCGTCTTC

17190.1

GTTTGGCAGAAGACATGTTTAAATAACA.TTT.CATATTTAAAAAATACAGCAACAAATCTCT  
ATCTGTCCACCATCTTGGCTTGGCTTCTGGGCTGAGGCAGACAAAGGAAAGGTAATGA  
GGTTAGGGCCCCCAGGCGGGCTAAGTGCTATTGGCTGCTCTGCTCAAAGAGAGCCATA  
GCCAGCTGGGCACGGCCCCCTAGCCCTCCAGGTGCTGAGCGGGCAGCGGTGGTACAGT  
TCTTCACTGAGCCGTGGGCTGCAGTCTGSCAGGGAGAATCTTGCACCAGCCCTGGCTCTA  
CGGCCGAAAGAGGTGGAGCCCTGAGAACGGAGGAAAACATCCATCACCTCCAGCCCT  
CCAGGGCTTCTCTCTTCTCTGGCTGCCAGTTCACTGCCAGCGGGGCTCGGGCCGCCAG  
GTAGTCAGCTTGTAGAAGCAGCCCTCCGACAGAGCCTGCCCGTCAAATCTCCCCGCTATA  
GGAGCCCCCCCCGGAGGGGTACCAAC

FIG. 1R

17190.2

CAAGTTGAACGTCAGGCTTGGCAGAGGTGGAGTGTAGATGAAAACAAAGGTGTGATTATG  
AAGAGGATGTAGTCCTTTGGGTGTAGGAGAGAAAGGCTGTTGAGCTTCTATTTCAAGAT  
ACTTTTACCTGTGCAAAAAGCACATTTCCACCTCCTTCTCATGGCATTGTGTAAAGGTGAG  
TATGATTCTATTCATCTGCATTTTAGAGGTGAAGAATAACGTACAAGGGATTTCAGTGAT  
TAGCAAGGGACCCCTCACTAAGTGTTGATGGAGTTAGGACAGAGCTCAGCTGTTTGAATCT  
CAGAGCCCAGGCAGCTGGAGCTGGGTAGGATCCTGGAGCTGGCACTAATGTGAGGTGCAT  
TCCCTCCAACCCAGGCTCAGATCCGGAACCTGACCGTGCTGACCCCCGAAGGGGAGGCAG  
GGCTGAGCTGGCCCGTTGGGCTCCCTGCTCCTTTCACACCACACTCTCGCTTTGAGGTGCTG  
GGCTGGGACTACTTCACAGAGCAGC

17191.2&amp;89.2

TGGCCTGGGCAGGATTGGGAGAGAGGTAGCTACCCGGATGCAGTCCTTTGGGATGAAGAC  
TATAGGGTATGACCCCATCATTTCCCCAGAGGTCTCGGCCTCCTTTGGTGTTGAGCAGCTG  
CCCCTGGAGGAGATCTGGCCTCTCTGTGATTTCATCACTGTGCACACTCCTCTCCTGCCCTC  
CACGACAGGCTTGCTGAATGACAACACCTTTGCCAGTGCAAGAAGGGGGTGCGTGTGGT  
GAACTGTGCCCGTGGAGGGATCGTGACGAAGGCGCCCTGCTCCGGGCCCTGCAGTCTGG  
CCAGTGTGCCGGGGCTGCACTGGACGTGTTTACGGAAGAGCCGCCACGGGACCGGGCCTT  
GGTGGACCATGAGAATGTCATCAGCTGTCCCCACCTGGGTGCCAGC.ACCAAGGAGGCTCA  
GAGCCGCTGTGGGGAGGAAATTGCTGTTCAAGTTCGTGGACATGGTGAAGGGGAAATCTCT  
CACGGGGGTTGTGAATGCCACGCCCTT

FIG. 1S

AGCCAGATGGCTGAGAGCTGCAAGAAGAAGTCAGGATCATGATGGCTCAGTTTCCACAG  
CGATGAATGGAGGGCCAAATATGTGGGCTATTACATCTGAAGAACGTACTAAGCATGATA  
AACAGTTTGATAACCTCAAACCTTCAGGAGGTTACATAACAGGTGATCAAGCCCGTACTTT  
TTTCTACAGTCAGGTCTGCCGGCCCCGGTTTTAGCTGAAATATGGGCCTTATCAGATCTG  
AACAAAGGATGGGAAGATGGACCAGCAAGAGTTCTCTATAGCTATGAAACTCATCAAGTTA  
AAGTTGCAGGGCCAAACAGCTGCCTGTAGTCTCCCTCCTATCATGAAACAACCCCTATGT  
TCTCTCCACTAATCTCTGCTCGTTTTGGGATGGGAAGCATGCCCAATCTGTCCATTATCAG  
CCAATTGCCTCCAGTTGCACCTATAGCAACACCCTTGTCTTCTGCTACTTCAGGGACCAGTAT  
TCCTCCCTAATGATGCCTGCTCCCTAGTGCCTTCTGTTAGTACATCCTCATTACCAAATG  
GAACTGCCAGTCTCATTACGCCTTTATCCATTCTTATCTTCTTCAACATTGCCTCATGCA  
TCATCTTACAGCCTGATGATGGGAGCAATTTGGTGGTGTAGTATCCAGAAAGGCCAGTCTC  
TGATTGATTTAGGATCTAGTAGCTCAACTTCCCTCAACTGCTTCCCTCTCAGGGAACTCACT  
AAGACAGGGACCTCAGAGTGGGCAGTTCTCAGCCTTCAAGATTAAAGTATCGGCAAAAA  
TTTAATAGTCTAGACAAAGGCATGACGGGATACCTCTCAGGTTTTCAAGCTAGAAATGCCC  
TTCTTCAGTCAAATCTCTCTCAAACCTCAGCTAGCTACTATTTGGACTCTGGCTGACATCGAT  
GGTGACGGACAGTTGAAAGCTGAAGAATTTATTCTGGCGATGCACCTCACTGACATGGCC  
AAAGCTGGACAGCCACTACCACTGACGTTGCCTCCCGAGCTTGTCCCTCCATCTTTCAGAG  
GGGGAAAGCAAGTTGATTCTGTTAATGGAACTCTGCCTTCATATCAGAAAAACAAGAAG  
AAGAGCCTCAGAAGAACTGCCAGTTACTTTTGAGGACAAACGGAAAGCCAACTATGAAC  
GAGGAAACATGGAGCTGGAGAAGCGACGCCAAGTGTGATGGAGCAGCAGCAGAGGGAG  
GCTGAACGCAAGGCCAGAAAGAGCAAGGAAGAGTGGGAGCGGAAACAGAGAGAACTGC  
AAGAGCAAGAAATGGAAGAAGCAGCTGGAGTTGGAGAAACGCTTGGAGAAACAGAGAGAG  
CTGGAGAGACAGCGGGAGGAAGAGAGCAGAAAGGAGATAGAAAGACGAGAGGCAGCAA  
AACAGGAGCTTGAGAGACAACGCCGTTTGAATGGGAAGACTCCGTCGGCAGGAGCTGC  
TCAGTCAGAAGACCAGGCAACAAGAGACATTGTCAGGCTGAGCTCCAGAAAGAAAAGT  
CTCCACCTGGAATCGGAAGCAGTGAATGGAAAACATCAGCAGATCTCAGGCAGACTACAA  
GATGTCCAAATCAGAAAGCAAAACACAAAGACTGAGCTAGAAGTTTTGGATAAACAGTGT  
GACCTGGAAATTAAGAAATCAAACAACCTCAACAAGAGCTTAAGGAATATCAAAATAAG  
CTTATCTATCTGGTCCCTGAGAAGCAGCTATTAAACGAAAGAAATTAACAAATGCAGCTCA  
GTAACACACCTGATTACGGGATCAGTTTACTTCAATAAAAGTCAATCAGAAAAGGAAGAA  
TATGCCAAAGACTTAAGAAACAAATAGATGCTCTTGAAGAAAGAACTGCATCTAAGCTCT  
CAGAAATGGATTCAATTAACAAATCAGCTGAAGGAACTCAGAGAAAGCTATAATACACAGC  
AGTTAGCCCTTGAACAACTTCAATAAAATCAAAACGTGACAAATGGAAGGAAATCGAAAGAA  
AAAGATTAGAGCAAAAAAAAAAAAA

FIG. 2A



ATGGCAGTGACATTCACCATCATGGGAACACCTTCCCTTTTCTTCAGGATTCTCTGTAGTG  
GAAGAGAGCACCCAGTGTGGGCTGAAAACATCTGAAAGTAGGGAGAAGAACCTAAAAAT  
AATCAGTATCTCAGAGGGCTCTAAGGTGCCAAGAAGTCTCACTGGACATTTAAGTGCCAA  
CAAAGGCATACTTTTCGGAATCGCCAAGTCAAAACTTTCTAACTTCTGTCTCTCTCAGAGAC  
AAGTGAGACTCAAGAGTCTACTGCTTTAGTGGCAACTACAGAAAACTGGTGTTACCCAGA  
AAACAGGAGCAATTAGAAAATGGTTCCAATATTTCAAAGCTCCGAAAACAGGATGTGCTT  
TCCTTTGCCCATTTAGGGTTTCTTCTTTCTTTCTTTCTTTATTAACTACTA

*FIG. 2B*

ATATCTAGAAGTCTGGAGTGAGCAAACAAGAGCAAGAAACAAAAAGAAGCCAAAAGCAG  
AAGGCTCCAATATGAACAAGATAAATCTATCTTCAAAGACATATTAGAAGTTGGGAAAAT  
AATTCATGTGAACTAGACAAGTGTGTTAAGAGTGATAAGTAAATGCACGTGGAGACAAG  
TGCATCCCCAGATCTCAGGGACCTCCCCCTGCCTGTACCTGGGGAGTGAGAGGACAGGAT  
AGTGCATGTTCTTTGTCTCTGAATTTTATGTTATATGTGCTGTAATGTTGCTCTGAGGAAGC  
CCCTGGAAAGTCTATCCCAACATATCCACATCTTATATCCACAAATTAAGCTGTAGTATG  
TACCCTAAGACGCTGCTAATTGACTGCCACTTCGCAACTCAGGGGCGGCTGCATTTTAGTA  
ATGGGTCAAATGATTCACTTTTATGATGCTTCCAAAGGTGCCTTGGCTTCTCTTCCCAACT  
GACAAATGCCAAAGTTGAGAAAAATGATCATAATTTTAGCATAAACAGAGCAGTCGGCGA  
CACCGATTTTATAAATAAACTGAGCACCTTCTTTTAAACAAACAAATGCGGGTTTATTCT  
CAGATGATGTTTCATCCGTGAATGGTCCAGGGAAGGACCTTTCACCTTGACTATAATGGCATT  
ATGTCATCACAAGCTCTGAGGCTTCTCCTTTCCATCCTGCGTGGACAGCTAAGACCTCAGT  
TTTCAATAGCATCTAGAGCAGTGGGACTCAGCTGGGGTGATTTGCCCCCATCTCCGGGG  
GAATGTCTGAAGACAATTTTGTACCTCAATGAGGGAGTGGAGGAGGATACAGTGCTACT  
ACCAACTAGTGGATAAAGGCCAGGGATGCTGCTCAACCTCCTACCATGTACAGGACGTCTC  
CCCATTACAACCTACCCAATCCGAAGTGTCAACTGTGTCAAGGACTAAGAAACCTGGTTTTG  
AGTAGAAAAGGGCCTGGAAAGAGGGGAGCCAACAAATCTGTCTGCTTCTCATTAGTC  
ATTGGCAAATAAGCATTCTGTCTCTTTGGCTGCTGCCTCAGCACAGAGAGCCAGAACTCTA  
TCGGGCACCAGGATAACATCTCTCAGTGAACAGAGTTGACAAGGCCTATGGGAAATGCCT  
GATGGGATTATCTCAGCTTGTGAGCTTCTAAGTTTCTTCCCTTCACTTACCTGCAAG  
CCAAGTTCTGTAAGAGAAATGCCTGAGTTCTAGCTCAGGTTTTCTTACTCTGAATTTAGATC  
TCCAGACCCTTCTGGCCACAATTCAAATTAAAGGCAACAAACATATACCTTCCATGAAGCA  
CACACAGACTTTTGAAAGCAAGGACAATGACTGCTTGAAATGAGGCCTTGAGGAATGAAG  
CTTTGAAGGAAAAAGAACTTTTGTTCAGCCCCCTTCCACACTCTTCATGTGTTAACCAC  
TGCCTTCTGGACCTTGGAGCCACGGTGACTGTATTACATGTTGTTATAGAAAAGTATTT  
AGAGTTCTGATCGTTCAAGAGAAATGATTAAATATACATTTCTTA

FIG. 2C

Cell Exp	Probe 1	Exp	Probe 2	lit/HA length	Fluor/Well	Probe 1	S/H	A%	Probe 2	S/H	A%
1.1	304A Ovary Tumor	1	272A Dendritic Cell	42240601 (420)	421G0196 (C:11)	2393	13.7	50	1430	2.0	50
1.1	315A Ovary Tumor	1	57 Ovary H	42220626 (420)	421G0196 (C:11)	355	2.7	54	382	1.0	54
1.1	261A Ovary Tumor	1	510 Skeletal muscle H	42220621 (420)	421G0196 (C:11)	1290	0.8	51	707	1.0	51
1.1	264A Ovary Tumor	1	52 Pancreas H	42240629 (420)	421G0196 (C:11)	9500	44.0	62	1100	2.3	62
1.2	306A	1	S40	42240605 (420)	421G0196 (C:11)	510	3.8	50	610	2.0	50
1.4	265A Ovary Tumor	1	C15 Heart H	42200624 (420)	421G0196 (C:11)	2305	14.0	53	480	2.2	53
1.4	525 Ovary Tumor	1	C14 Bone Marrow H	42240619 (420)	421G0196 (C:11)	531	3.5	53	743	2.0	53
1.9	303A	1	H	42240609 (420)	421G0196 (C:11)	1042	10.0	39	071	2.0	39
1.2	522 Ovary Tumor	1	C19 Kidney H	42240627 (420)	421G0196 (C:11)	453	3.3	60	857	3.2	60
1.5	9405 5-P	1	9405 5-P	42220602 (420)	421G0196 (C:11)	1082	12.2	57	584	2.3	57
1.5	302A Ovary Tumor	1	334A Lung Baseline H	42240622 (420)	421G0196 (C:11)	1408	7.5	55	905	2.2	55
1.1	5115	1	C110	42240604 (420)	421G0196 (C:11)	509	3.4	51	573	2.0	51
1.1	200A Ovary Tumor	1	C12 Lung H	42240625 (420)	421G0196 (C:11)	700	4.5	54	851	2.1	54
1.1	201A Ovary Tumor	1	5B Stomach H	42240626 (420)	421G0196 (C:11)	625	4.6	46	1335	3.0	46
1.1	523 Ovary Tumor	1	55B Spinal Cord H	42240620 (420)	421G0196 (C:11)	3006	22.2	50	502	2.2	50
1.1	205A	1	270A	42240606 (420)	421G0196 (C:11)	2251	14.7	46	1256	2.0	46
1.1	2134	1	P2	42240601 (420)	421G0196 (C:11)	552	3.4	72	1028	2.3	72
1.1	305A Ovary Tumor	1	S01 Fetal tissue	42240607 (420)	421G0196 (C:11)	8126	35.6	50	1449	2.0	50
1.3	263A Ovary Tumor	1	S73 Breast H	42240623 (420)	421G0196 (C:11)	439	3.2	61	1531	3.4	61
1.3	302A	1	C110	42240610 (420)	421G0196 (C:11)	387	3.2	50	1270	2.1	50
1.4	206A	1	S27	42240603 (420)	421G0196 (C:11)	4242	22.2	58	883	2.0	58

**FIG. 3**

TCGAGCGGCGCCCGGGCAGGTCCTTCAGACTTGGACTGTGTCACTGCCAGGCTTCCAG  
GGCTCCAACCTTGCAGACGGCCTGTTGTGGGACAGTCTCTGTAATCGCGAAAGCAACCATG  
GAAGACCTGGGGGAAAACACCATGGTTTATCCACCCTGAGATCTTTGAACAACCTTCATCT  
CTCAGCGTGCGAGGGAGGCTCTGGACTGGATATTTCTACCTCGGCGCGACACGCT

*FIG. 4*

TAGCGYGGTCGCGGCCGAGGYCTGCTTYTCTGTCCAGCCCAGGGCCTGTGGGGTCAGGGC  
GGTGGGTGCAGATGGCATCCACTCCGGTGGCTTCCCCATCTTTCTCTGGCCTGAGCAAGGT  
CAGCCTGCAGCCAGAGTACAGAGGGCCAACACTGGTGTTCTTGAACAAGGGCCTTAGCAG  
GCCCTGAAGGRCCCTCTCTGTAGTGTGAACTTCTGGAGCCAGGCCACATGTTCTCCTCAT  
ACCGCAGGYTAGYGATGGTGAAGTTGAGGGTGAAATAGTATTMANGRAGATGGCTGGCA  
RACCTGCCCGGGCGGCCGCTCSAAATCC

*FIG. 5*

AGCGTGGTCGCGGCCGAGGTGTCCTTCAGGGTCTGCTTATGCCCTTGTTCAAGAACACCAG  
TGTCAGCTCTCTGTACTCTGGTTGCAGACTGACCTTGCTCAGGCCTGAGAAGGATGGGGCA  
GCCACCAGAGTGGATGCTGTCTGCACCCATCGTCCTGACCCCAAAGCCCTGGACTGGACA  
GAGAGCGGCTGTACTGGAAGCTGAGCCAGCTGACCCACGGCATCACTGAGCTGGGCCCCT  
ACACCCTGGACAGGGACAGTCTCTATGTC.AATGGTTTCACCCATCGGAGCTCTGTACCCAC  
CACCAGCACCGGGGTGGTCAGCGAGGAGCCATTCAACCTGCCCGGGCGGCCGCTCGA

*FIG. 6*

27 / 92

**A**

TTGGGGNTTTMGAGCGGGCCGCGGGCAGGTACCGGGGTGGTCAGCGAGGAGCCATTCAC  
ACTGAACTTCACCATCAACAACCTGCGGTATGAGGAGAACATGCAGCACCCCTGGCTCCAG  
GAAGTTCAACACCACGGAGAGGGTCCTTCAGGGCCTGCTCAGGTCCCTGTTCAAGAGCAC  
CAGTGTTGGCCCTCTGTACTCTGGCTGCAGACTGACTTTGCTCAGACTTGAGAAACATGGG  
GCAGCCACTGGAGTGGACGCCATCTGCACCCTCCGCCTTGATCCCCTGGTCTGGACTGG  
ACAGAGAGCGGCTATACTGGGAGCTGAGCCAGTCCTCTGGCGGNGACNCCNCTT

**B**

AGCGTGGTCGCGGCCGAGGTCCAGTCCAGCATGCTCTTTCTCCTGCCCACTGGCACAGTG  
AGGAAGATCTCTGCTGTCAGTGAGAAGGCTGTATCCACTGAGATGGCAGTCAAAAGTGC  
ATTTAATACACCTAACGTATCGAACATCATAGCTTGGCCCAAGTTATCTCATATGTGCTCA  
GAACACTTACAATAGCCTGCAGACCTGCCCGGGCGGCCGCTCGA

TGTGGTGTGAACTTCCTGGAGNCAGGGTGACCCATGTCCTCCCCATACTGCAGGTTGGTG  
ATGGTGAAGTTGAGGGTGAATGGTACCAGGAGAGGGCCAGCAGCCATAATTGTSGRGCKG  
SMGMSSGAGGMWGGWGTYYCWGAGGTTTCYRARRTCCACTGTGGAGGTCCCAGGAGTGCT  
GGTGGTGGGGACAGAGSTCYGATGGGTGAAACCATTGACATAGAGACTGTTCTGTCCAG  
GGGTAGGGGGCCAGCTCTTYRATGYCATTGGYCACTTKGCTYAGCTCCCAGTACAGCCRC  
TCTCKGYYGMGWCCAGSGCTTTTGGGGTCAAGATGATGGATGCAGATGGCATCCACTCCA  
GTGGCTGCTCCATCCTTCTCGGACCTGAGAGAGGTCAGTCTGCAGCCAGAGTACAGAGGG  
CCAACACTGGTGTTCCTTTGAATA

*FIG. 8*



TCGAGCGGCCCGCCGGGCAGGTCAGGAAGCACATTGGTCTTAGAGCCACTGCCTCCTGGA  
TTCACCTGTGCTGCGGACATCTCCAGGGAGTGCAGAAGGGAAGCAGGTCAAAGTCTCA  
GATCAGTCAGACTGGCTGTTCTCAGTTCTCACCTGAGCAAGGTCACTCTGCAGCCAGAGTA  
CAGAGGGCCAACACTGGTGTTCTTGAACAAGGGCTTGAGCAGACCCTGCAGAACCCTCTTC  
CGTGGTGTGAACTTCCTGGAACCAGGGTGTTCATGTTTTCTCATAATGCAAGGTTG  
GTGATGG

*FIG. 9*

Gene Name	Bal Probe '1		Probe 2		Gene ID	Probe1		Probe2		Probe1		Probe2	
	Exp Name	P1	P2 Name	P2		Value	Value	Value	Value	B/B	A%	B/B	A%
-02100188 (001)	17.0 205A Ovary T		205A Liver N		42200606	8620	1240	57.7	65	2.2	65	2.2	65
-02100188 (001)	15.9 271 Ovary Tumor		206 Spinal Cord N		42200628	5894	1002	35.3	89	3.9	89	3.9	89
-02100188 (001)	15.7 185A Ovary T		201 Fetal tissue		42200647	12151	2121	54.1	71	2.8	71	2.8	71
-02100188 (001)	15.1 426A Ovary T (tunc)		415A Aorta N		42200641	7487	1480	53.0	73	9.7	73	9.7	73
-02100188 (001)	13.5 261A Ovary Tumor		323 Heart N		42200623	7102	2116	39.2	84	4.5	84	4.5	84
-02100188 (001)	13.3 183A Ovary T (tunc)		11 Colon N		42200649	3714	1111	20.4	83	2.6	83	2.6	83
-02100188 (001)	13.0 911A Ovary T (tunc)		12 Skin N		42200641	2415	814	12.1	75	2.1	75	2.1	75
-02100188 (001)	12.6 181A Ovary T (tunc)		222A Dendritic cell		42200608	4578	1754	25.0	69	2.4	69	2.4	69
-02100188 (001)	12.2 261A Ovary Tumor		322 Pancreas N		42200639	7904	3596	18.5	81	5.6	81	5.6	81
-02100188 (001)	12.0 186A Ovary T		310 PHK7 (tunc)		42200645	2491	1081	14.0	90	2.9	90	2.9	90
-02100188 (001)	12.0 217A Ovary T (tunc)		4110 Small intestine		42200641	1979	971	10.4	80	2.7	80	2.7	80
-02100188 (001)	12.0 115A Ovary Tumor		415 Heart N		42200624	1911	964	13.9	93	1.4	93	1.4	93
-02100188 (001)	12.0 115A Ovary Tumor		52 Ovary T		42200626	1666	817	9.8	100	1.0	100	1.0	100
-02100188 (001)	11.6 261A Ovary Tumor		211A Esophagus N		42200612	1827	4180	11.4	97	9.5	97	9.5	97
-02100188 (001)	11.6 266A Ovary T		310 Skeletal muscle		42200631	5914	1653	30.4	86	6.0	86	6.0	86
-02100188 (001)	11.6 266A Ovary T		327 Ovary T		42200643	2099	1274	11.9	50	2.6	50	2.6	50
-02100188 (001)	11.4 915A Ovary T (tunc)		419 Kidney N		42200617	1746	1072	11.0	92	4.0	92	4.0	92
-02100188 (001)	11.4 262A Ovary Tumor		9185 5 Ovary T (tunc)		42200602	4204	3074	23.0	93	7.7	93	7.7	93
-02100188 (001)	11.3 525 Ovary Tumor		111A Large Intestine		42200622	3002	2101	16.6	89	4.0	89	4.0	89
-02100188 (001)	11.2 429A Ovary T (tunc)		411 Bone Marrow		42200649	1641	1297	9.6	90	3.1	90	3.1	90
-02100188 (001)	11.2 183A Ovary T		361A Ovary N		42200614	2521	2084	22.0	65	23.9	65	23.9	65
-02100188 (001)	11.2 288A Ovary Tumor		4119 Brain N		42200610	2072	1663	10.9	88	2.3	88	2.3	88
-02100188 (001)	11.1 201A Ovary Tumor		4112 Lung N		42200625	1840	1471	10.7	87	1.8	87	1.8	87
-02100188 (001)			36 Stomach N		42200620	1129	1204	9.1	90	3.5	90	3.5	90

FIG. 10

Gene Name	Bal Probe 1		Probe 2		Probe 1		Probe 2		Probe 1		Probe 2	
	Exp Name	P1	P2	Name	ID	Value	Value	8/B	8/B	A%	8/B	A%
42100181 (C4)	118.365A Ovary T			S91 Test tissue	422X0607	26711	1424	103.3	2.0	54	2.0	54
42100181 (C4)	115.523 Ovary Tumor			S56 Spinal Cord N	422X0608	13559	1179	65.3	3.9	68	3.9	68
42100181 (C4)	111.146A Ovary T (tunc)			415A Aorta N	422X0611	14125	1273	67.3	5.6	61	5.6	61
42100181 (C4)	103.820SA Ovary T			270A Liver N	422X0606	16121	1488	93.1	2.3	43	2.3	43
42100181 (C4)	15.1261A Ovary Tumor			S73 Heart N	42210623	11126	2235	58.2	68	44	68	44
42100181 (C4)	13.6461A Ovary T (tunc)			272A Endothelial cells	42210608	6583	1424	23.5	40	21	40	21
42100181 (C4)	13.449A Ovary T (tunc)			S2 Pancreas N	422X0609	9865	2245	40.9	64	61	64	61
42100181 (C4)	13.2261A Ovary Tumor			461A Ovary N	422X0614	2804	638	22.6	60	60	60	60
42100181 (C4)	13.8511A Ovary T (tunc)			S10 Skeletal muscle	422X0624	8271	1949	39.5	68	68	68	68
42100181 (C4)	12.526SA Ovary Tumor			C710 Small intestine	422X0601	2280	607	11.6	60	60	60	60
42100181 (C4)	2.1522 Ovary Tumor			C75 Heart N	422X0624	4192	1291	19.2	68	68	68	68
42100181 (C4)	12.2266A Ovary T			C79 Kidney N	422X0627	265	1276	3.6	40	40	40	40
42100181 (C4)	12.1911 Ovary T (SCN)			S77 Ovary N	422X0601	2774	1260	14.3	3.9	70	3.9	70
42100181 (C4)	11.94851 Ovary T (SCN)			L2 Skin N	422X0601	1774	847	8.4	2.7	46	2.7	46
42100181 (C4)	11.6268A Ovary T			9485 S P Ovary T (S)	422X0602	6967	3726	41.5	56	56	56	56
42100181 (C4)	11.6268A Ovary Tumor			C719 Brain N	422X0610	2314	1471	6.2	9.2	70	9.2	70
42100181 (C4)	11.5825 Ovary Tumor			C712 Lung N	422X0625	1657	1054	9.7	1.9	50	1.9	50
42100181 (C4)	11.3262A Ovary Tumor			C74 Bone Marrow	422X0619	848	1244	4.5	65	65	65	65
42100181 (C4)	11.2466A Ovary T			311A Large Intestine	422X0622	3171	2214	16.8	3.8	69	3.8	69
42100181 (C4)	11.145A Ovary Tumor			S40 PBMC Tactile	422X0605	640	544	4.2	1.9	54	1.9	54
42100181 (C4)	11.0201A Ovary Tumor			S7 Ovary N	422X0626	592	740	3.7	75	75	75	75
42100181 (C4)	11.0266A Ovary T (tunc)			S6 Stomach N	422X0620	1197	1237	7.8	3.5	65	3.5	65
42100181 (C4)	10.1A Ovary T (tunc)			245A Esophagus N	422X0612	784	797	4.5	2.4	95	2.4	95
42100181 (C4)				11 Colon N	422X0609	3470	862	8.9	1.7	24	1.7	24

FIG. 11

Gene Name	Bal Probe 1		Probe 2		QEM ID	Probe1		Probe2		Probe1		Probe2	
	Exp Name	P1	P2 Name	P2		Value	S/B	Value	S/B	Value	S/B	Value	S/B
-2100182 (107)	416.7 426A Ovary T (tuct)		415A Antia N		-22X0611	7706	46.3	462	3.5	75	3.5	75	3.5
-2100182 (107)	410.7 205A Ovary T		206A Liver N		-22X0606	10171	61.2	950	1.8	41	1.8	41	1.8
-2100182 (107)	09.0 485A Ovary T		591 Total tissue		-22X0607	14115	62.1	1459	2.2	48	2.2	48	2.2
-2100182 (107)	08.8 531 Ovary Tumor		536 Spinal Cord N		-22X0628	7781	47.3	880	3.4	71	3.4	71	3.4
-2100182 (107)	16.4 481A Ovary T (tuct)		110 Colon N		-22X0609	4807	27.6	748	2.2	47	2.2	47	2.2
-2100182 (107)	15.1 261A Ovary Tumor		S7A Breast N		-22X0621	9815	57.1	1909	4.2	74	4.2	74	4.2
-2100182 (107)	14.9 429A Ovary T (tuct)		461A Ovary N		-22X0614	2661	20.3	541	6.7	61	6.7	61	6.7
-2100182 (107)	14.5 261A Ovary Tumor		S2 Pancreas N		-22X0620	7934	38.8	2274	3.9	71	3.9	71	3.9
-2100182 (107)	9.9 535 Ovary Tumor		C11 Bone Marrow		-22X0619	480	3.5	1175	3.0	80	3.0	80	3.0
-2100182 (107)	12.8 261A Ovary Tumor		S10 Skeletal muscle		-22X0621	8993	14.6	1345	5.1	69	5.1	69	5.1
-2100182 (107)	12.5 5115 Ovary T (tuct)		C110 Small intestine		-22X0603	1861	8.1	718	2.2	67	2.2	67	2.2
-2100182 (107)	12.3 9111 Ovary T (tuct)		12 Skin N		-22X0601	2582	12.7	1111	2.6	41	2.6	41	2.6
-2100182 (107)	9.1 522 Ovary Tumor		C19 Kidney R		-22X0627	186	3.2	889	3.4	69	3.4	69	3.4
-2100182 (107)	12.2 481A Ovary T (tuct)		17A Endothelial cells		-22X0608	1516	18.7	1567	2.2	55	2.2	55	2.2
-2100182 (107)	2.7 482A Ovary T		C119 Brain R		-22X0610	608	4.2	1320	2.3	60	2.3	60	2.3
-2100182 (107)	11.9 265A Ovary Tumor		C15 Adipose		-22X0624	2064	13.6	1080	3.5	87	3.5	87	3.5
-2100182 (107)	11.8 266A Ovary T		S2 Ovary N		-22X0603	1550	7.0	847	2.1	58	2.1	58	2.1
-2100182 (107)	1.4 267A Ovary Tumor		134A Large Intestine		-22X0622	2559	13.2	1651	3.2	74	3.2	74	3.2
-2100182 (107)	1.3 486A Ovary T		S10 Liver		-22X0605	511	3.9	738	2.2	62	2.2	62	2.2
-2100182 (107)	1.3 288A Ovary Tumor		C112 Lung R		-22X0625	894	5.1	1120	3.1	66	3.1	66	3.1
-2100182 (107)	1.3 45A Ovary Tumor		S7 Ovary N		-22X0626	440	3.3	567	2.2	60	2.2	60	2.2
-2100182 (107)	1.2 9485 1 P Ovary T (tuct)		9485 5 P Ovary T (tuct)		-22X0602	4188	21.6	3529	9.5	66	9.5	66	9.5
-2100182 (107)	1.1 428A Ovary T (tuct)		241A Esophagus N		-22X0612	725	6.2	689	2.8	65	2.8	65	2.8
-2100182 (107)	1.0 201A Ovary Tumor		S6 Stomach R		-22X0620	1008	7.4	1018	3.2	62	3.2	62	3.2

FIG. 12

Gene Name	Bal Probe 1		P1	P2		Probe 2	GEN ID	Probe1		Probe2		Probe1	Probe2
	Exp Name	Exp Name						Value	B/B	Value	B/B	A%	A%
-21V0189 [01]	11.2 426A Ovary Tumor	11.2 426A Ovary Tumor				415A Antia N	422X0611	8072	243	55.2	2.4	67	67
-21V0189 [01]	11.7 521 Ovary Tumor	11.7 521 Ovary Tumor				556 Spinal Cord N	422X0628	7167	517	42.6	2.5	69	69
-21V0189 [01]	11.2.6 429A Ovary Tumor	11.2.6 429A Ovary Tumor				161A Ovary N	422X0614	2850	227	21.7	3.5	64	64
-21V0189 [01]	18.0 485A Ovary T	18.0 485A Ovary T				S91 Fetal tissue	422X0607	11711	1469	54.0	2.2	58	58
-21V0189 [01]	17.3 261A Ovary Tumor	17.3 261A Ovary Tumor				S73 Breast N	422X0623	6949	952	37.8	2.9	69	69
-21V0189 [01]	5.8 525 Ovary Tumor	5.8 525 Ovary Tumor				C14 Bone Marrow	422X0619	208	1210	2.1	2.9	44	44
-21V0189 [01]	15.0 205A Ovary T	15.0 205A Ovary T				270A Liver N	422X0616	8676	1737	52.3	2.6	57	57
-21V0189 [01]	14.5 481A Ovary T Tumor	14.5 481A Ovary T Tumor				11 Colon N	422X0609	3149	707	17.4	2.0	57	57
-21V0189 [01]	14.3 261A Ovary Tumor	14.3 261A Ovary Tumor				S10 Skin fetal unmet	422X0621	6312	1414	29.1	2.9	77	77
-21V0189 [01]	14.2 261A Ovary Tumor	14.2 261A Ovary Tumor				S2 Pancreas H	422X0629	7612	1009	38.1	3.3	79	79
-21V0189 [01]	1.2 482A Ovary T	1.2 482A Ovary T				C119 Brain H	422X0610	468	1508	3.4	2.3	60	60
-21V0189 [01]	12.9 914 Ovary T (CR T)	12.9 914 Ovary T (CR T)				12 Skin H	422X0601	2500	860	12.3	2.1	51	51
-21V0189 [01]	12.5 5115 Ovary T Tumor	12.5 5115 Ovary T Tumor				C110 Small intestine	422X0604	1424	569	6.7	2.1	61	61
-21V0189 [01]	12.4 265A Ovary Tumor	12.4 265A Ovary Tumor				C15 H-300 H	422X0604	1742	724	11.8	2.8	70	70
-21V0189 [01]	12.1 481A Ovary T Tumor	12.1 481A Ovary T Tumor				222A Dendritic cells	422X0608	4083	1312	17.0	2.0	62	62
-21V0189 [01]	11.9 266A Ovary T	11.9 266A Ovary T				S27 Ovary H	422X0603	1170	742	8.0	2.0	47	47
-21V0189 [01]	1.9 486A Ovary T	1.9 486A Ovary T				S40 THMC Tactival	422X0605	4071	580	2.6	2.0	41	41
-21V0189 [01]	11.7 262A Ovary Tumor	11.7 262A Ovary Tumor				311A Large intestine	422X0622	2097	1202	11.2	2.7	86	86
-21V0189 [01]	1.3 115A Ovary Tumor	1.3 115A Ovary Tumor				S7 Ovary H	422X0626	374	470	2.9	2.0	47	47
-21V0189 [01]	1.1 288A Ovary Tumor	1.1 288A Ovary Tumor				C112 Lung N	422X0625	969	1094	5.6	2.9	72	72
-21V0189 [01]	1.1 201A Ovary Tumor	1.1 201A Ovary Tumor				S6 Stomach N	422X0620	750	672	5.6	2.4	62	62
-21V0189 [01]	1.1 428A Ovary T Tumor	1.1 428A Ovary T Tumor				211A Esophagus H	422X0612	498	406	4.2	2.1	73	73
-21V0189 [01]	1.0 9185 1 P Ovary T C	1.0 9185 1 P Ovary T C				9185 5 P Ovary T C	422X0602	3117	3174	16.7	8.2	91	91
-21V0189 [01]	1.22 Ovary Tumor	1.22 Ovary Tumor				C19 Kidney N	422X0627	224	409	2.3	2.3	48	48

FIG. 13

Gene Name	Probe Name	P1	P2 Name	Probe 3	GEN ID	Probe1 Value	Probe2 Value	Probe1 B/B	Probe1 A%	Probe2 B/B	Probe2 A%
42100187 (H11)	20.2 426A Ovary T (med)			415A Anta N	422X0611	5411	270	36.3	50	2.3	50
42100187 (H11)	10.0 524 Ovary Tumor			S26 Spinal Cord N	422X0628	5318	533	27.1	56	2.3	56
42100187 (H11)	08.1 499A Ovary T (med)			66A Ovary F1	422X0614	1252	180	10.1	58	2.5	58
42100187 (H11)	05.7 085A Ovary T			S91 156d tissue	422X0607	9507	1668	35.8	45	2.1	45
42100187 (H11)	04.4 205A Ovary T			200A T test F1	422X0606	5456	1245	31.1	50	2.0	50
42100187 (H11)	04.2 265A Ovary Tumor			CT5 Head F1	422X0624	1814	438	11.9	48	2.0	48
42100187 (H11)	04.1 085A Ovary T			CT19 Brain N	422X0610	109	1259	2.6	48	2.0	48
42100187 (H11)	03.6 261A Ovary Tumor			S10 53 elated tissue k	422X0624	3733	1036	17.7	55	2.3	55
42100187 (H11)	03.4 264A Ovary Tumor			S73 Head N	422X0624	4163	1249	21.0	62	3.0	62
42100187 (H11)	03.3 515 Ovary T (med)			CT10 Small intestine	422X0604	1365	627	8.8	47	2.1	47
42100187 (H11)	03.1 261A Ovary Tumor			S2 Pancreas F1	422X0629	1355	1640	14.9	60	3.0	60
42100187 (H11)	02.1 081A Ovary T (med)			272A Duodenum cell	422X0608	2667	1240	13.4	44	1.9	44
42100187 (H11)	01.7 522 Ovary Tumor			CT9 Kidney F1	422X0627	291	605	2.4	51	2.5	51
42100187 (H11)	01.6 0114 Ovary T (SG H)			S10 F0K10 Tactival	422X0605	4114	687	3.2	47	2.0	47
42100187 (H11)	01.5 262A Ovary Tumor			1250m F1	422X0601	1622	984	7.9	44	2.2	44
42100187 (H11)	01.5 268A Ovary Tumor			134A Large Intestine	422X0622	1892	1245	10.1	50	2.6	50
42100187 (H11)	01.4 428A Ovary T (med)			CT12 Lung F1	422X0625	604	908	4.1	62	2.6	62
42100187 (H11)	01.3 135A Ovary Tumor			211A Esophagus F1	422X0612	236	325	2.7	78	1.9	78
42100187 (H11)	01.2 201A Ovary Tumor			S7 Ovary N	422X0626	382	501	2.9	58	2.0	58
42100187 (H11)	01.0 9185 L-P Ovary Tumor			S6 Stomach N	422X0620	558	677	4.2	58	2.3	58
42100187 (H11)	00A Ovary T (med)			9485 S-P Ovary T (S)	422X0602	2582	2493	15.1	57	6.3	57
42100187 (H11)	266A Ovary T			11 Colon F1	422X0609	2261	562	12.5	38	1.7	38
42100187 (H11)	S25 Ovary Tumor			S27 Ovary N	422X0603	1749	965	9.7	36	2.2	36
				CT4 Bone Marrow	422X0619	283	845	2.2	44	2.2	44

FIG. 14

11731-1

ACGGTTTCAATGGACACTTTTATTGTTTACTTAATGGATCATCAATTTTGTCTCACTACCTA  
CAATGGAAATTCATCTTGTTCATGCTGAGTAGTGAAACAGTGACAAAAGCTAATCATAA  
TAACCTACATCAAAAAGAGAACTAAGCTAACACTGCTCACTTTCTTTTAAACAGGCAAAATA  
TAAATATATGCACTCTAXAATGCACAATGGTTTAGTCACTAAAAAATCAAATGGGATCTT  
GAAGAATGTATGCAAAATCCAGGGTGCAGTGAAGATGAGCTGAGATGCTGTGCAACTGTTT  
AAGGGTTCCTGGCACTGCATCTCTGGCCACTAGCTGAATCTTGACATGGAAGGTTTTAGC  
TAATGCCAAGTGGAGATGCAGAAAATGCTAAGTTGACTTAGGGGCTGTGCACAGGAACTA  
AAAGGCAGGAAAGTACTAAATATTGCTGAGAGCATCCACCCAGGAAGGACTTTACCTTC  
CAGGAGCTCCAACTGGCACCACCCCACTGCTCACATGGCTGACTTTATCCTCCGTGTTT  
CATTTGGCACAGCAAGTGGCAGTG

11731-2

AAGGCTGGTGGGTTTTGATCCTGCTGGAGAACCTCCGCTTTCATGTGGAGGAAGAAGGG  
AAGGAAAAAGATGCTTCTGGGAAC.AAGGTTAAAGCCGAGCCAGCCAAAATAGAAGCTTTC  
CGAGCTTCACTTTCCAAGCTAGGGGATGTCTATGTCAATGATGCTTTTGGCACTGCTCACA  
GAGCCACAGCTCCATGGTAGGAGTCAATCTGCCACAGAAGGCTGGTGGGTTTTGATGA  
AGAAGGAGCTGAATCTTGC.AAAGGCTTGGAGAGCCCAAGAGCCCTTCTGGCCA  
TCTGGGCGGAGCTAAAGTTGCAGACAAGATCCAGCTCATCAATAATATGCTGGACAAAG  
TCAATGAGATGATTAATTGGTGGTGAATGGCTTTTACCTTCTTAAGGTGCTCAACAACAT  
GGAGATTGGCACTTCTCTGTTTGAATGAAGAGGGAGCCAAAGATTGTCAAAGACCTAATGTCC  
AAAGCTGAGAAGAATGGTGTGAAGATTACCTTGCCTGTTGACTTTGTCAGTCTGACAAGT  
TTGATGA

11731-1

TTTGTTCCTTACATTTTCTAAAGAGTTACTTAAATCAGTCAACTGGTCTTTGAGACTCTTA  
AGTCTGATTCCTCAACTTAGCTAATTCATCTCAGAACTGTGGTATAGGTGGCGTGTCTCTTC  
TAGCTGGGACAAAAGTTCTTTGTTTTCCCTGTAGAGTATCACAGACCTTCTGCTGAAGC  
TGGACCTCTGTCTGGGCTTGGACTCCCAATCTGCTTGTATGTTCAAGCCTGGAAATGTT  
AATCTTTAA.TCTTCCATATGCAATGGACATCTGTCTAAGTTGATCCTTTAGA.ACTGCAAT  
TATCTTCTTTGAGTCTAATTTCTTCTTCTTCTTCTTGAATGCCATCACTAAACTTCTCTCCC  
ATTTCTTAGCTT.CATCTATCACCCTGTACCATCATCTGG.AGGGAAGACATGCTCTTAGTA  
AAGGCTGCAAGCTGGGTACAGTACTGTCCAAGTTTTCTGAAAGTTGCTGAACCTTCTTGT  
CTTCTTGTTC.AAAGTAACCTGAATCTCTCCAATTTGTCTCTTCCAAGTGGACTTTTCTCTGC  
GCAAGCATCCAG

11731-2

TCATTGCCTGTGATGGCATCTGGAATGTGATGAGCAGCCACGAAGTTGTAGATTTCAATTCA  
ATCA.AAGGATTACGATGTGGTGGAAAGCTGTGAGGCAAGAGAAACAAGAAGTGTATGGCA  
AGTTAAGAAGCACAGAGGCA.AAAGAGGAGACAGAAAAGCAGTTGCAGGAAGCTGAG  
CAAGAAATGGAGGAAATGA.AAGAAAAGATGAGA.AAGTTTGCTAAATCT.AA.CAGCAGAA  
AATCTTAGAGCTGGAAGAAGAGAATGACCGGCTTAGGGCAGAGGTGCACCCTGCAGGAG  
ATACAGCTAAAGAGTGTATGCA.AA.CACTTCTTCTTCCAATGCCAGCATGAAGGAAGAAC  
TTGAAAGGGTCAAAATGGAGTATGA.AACCTTTCTAAGAAGTTTCACTCTTAAATGTCTGA  
GAAAGACTCTCTAAGTGAAGAGGTTCAAGATTTAAAGCATCAGATAGAAGGTAATGTATC  
TAAACAAGCTAACCTAGAGGCCACCGAGAAACATGATAACCA.AACGAATGTCACTGAAGA  
GGGAACACAGTCTATACCAGGT

FIG. 15A

AAGCCAATAATCACCAATTTATTACTTAATATATGCCAACCACTGTACTTGGCAGTTCCAA  
ATTCTCACCGTTACAACAACCCCATGAGGTATTTATTTCCCAATCTATAGATAGGGAAACCA  
CAGCTCAAGTAAGTTAGGAAACTGAGCCAAGTATACACAGAATACGAAGTGGCAAAACTA  
GAAGGAAAGACTGACACTGCTATCTGCTGGCCTCCAGTGTCTCTGGCTCTTTTCACACGGGT  
CAATGTCTCCAGCGCTGTCTGCTGTCTGTCATACCATGCCCCTCAATTGTTTTCTTCTCTG  
GTGTTCAACTGCATCCTTCAAAGAACTAACTCATCCAGAGACCACTTATTTCTTCTCTC  
TTTCTGAAATTACTTTTAATAATTTCTCATGAGGGGGAAGAGATGCCTGTGGTAGT  
TTGTGTTTAAAGCTGCTCAATTTGGGACTTAAACAATTTGTTTTCATCTTGACATGCTGT  
ACAGCTGTGTTTGTGTAGAAAGTCACTCTCCCTCTCTTTAGCATGGCTTCTAACCTCTTC  
AATTCATTTTTCTTTTCTTCAACACAATCTCAAGTCTTCAAACCTGTGATGCAGAGAGGC  
CTCTTCAAGTTATGTTGTGCTACTTCTCTGAACATGTGCTTTTAAAGATTCATTTCTTCTTG  
AAGATCCTGTAACCACTTCCCTGTATTGGCTAGGTCTTTCTCTTCTTCCAAAACAGCCT  
TCATGGTATTCATCTGTTCTCTTTTCTTTTAATAAGTTCAGGAGCTTCAGAAC

CAAGCTTTTTTTTTTTTAAAAAGGTGAGCATTAAATGTTTTATTGTACGCAGATGGCA  
ACTGGGTTTATGTCTTCATATTTTATATTTTGTAAATAAAAAAATTACAAGTTTTAAATA  
GCCAATGGCTGGTTATATTTTCAGAAAACATGATTAGACTAATTCATTAAATGGTGGCTTCA  
AGCTTTTCCTTATTGGCTCCAGAAAAATCACCCACCTTTTGTCCTTCTTAAAAAACTGGAA  
TGTTGGCATGCATTGACTTCACACTCTGAAGCAACATCTGACAGTCATCCACATCTACTT  
CAAGGAATATCAGCTTGGAACTACTTTTCAGAGAGGGGAATGAAAGAAAAGGCTTGATCATT  
TGCAAGGCCCAACACCGCTGGCTGGAGACTCACTACTACAAGTTTATCACCTGCAGCGTC  
CAAGGCTTCTGAAAAGCAGTCTGCTCTGATCTGCTTCACTTGGCTGCTGGAGTCT  
GACGAGCGGCTGTAAAGACCGATCGAAATCGCATCCAAAGCACCAAACAGAGTTCAAGA  
CTCGCTGCTTGGCTTGAAATCGGATCCGATATCGCCATGGCT

AAGTGTTAGCAATTAATGTTTTATTGTCACGCAGATGGCAACTGGGTTTATGTCTTCATATTT  
TATA.TTTTGTAAATTA.A.A.A.A.A.A.TTTC.AAGTTTTAAATAGCCAAATGGCTGGTTATA.TTTTC  
AGAAAACATGATTAGACTAATTCATTAATGGTGGCTTCAAGCTTTTCCTTATTGGCTCCAG  
: AAAATTCACCCACCTTTTGTCCCTCTT.A.A.A.A.A.ACTGGAAATGTTGGCATGCCATTTGACTTCA  
CACTCTGAAGCAACATCCTGACAGTCATCCACATCTACTTCAAGGAATATCAGCTTGGAAAT  
ACTTTTCAGAGAGGGGAATGA.A.A.G.A.AAGGCTTGATCA.TTTTGC.AAGGCCACACCCAGTGG  
CTGAGAAAGTCAACTACTACAAGTTTATCACCTGCAGCGTCCAAGGCTTCTGAAAAGCAGT  
TTTGCTCTCGATCTGCTTACCATCTTGGCTGCTGGAGTCTGACGAGCGGCTGTAAGGACC  
GATGGAAATGGATCCAAAGCACCA.A.A.CAGAGCTTCAAGACTCGCTGCTTGGCATGAATTC  
GGATCCCA

FIG. 15B



11728.1.40.19.19

TACAAACTTTATTGAAACGCACACGGCGCACACACAAACACCCCTGTGGATAGGGAAAA  
GCACCTGGCCACAGGGTCCACTGAAACGGGGAGGGGATGGCAGCTTGTAAATGTGGCTTTT  
GCCACAACCCCTTCTGACAGGGAAGGCCTTAGATTGAGGCCCCACCTCCCATGGTGATGG  
GGAGCTCAGAAATGGGGTCCAGGGAGAATTTGGTTAGGGGGAGGTGCTAGGGAGGCATGA  
GCAGAGGGCACCCCTCCGAGTGGGGTCCCGAGGGCTGCAGAGTCTTCACTACTGTCCCTCAC  
AGCAGCTGTCTCAAGGCTGGGTCCCTCAAAGGGGCGTCCCAGCGCGGGGCTCCCTGCGC  
AAACACTTGGTACCCCTGGCTGCGCAGCGGAAGCCAGCAGGACAGCAGTGGCGCCGATCA  
GCACAACAGACGCCCTGGCGGTAGGGACAGCAGGCCAGCCCTGTGGTTGTCTCGGCAG  
CAGGTCTGGTTATCATGGCAGAAAGTGTCTTCCCACACTTCACGTCCTTACACGCCACGTG  
AXGGCTACXGGCCAGGAAG

11728.2.40.19.19

CCCGTGGGTGCCATCCACGGAGTTGTTACCTGATCTTTGGAAGCAGGATCGCCCGTCTGCA  
CTGCAGTGGAAAGCCCCGTGGGCAGCAGTGATGGCCATCCCCGCATGCCAGGCCCTCTGGG  
AAGGGGCAGCAACTGGAAAGTCCCTGAGACGGTAAAGATGCAGGAGTGGCCGGCAGAGCA  
GTGGGCATCAACCTGGCAGGGGCCACCCAGATGCCTGCTCAGTGTGTGGGCCATTTGTCC  
AGAAGGGGACGGCAGCAGCTGTAGCTGGCTCCTCCGGGGTCCAGGCAGCAGGCCACAGGG  
CAGAACTGACCATCTGGGCACCGCGTTCAGCCACCAGCCCTGCTGTTAAGGCCACCCAGC  
TCACCAGGCTCCACATGGTCTGCGTCCGCTCCGACTCCGCGTCTTTGGGCCCTGATGGTTC  
TACCTGCTGTGAGCTGCCCAGTGGGAAGTATGGCTGCTGCCAATGCCCAACGCCACCTGCT  
GCTCCGATCACCTGCACTGCTGCCCCAAGACACTGTGTGTGACCTGATCCAGAGTAAGTGC  
CTCTCCAAGGAGAACG

11730-1

GAATCACCTTTCTGGTTTAGCTAGTACTTTGTACAGAACAAATGAGGTTTCCACAGCGGAG  
TCTCCCTGGGCTCTGTTTGGCTCTCGGTAAAGCCAGGCCTACACCTTTTCTCTCTCTATGG  
AGAGGGGAATATGCCATTAAAGGTGAAAAGTCACCTTCCAAAAGTGAGAAAAGGGATTGATT  
GCTGCTTACAGGACTGTGGAATTTTGGCAATGTTTACAAAAGGTTGCTACAAAACAACAA  
AAAAGGTAATTACAAAATGTGTACATCACAACATGCTTTTAAAGACATTATGCCATTGTGC  
TCACATTCCTTAAATGTTGTTTCCAAAGGTGCTCAGCCTCTAGCCAGCTGGATTCTCCGG  
GAAGAGGCAGAGACAGTTTGGGAAAAAGACACAGGGAAGGAGGGGGTGGTGAAGGA  
GAAAGCAGCCTTCCAGTTAAAGATCAGCCCTCAGTTAAAGGTACGTTCCCGCAXGCTGGC  
CTCAXGCGGAGTCTGGGTACAGGGGAGGAGCAGCAGCAGGTTGGGACTGGGGCGT

11730-2

AACCGGAGCGGAGCAGTAGCTGGGTGGCCACCATGGCTGGGATCACCACCATCGAGGCG  
GTGAAGCGCAAGATCCAGGTTCTGACGAGCAGCCAGATGATGCAGAGGAGCGAGCTGA  
GCCCTCCAGCGAGAAGTTGAGCCAGAAAGGCGGGCCCGGGAACAGGCTGAGGCTGAGG  
TGGCCTCCTTGAACCGTAGGATCCAGCTGGTTGAAGAAGAGCTGGACCGTGCTCAGGAGC  
GCCTGGCCACTGCCCTGCAAAAGCTGGAAGAAGCTGAAAAGCTGCTGATGAGAGTGAGA  
GACGTATGAAGGTTATTGAAAACCGGCCCTTAAAGATGAAGAAAAGATGGAAGTCCAG  
GAAATCCAACCTCAAGAACCTAAGCACATTGCAGAAGAGGCAGATAGGAAGTATGAAGA  
GGTGGCTCGTAAGTTGGTGATCATTCAGGAGACTTGAACGCACAGAGGAACGAGCTGA  
GCTGGCAGAGTCCCGTTGCCAGAGATGGATGAGCAGATTAGACTGATGACACAGAACCT  
GAAGTGTCTGAGTGC

FIG. 15C

## 11732.1contig

GAGAACTTGGCCTTTATTGTGGGCCAGGAGGGCACAAAGGTCAGGAGGCCCAAGGGAGG  
GATCTGGTTTTCTGGATAGCCAGGTCAATGATGGGTATCAGTAGGAATCCGCTGTAGCTG  
CACAGGCCTCACTTGCTGCAGTTCCGGGGAGAACACCTGCAGTGCATGGCGTTGATGACCT  
CGTGGTACACGACAGAGCCATTGGTGCAGTGCAAGGGCACGGCATGGGCTCCGTCCTCG  
AGGGCAGGCAGCAGGAGCATTGCTCCTGCACATCCTCGATGTCAATGGAGTACACAGCTT  
TGCTGGCACACTTTCCCTGGCAGTAATGAATGTCCACTTCTCTTGGGACTTACAATCTCCC  
ACTTTGATGTACTGCACCTTGGCTGTGATGTCTTTGCAATCAGGCTCCTCACATGTGTACA  
GCAGGTGCCTGGAATTTTCAGATTTTGCCTCCTTCAGCCAGACACTTGTGTTTATCAAATG  
GTGGGCAGCCCGTGACCCTCTTCTCCAGATGTACTCTCCTCT

## 11732.2contig

GCCTGGACCTTGCCGGATCAGTGCCACACAGTGACTTGCTTGGCAAATGGCCAGACCTTGC  
TGCAGAGTCATCGTGTCAATTGTGACCATGGACCCCGGCCTTCATGTGCCAACAGCCAGTC  
TCCTGTTCCGGTGGAGGAGACGTGTGGCTGCCGCTGGACCTGCCCTTGTGTGTCACGGGC  
AGTTCCACTCGGCACATCGTCACCTTCGATGGGCAGAAATTCAGCTTACTGGTAGCTGCT  
CCTATGTATCTTTCAAAACAAGGAGCAGGACCTGGAAGTGCTCCTCCACAATGGGGCCTG  
CAGCCCCGGGGCAAAACAAAGCCTGCATGAAGTCCATTGAGATTAAGCATGCTGGCGTCTC  
TGCTGAGCTGCACAGTAACATGGAGATGGCAGTGGATGGGAGACTGGTCCTTGGCCCGTA  
CGTTGGTGAAAACATGGAAGTCACCATCTACGGCGCTATCATGTATGAAGTCAGGTTTACC  
CATCTTGGCCACATCCTCACATACACCGCCXCAAAACAACGAGTT

## 11735-1-2

AGATCAACCTCTGCTGGTCAGGAGGAATGCCCTTCTGTCTTGGATCTTTGCTTTGACGTTT  
TCGATAGTRWCACTKKRYTSRAMSKMAAGKGYRATGRWMTTKSYWGWWRASYXTMWWW  
RSGRARAYTTGACAYCCCMCCCTWAGCGSAGKACCARGTGCAAGGTGGACTCTTTCTG  
GATGTTGTACTCAGACAGGGTCCGTCATCTTCCAGCTGTTTCCAGCAAGATCAACCTC  
TGCTGATCAGGAGGGATGCCCTCCTTATCTTGGATCTTTGCCCTTGACATTTCTCGATGGTGT  
ACTGGGCTCCACCTCGAGGGTGAATGCTTTACCAGTCAGCGTCTTCACGAAGATYTGATC  
CCACCTCTGAGACGGAGCCACCGTGCAGGGTGTACTCTTTCTGGATGTTGTAGTCAGACA  
GGGTCCGYCCATCTTCCAGCTGCTTCCSAGCAAGATCAACCTCTGCTGGTCAGGAGGRAT  
GCCTTCCCTTGTCTGATCTTTGCTTGTACRTTCTCRATGGTGTCACTCGGCTCCACTTCGA  
GAGTGATGGTCTTACCAGTCAGGGTCTTCACGAAGATCTGCATCCCACCTCTAA

## 11740.2.contig

AAGTCACAAACAGACAAAGATTATACCAGCTGCAAGCTATATTAGAAGCTGAACGAAGA  
GACAGAGGTCAATCTGAGATGATGGAGACCTTCAAGCTCGAATTACATCTTTACAAG  
AGGAGGTGAAGCATCTCAAAACATAATCTCGAAAAAGTGAAGGAGAAAGAAAAAGAGGCT  
CAAGACATGCTTAATCACTCAGAAAAGGAAAAAGATAATTTAGAGATAGATTTAACTAC  
AACTTAAATCATTACAACAACGGTTAGAAACAAGAGGTAAATGAACACAAAGTAACCAAA  
GCTCGTTTAACTGACAAACATCAATCTATTGAAGAGGCAAGTCTGTGGCAATGTGTGAG  
ATGCAAAAAAAGCTGAAAGAAAGAAAGCAAGCTCGAGAGAAGGCTGAAAATCGGGTGT  
TCAGATTGAGAAACAGTGTTCATGCTAGACGTTGATCTGAAGCAATCTCAGCAGAACT  
AGAACATTTGACTCGAAATAAAGAAAGGATGGAGGATGAAGTTAAGAAATCTA

## 11762.2&amp;64.2.contig

CGCTCCACCATGTCCATCAGGGTGACCCAGAAGTCCTACAAGGTGTCCACCTCTGGCCCC  
 CGGGCCTTCAGCAGCCGCTCCTACACGAGTGGGCGCGGTTCGCCATCAGCTCCTCGAGCT  
 TCTCCCGAGTGGGCAGCAGCAACTTTGCGGTGGCCTGGGCGCGGCTATGGTGGGGCCA  
 GCGGCATGGGAGGCATCACCAGTTACGGTCAACCAGAGCCTGCTGAGCCCCCTTGTCT  
 GGAGGTGGACCCCAACATCCAGGCCGTGCGCACCCAGGAGAAGGAGCAGATCAAGACCTT  
 CAACAACAAGTTTGCTCCTTCATAGACAAGGTACGGTTCTGGAGCAGCAGAACAAGAT  
 GCTGGAGACCAAGTGGAGCCTCCTGCAGCAGCAGAAGACGGCTCGAAGCAACATGGACA  
 ACATGTTTCGAGAGCTACATCAACARCCTTAGGCGGCAGCTGGAGACTCTGGGCCAGGAGA  
 AGCTGAAGCTGGAGGGGAGCTTGGCAACATGCAAGGGCTGGTGGAGGACTTCAAGAAC  
 AAGTATGAGGATGAGATCAATAAGCGTACAGAGATGGAGAACGAATTTGTCCTCATCAAG  
 AAGGATGTGGATGAAGCTTACATGAACAAGGTAGAGCTGGAGTCTCGCCTGGAAGGGCTG  
 ACCGACGAGATCAACTTCTCAGGCAGCTGTATGAAGAGGAGATCCGGGAGCTGCAGTCC  
 CAGATCTCGGACACATCTGTGGTGTCTGTCATGGACAACAGCCGCTCCCTGGACATGGACA  
 GCATCATTGCTGAGGTCAAGGCACAGTACGAGGATATTGCCAACCAGCCGGGCTGAGG  
 CTGAGAGCATGTACCAGGTCAAGTATGAGGAGCTGCAGAGCCTGGCTGGGAAGCACGGGG  
 ATGACCTGCGGCGCACAAAGACTGAGATCTCTGAGATGAACCCGGAACATCAGCCCGCT  
 XCAGGCTGAGATTGAGGGCCTCAAAGGCCAGAXGGCTTXCCTGGAXGXCCGCCAT

## 11767.2.contig

CCCGGAGCCAGCCAACGAGCGGA.AAA.TGGCAGACAATTTTTCGCTCCATGATGCGTTATCT  
 GGGTCTGGA.AACCCA.AACCCTCAAGGATGGCCTGGCGCATGGGGAACCAAGCCTGCTGGG  
 GCAGGGGGCTACCCAGGGGCTTCTATCTGGGGCTACCCCGGGCAGGCACCCCAAGGG  
 GCTTATCTTGGACAGGCACCTCCAGGGGCTACCTGGAGCACCTGGAGCTTATCCCGGAG  
 CACCTGCACCTGGAGTCTACCCAGGGGCTACCCAGCGGCTGGGGCTACCCATCTTCTGG  
 ACAGCCAAGTCCACCGGAGCCTACCTGCCACTGGCCCTATGGCGCCCTGCTGGGCA  
 CTGATTGTGCTTATAACCTGCTTTGCTGGGGGAGTGGTGGCTCGCATGCTGATAACAA  
 TTCTGGGCACGGTGA.AACCCA.AATGCA.AACAGAA.TTGCTTAGATTCCAAAGAGGGAATG  
 ATGTTGCTTCCACTTAAACCCACGCTTCAATGAGAACAACAGGAGAGTCAATTGGTTGCAA  
 TACA.AAGCTGGATAA

## 11768-1&amp;2

GGGAATGCAACAACCTTTATTGA.AAGCAAGTGCAATGAAATTTGTTGAAACCTT.AAAAGG  
 GGAACTTAGACACCCCCCTCRA<sub>2</sub>CGMAGKACCARGTGCA.RA<sub>2</sub>GTGGACTCTTTCTGGAT  
 GTTGATGTCAGACAGGGTRCGWCCATCTTCCAGCTGTTTCCRGCA.AAGATCAACCTCTGC  
 TGATCAGGAGGRATGCCCTTCTTATCTTGGATCTTGGCTTGACATTCTCGATGGTGTCACT  
 GGGCTCCACCTCGAGGGTGATGGTCTTACCAGTCAGGGTCTTACGAAGATYTGCATCCCA  
 CCTCTGAGACCGAGCACCAAGGTGCAGGGTRGACTCTTCTGGATGTTGTAGTCAGACAGG  
 GTGGCYCATCTTCCAGCTG<sub>2</sub>TTTCC<sub>2</sub>AGCA.AAGATCAACCTCTGCTGGTCAGGAGGRATGC  
 CTTCTTGTCTGTGGATCTTTCYTTGACRTTCTCAATGGTGTCACTCGGCTCCACTTCGAGA  
 GTGATGGTCTTACCAGTCAGGGTCTTACGAAGATCTGCATCCACCTTAAGACGGAGCA  
 CCAGGTGCAGGGTGGACTCTTCTGGATG<sub>2</sub>TTGATGTCAGACAGGGTGGCTCCATCTTCCA  
 GCTGTTTCCCAGCA.AAGATCAACCT

FIG. 15E

11768-1&amp;2-11735-1&amp;2

AGGTTGATCTTTGCTGGGAAACAGCTGGAAGATGGACGCACCCTGTCTGACTACAAcCATC  
CAGAAAGAGTCCACCCTGCACCTGGTCTCGTCTTAGAGGTGGGATGCAGATCTTCGTGA  
AGACCCTGACTGGTAAGACCATCACTCTCGAAGTGGAGCCGAGTGACACCATTGAGAAyG  
TCAARGCAAAGATCCARGAC.AAGGAAGGCATYCCTCTGACCAGCAGAGGTTGATCTTTG  
CISGGAAAgCAGCTGGAAGATGGRCGCACCCTGTCTGACTACAACATCCAGAAAGAGTCYA  
CCCTGCACCTGGTCTCCGTCTCAGAGGTGGGATGCAATCTTCGTGAAGACCCTGACTGG  
TAAGACCATCACCTTCGAGGTGGAGCCCAGTGACACCATCGAGAATGTCAAGGCAAAGAT  
CCAAGATAAGGAAGGCATCCCTCTGATCAGCAGAGGTTGATCTTTGCTGGGAAACAGCT  
GGAAGATGGACGCACCCTGTCTGACTACAACATCCAGAAAGAGTCCACcTYTGACyTGGT  
MCTBCGcCTYgAGGKGGGRTGcaaTCTWMGTKWagaCaCiCaCTKKYAAGRYYaTCAMCMWt  
gAKKTCgAKYSCASTKWCcCTWTcRAKAAMGTyrWWGCAWagaTCCMAGACAAGGAAGGC  
ATTCTCTGACCAGCAGAGGTTGATCT

11769.1.contig

ATGGAGTCTCACTCTGTGCGACCAGGCTGGAGCGCTGTGGTGGGATATCGGCTCACTGCAGT  
CTCCACTTCTGGGTTCAAGCGATCCTCTGCCTCAGCCTCCCGAGTACGTGGGACTACAG  
GCAGGCGTCAACATAATTTTGTATTTTAGTAGAGACATGGTTTCGCCATGTTGGCTGGG  
CTGGTCTCGAACTCTGACCTCAAGTCACTGTCTCTGGCCTCCCAAAGTGTGGGATTACA  
GGCGAAAGCCAAAGCTCCCGGCCAGCGAACAACTTTAGAAATGAAGGAAATATGCAAAAAG  
AACATCACATCAAGGATCAATTAATTACCATCTATTAATTACTATATGTGGGTAAATTATGA  
CTATTTCCCAAGCAATCTACGTTGACTGCTTGAGAAGATGTTTGTCTGCTGATGGTGGAGAG  
TGGAGAAGGCCAGGATTCTTAGCTT

11769.2.contig

AGCGCGGTCTTCGGCGCGGAGAAAGCTGAAGGTGATGTGGCCGCCCTCAACCGACGCATC  
CAGCTCGTTGAGGAGGAGTTGCACAGGGCTCAGGAACGACTGGCCACGGCCCTGCAGAAAG  
CTGGAGGAGGCAGAAAAAGCTCCAGATGAGAGTGAGAGAGGAATGAAGGTGATAGAAAA  
CCGGGCCATGAAGGATGAGGAGAAAGATGGAGATTCAGGAGATGCAGCTCAAAGAGGCCA  
AGCACATTGGCGAAGAGGCTGACCCCAAATACGAGGAGGTAGCTCGTAAGCTGGTCAATCC  
TGGAGGGTGACCTGGAGAGGGCAGAGGAGCGTGCGGAGGTGTCTGAACTAAAAATGTGGT  
GACCTGGAAGAACAACCTCAAGAAATGTTACTAACAACTGAAATCTCTGGAGGCTGCATCT  
GAAAAGTATTCTGAAAAGCAGGACAAATATGAAGAAGAAATTAACCTTCTGTCTGACAAA  
CTGAAAGAGGCTGAGACCCGTCTCAATTTGCAGAGAGAAACGGTTGCAAAACTGGAAAAG  
ACAATTGATGACCTGGAAGAGAAACTTGCCCAAGC

11770.1.contig

GTGCACAGGTCCCATTTATTGTAGAAAAATAATAATTACAGTGATGAATAGCTCTTCTT  
AAATTACAAAACAGAAACCACAAAGAAGGAAGAGGAAAAACCCAGGACTTCCAAGGGT  
GAAGCTGTCCCTCCTCCCTGCCACCCTCCAGGCTCATTAGTGTCTTGGAAAGGGGCAGA  
GGACTCAGAGGGGATCAGTCTCCAGCGCCCTGGGCTGAAGCGGGTGAGGCACAGAGTCC  
TGAGGCCACAGAGCTGGGCAACCTGACCCGCTCTCTGGCCCCCTCCCCCACCCTGCCCCA  
AACCTGTTTACAGCACCTTCCCCCTCCCCCTCTAAACCCGTCCAATCACTCTGCACTTCCCA  
GGCAGGTGGGTGGGCCAGGCTCAGCCATACTCTGGGCGGGGTTTCGGTGAGCAAGGC  
ACAGTCCCAGAGGTGATATCAAGCCCT

FIG. 15F

## 11770.2.contig

GCAAGGAAC TGGTCTGCTCACACTTGCTGGCTTGGCATCAGGACTGGCTTTATCTCCTGA  
CTCACGGTGCAAAGGTGCACTCTGCGAACGTTAAGTCCGTCCCCAGCGCTTGGAAATCCTAC  
GGCCCCACAGCCGGATCCCCTCAGCCTTCCAGGTCTCAACTCCCGTGGACGCTGAACAA  
TGGCTCCATGGGGCTACAGGTAATGGGCA TCGCGCTGGCGTCTGGGCTGGCTGGCCGT  
CATGCTGTGCTGCGCGCTGCCCCATGTGGCGCGTGACGGCCTTCATCGGCAGCAACATTGTC  
ACCTCGCAGACCATCTGGGAGGGCCTATGGATGAACTGCGTGGTGCAGAGCACCGGCCAG  
ATGCAGTGCAAGGTGTACGACTCGCTGCTGGCACTGCCGAGGACCTGCAGGCGGCCCGC  
GCCCTCGTCATCATCA

## 11773.1.contig

TGCAAAAGGGACACAGGGGTTCAAAAATAAAAAATTTCTCTTCCCCCTCCCCAAACCTGTAC  
CCCAGCTCCCCGACCACAACCCCTTCTCTCCCCGGGAAAGCAAGAAGGAGCAGGTGTG  
GCATCTGCAGCTGGGAAGAGAGAGGGCCGGGAGGTGCCGAGCTCGGTGCTGGTCTCTTTC  
CAAATATAAATACXTGTGTACAGAACTGGAATACTCCAGCACCCACCACCAAGCACTCT  
CCGTTTTCTGCCGGTGTGAGAGGGGGGGGGGGAGGGCGCCAGGCACCGGCTGGCT  
GCGGTCTACTGCATCCGCTGGGTGTGACCCCGCGAGCCTCCTGCTGCTCAATTGTAGAAGA  
GATGACACTCGGGGTCCCCCGGATGGTGGGGCTCCCTGGATCAGCTTCCCGGTGTTGGG  
GTTACACACCAGCACTCCCCACGCTGCCGTTCAAGAGACATCTTGC ACTGTTTGAGGTTG  
TACAGGCCATGCTTGTACAGTTG

## 11778.1.contig

GGGTTGGAGGCACTGCTCTTTATTTCAAAAAGACACTTGTCAATATTCAGTATCAAAACA  
GTTGCACTATTGATTTCTCTTCTCCCAATCGGCCCAAGAGACCACATAAAAGGAGAGT  
ACATTTTAAGCCAATAAGCTGCAGGATGTACACCTAACAGACCTCCTAGAACTTACCAG  
AAAATGGGCACTGGGTAGGGAAGGAACTTAAAAGATCAACAACTGCCAGCCCACCGA  
CTGCAGAGGCTGTACACGCCAGATGGGGTGGCCAGGCTGCCACAAAGCCAAAGCAAGTT  
TCAAAAATAATAFAAAAATTAAGTTTGTACATAAGCTATTCAAGATTCTCCAGCACT  
GACTGATACAAAGCACAAATGAGATGGCACTTCTAGAGACAGCAGCTTCAAACCCAGAAA  
AGGGTGATGAGATGAGTTTCAATGGCTAAATCAGTGGCAAAAACACAGTCTTCTTTCTT  
CTTTCTTTCAAGGAGGCAGGAAAGCAATTAAGTGGTCACTCAACATAAGCGGGACATGA  
TCCAATCTGTAAGCAGTTGTGAAGGG

## 11778-2&amp;30-2

CAGGAACCGGAGCGGAGCAGTAGCTGGGTGGGCACCATGGCTGGGATCACCACCATCGA  
GGCGGTGAAGCGCAAGATCCAGGTTCTGCAGCAGCAGGCAGATGATGCAGAGGAGCGAG  
CTGAGCGCTCCAGCGAGAAGTTGAGGGAGAAAGCGGGCGGGGAACAGGCTGAGGCT  
GAGGTGGCTCCTTGAACCGTAGGATCCAGCTGGTTGAAGAAGAGCTGGACCGTGCTCAG  
GAGCGCTGCCACTGCCCTGCAAAAGCTGGAAGAAGCTGAAAAGCTGCTGATGAGAGT  
GAGAGAGGTATGAAGGTTATTGAAAACCGGGCTTAAAAGATGAAGAAAAGATGGAAGT  
CCAGGAAATCCAACCTCAAAGAAGCTAAGCACAATTCAGAAAGAGGCAGATAGGAAGTATG  
AAGAGGTGGCTCGTAAGTTGGTGATTTGAAGGAGACTTGC AACCCACAGAGGAACGAG  
CTGAGCTGCCAGAGTCCGTTGCCGAGAGATGGATGAGCAGATTAGACTGATGGACCAGA  
ACCTGAAGTGTCTGAGTGC

FIG. 15G

## 11782.1.contig

ATCTACGTCATCAATCAGGCTGGAGACACCATGTTCAATCGAGCTAAGCTGCTCAATATTG  
GCTTCAAGAGGCGCTTGAAGGACTATGATTACAACCTGCTTGTGTTCAAGTATGTGGACCT  
CATTCGGATGGACGACCGTAATGCCTACAGGTGTTTTTCGCAGCCACGGCACATTTCTGTT  
GCAATGGACAAGTTCGGGTTTAGCCTGCCATATGTTCAAGTATTTGGAGGTGTCTCTGCTCT  
CAGTAAACAACAGTTTCTTGCCATCAATGGATTCCCTAATAATTATTGGGGTTGGGGAGGA  
GAAGATGACGACATTTTAAACAGATTAGTTCATAAAGGCATGTCTATATCACGTCCAAATG  
CTGTAGTAGGGAGGTGTGGAATGATCCGGCATTCAGAGACAAGAAAAATGAGCCCAATC  
CTCAGAGGTTTGACCGGATCGCACATACAAAGGAAACGATGCGCTTCGATGGTTTGAAC  
CACTTACCTACAAGGTGTTGGATGTCAGAGATACCCGTTATATACCCAAATCAC

## 11782.2.contig

CTAGACCTCTAATTAAAAGGCCACAATCATGCTGGAGAATGAACAGTCTGACCCCGAGGGC  
CACAGCGAATTTTAGGGAAGGAGGCCAAAGAGGTGAGAAGGGAAAGGAAAGGAAGG  
AAGGAGAACAATAAGAACTGGAGACGTTGGGTGGGTGAGGGAGTGTGGTGGAGGCTCGG  
AGAGATGGTAAACAACCTGACTGCTATGAGTTTCAACCCCATAGTCTAGGGCCATGAG  
GGCGTCAGTTCTTGGTGGCTGAGGGTCTTCCACCCAGCCACCTGGGGGAGTGGAGTGG  
GGAGTTCTGCCAGGTAAAGCAGATGTTGTCTCCCAAGTTCTGACCCAGATGTCTGGCAGGA  
TAACGCTGACCTGTTCCCTCAACAAGGACCTGAAAGTAATTTTGCTCTTTAC

## 11783-1 &amp; 2

CCGAATTCAAGCGTCAACGATCCCTTACCATCAAAATCAATTGGCCACCAATGGTACT  
GAACCTACGAGTACACCGACTACGGCGGACTAATCTTCAACTCCTACATACTTCCCCCAT  
TATTCCTAGAACCAGGCGACCTGGGACTCTCTGACGTTGACAAATCGAGTAGTACTCCCGAT  
TGAAGCCCCCATTCGTATAATAATTACATCACAAGACGTTCTGCACTCATGAGCTGTCCCC  
ACATTAGGCTTAAAAACAGATGCAATTCGGGACGTTCTAAGCCAAACCACTTTACCGCTA  
CAGGACCGGGGGTATACTACGGTCAATGCTCTGAAAATCTGTGGAGCAAAACCACAGTTTCAT  
GCCCCATCGTCTAGAAATTAATTCCTTAAAAATCTTTGAAATAGGGCCCGTATTTACCCTA  
TAGCACCCCTCTACCCCTCTAG

## 11786.1.contig

GCTCTTCACACTTTTATTGTTAAATCTCTTCACATGGGCAGATACAGAGCTGTGCTTGAAG  
ACCACCACTGACCAGGAAATGCCACTTTTACAAAAATCATCCCCCTTTTCATGATTGGAAC  
AGTTTCTGTACCGTCTGGGAGCGTTGAAGGGTGACCAGCACATTTGCACATGCCAAAAA  
GGAGTACCCCCAAGGCCTCAACCACACTTCCCAGAGCTCACCATGGGCTGCAGGTGACTT  
GCCAGGTTTGGGGTTCGTGAGCTTTCCTTCTGCTGCGGTGGGGAGGCCCTCAAGAACTGA  
GAGGCCGGGGTATGCTTCATGAGTGTAAACATTTACGGGACAAAAGCGCATCATTAGGAT  
AAGCAACAGCCACAGCACTTCATGCTCTGAGCGTTAGCTGTAGGAGCGGGTGAAGGAT  
TCCAGTTTATGAAAAATTAAGCAAAACAACGGTTTTAGCTGGGTGGGAAACAGGAAAAAC  
TGTGATGTGCGCCCAATGACCACCAATTTCTGCCCATGTGAAGGTCCCCATGAAACC

## 11786.2.contig

CAAGCGCTTGGCGTTTGGACCCAGTTCAGTGAGGTTCTTGGGTTTTGTGCCTTTGGGGATT  
TGGTTTGACCCAGGGGTCAGCCTTAGGAAGGTCTTCAGGAGGAGGCCGAGTTCCTTCAG  
TACCACCCCTCTCTCCCCACTTTCCCTCTCCCGGCAACATCTCTGGGAATCAACAGCATATT  
GACACGTTGGAGCCGAGCCTGAACATGCCCTCGGCCCCAGCACATGGAAAACCCCTTC  
CTTGCCTAAGGTGTCTGAGTTTCTGGCTCTTGAGGCAATTCAGACTTGAAATTCTCATCAG  
TCCATTGCTCTTGAGTCTTTGCAGAGAACCTCAGATCAGGTGCACCTGGGAGAAAGACTTT  
GTCCCCACTTACAGATCTATCTCCTCCCTTGGGAAGGGCAGGGAATGGGGACGGTGTATGG  
AGGGGAAGGGATCTCCTGCCCTTCATTGCCACACTTGGTGGGACCATGAACATCTTTAG  
TGTCTGAGCTTCTCAAATTAAGCAATAGGA

## 13691.1&amp;2

AGCGTCAAATCAGAAATGGAAAAGACTCAAAATCATCAACACCAAGATCAAAAGGAC  
AAGRATCCTTCAAGAAACAGGAAAAAATCCTAAACACCAAAAGGACCTAGTTCTGTAG  
AAGACATTAAAGCAAAAAATGCAAGCAAGTATAGAAAAAGGTGGTTCTTCCCAAAGTGG  
AAGCCAAATTCATCAATTAATGTGAAGAAATGCTTCCGGATGACTGACCAAGAGGCTATTCA  
AGATCTCTGGCAGTGGAGGAAGTCTCTTAAGAAAAATAGTTTAAACAATTTGTTAAAAAAT  
TTCCGCTCTTATTTCAATTTCTGTAAACAGTTGATATCTGGCTGTCTTTTTATAATGCAGAGT  
GAGAACTTTCCCTACCGTGTTTGATAAATGTTGTCCAGGTTCTATTGCCAAGAATGTGTGT  
CCAAAATGCCTGTTTAGTTTTTAAAGATCGAACTCCACCCTTTGCTTGGTTTTAAGTATGTA  
TGGAAATGTTATGATAGGACATAGTAGTAGCGGTGCTCAGACATGGAAATGGTGGGSMGAC  
AAAAATATACATGTGAAATAA

## 13692.1&amp;2

TCCGAATTCCAAGCGAATTAATGGACAAACGATTCCTTTTAGAGGATTACTTTTTCAATTC  
GGTTTTAGTAATCTAGGCTTTCCCTGTAAAGCAATACAACGATGGATTTTAAATAGTGTG  
TGGAATGTGTTTAAAGCATTGATCTAGAACCTTTGTATATTGATAGTATTTCTAACTTTC  
ATTTCTTTACTGTTTGCAGTTAATGTTTCATGTTCTGCTATGCAATCGTTTATATGCACGTTTC  
TTTAATTTTTTAGATTTTCTGGATGTATAGTTTAAACAACAAAAAGTCTATTTAAAACTG  
TAGCAGTAGTTTACAGTTCTAGCAAGAGGAAAGTTGTGGGGTTAACTTTGTATTTTCTT  
TCTTATAGAGGCTTCTAAAAAGGTATTTTATATGTTCTTTTAAACAAATATTGTGTACAAC  
CTTTAAACATCAATGTTTGGATCAAAACAAGACCCAGCTTATTTTCTGC

## 13693.2

TGTGGTGGCGCGGGCTGACGTGGAGGCCCAGGACTCTGACCCTGCCCTGCCTTCAGCAA  
GGCCCCCGGCAGCGCGGCCACTACGAACCTGCCGTGGGTGAAAAATATAGGCCAGTAAA  
GCTGAATGAAATTTGTCGGGAATGAAGACACCGTGAGCAGGCTAGAGGTCTTTGCAAGGGA  
AGGAAATGTGCCCAACATCATCAATGCGGGCCCTCCAGGAACCGGCAAGACCACAAGCAT  
TCTGTGCTTGGCCCCGGGCTGCTGGGCCCAGCACTCAAAAGATGCCATGTTGGAATCAAT  
GCTTCAAATGACAGGGCCATTGACGTTGTGAGGAATAAAATTTAAATGTTTGTCTCAACAA  
AAAGTCACTCTTCCCAAAGGCCGACATAAGATCATCAATCTGGATGAAGCAGACAGCATG  
ACCGACGGAGCCAGCAAGCCTTGAGGAGAACCATGGAAATCTACTCTAAAACCACTCGT  
TCGCCCTTGCTTGTAAATGCTTCGGATAAGATCATCGAGCC

13696.1-13744.1

CTTTGCAAAGCTTTTATTTTCATGTCTGCGGCATGGAATCCACCTGCACATGGCATCTTAGCT  
GTGAAGGAGAAAGCAGTGCACGAGAAGGAATGAGTGGGCGGAACCAACGGCCTCCACAA  
GCTGCCCTCCAGCAGCCTGCCAAGGCCATGGCAGAGAGAGACTGCAAACAAACACAAGCA  
AACAGAGTCTCTTCACAGCTGGAGTCTGAAAGCTCATAGTGGCATGTGTGAATCTGACAA  
AATTAAAAGTGTGCATAGTCCATTACATGCATAAAACACTAATAATAATCCTGTTTACACG  
TGA CTGCAGCAGGCAGGTCCAGCTCCACCCTGCTCCCTGCCACATCACATCAAGTGCCA  
TGGTTTAGAGGGTTTTTCATATGTAATTTCTTTTATTCTGTAAAAGGTAACAAAATATACAG  
AACAAAACCTTCCCTTTTAAAACTAATGTTACAAATCTGTATTATCACTTGGATATAAAT  
AGTATATAAGCTGATC

13700.1

CAAGGGATATATGTTGAGGGTACRGRGTGA<sup>-</sup>CTGAACAGATCACAAAGCAGGAGAAACA  
TTAGTTCTCTCCCTCCCCAGCGTCTCCTTCGTCTCCCTGGTTTTCCGATGTCCACAGAGTGA  
GATTGTCCCTAAGTAACTGCATGATCAGAGTGCTGKCTTTATAAGACTCTTCATTACAGCGT  
ATCCAATTCAGCAATTGCTTCATCAAATGCCGTTTTTGCCAGGCTACAGGCCTTTTCAGGA  
GAGTTTAGAATCTCATAGTAAAAGACTGAGAAATTTAGTGCCAGACCAAGACGAATTGGG  
TGTGTAGGCTGCATTNCTTTCTTACTAAATTTCAAATGCTTCCTGGTAAGCCTGCTGGGAGTT  
CGACACAAGTGGTTTTGTTGCTCCAGATGCCACTTCAGAAAGATACCTAAAATAATCT  
CCTTTCATTTTCAAAGTAGAACAC

13700.2

TCCGGAGCCGGGGTACTCGCCGGCGCGCGCGCGGGTGCAGCCACTGCAGGCACCGCTGCC  
GCGCCTGAGTAGTGGGCTTAGGAAGGAAGAGGTATCTCGCTCGGAGCTTCGCTCGGAA  
GGGTCTTTGTTCCCTGCCAGCCCTCCACGGGAATGACAAATGGATAAAAAGTGAGCTGGTACA  
GAAAGCCAAACTCGCTGAGCAGGCTGAGCGATATGATGATATGGCTGCAGCCATGAAGGC  
AGTCACAGAAACAGCGGCATGAACCTCTCAACGAAGAGAGAAATCTGCTCTCTGTTGCCTA  
CAAGAATGTGGTAAGGCCGCGCGCGCGCTCTTCTGGCGTGTCTCTCCAGCATTGAGCAGA  
AAACAGAGAGGAATGAGAAAGAACCCAGATCGGCAAGAGTACCGTGAGAACATAGA  
GGCAGAACTGCAGGACATCTCCAATGATGTTCTGCAGCTTGTGGACAAATATCTTATTCC  
AATGCTACACAACCCAGAAA

13701.1

AAAAAGCAGCARGTTCAACACAAAAATAGAAATCTCAAATGTAGGATAGAAACAAACCAA  
GTGTGTGAGGGGGGAAGCAACAGCAAAAGGAAGAAATGAGATGTTGCAAAAAAGATGGA  
GGAGGGTTCCTCTCTCTGCGGACTGACTCAAACACTGATGTGGCACTATACACCATTC  
CAGAGTCAGGGGTGTTCAATCTTTTCCGAGTAAGAAAAGGTGGGGATTAGAAGACGT  
TTCTGGAGGCTTAGGGACCAAGCCTGGTCTTTTCCCCCTCCCAACCCCTTGATCCCTTT  
CTCTGATCAGGGGAAAAGCAGCTCGAATGAGGAGGTAGAGTTGGAAAAGGAAAGGATT  
CACTTGACAGAATGGGACAGACTCTTCCCA



## 13701.2

TGGCAATAGCACAGCCATCCAGGAGCTCTTCARGCGCATCTCGGAGCAGTTCACTGCCATG  
TTCCGCCCGGAAGGCCTTCCTCCACTGGTACACAGGCGAGGGCATGGACGAGATGGAGTTC  
ACCGAGGCTGAGAGCAACATGAACGACCTCGTCTCTGAGTATCAAGCAGTACCAGGATGC  
CACCGCAGAAGAGGAGGAGGATTTCCGGTGAGGAGGCCGAAGAGGAGGCCTAAGGCAGAG  
CCCCATCACCTCAGGCTTCTCAGTTCCCTTAGCCGTCTTACTCAACTGCCCTTTCTCTCC  
CTCAGAAATTTGTGTTTGCTGCCTCTATCTGTTTTTGTGTTTTTCTCTGGGGGGGTCTAGAA  
CAGTGCCTGGCACATAGTAGGCGCTCAATAAAATACTTGTTGNTGAATGTCTCCT

## 13702.2

AGCTGGCGCTAGGGCTCGGTTGTGAAATACAGCGTRGTCAGCCCTTGGCTCAGTGTAGAA  
ACCCACGCCTGTAAAGTTCGGTCTTCGTCCATCTGCTTTTTCTGAAATACACTAAGAGCAG  
CCACAAAACCTGTAACCTCAAGGAAACCATAAAGCTTGAGTGCCTTAATTTTAACCAGTT  
TCCAATAAAACGGTTTACTACCT

## 13704.2-13740.2

GGAGATGAAGATGAGGAAGCTGAGTCAGCTACGGGCGARGCGGGCAGCTGAAGATGATGA  
GGATGACGATGTGATACCAAGAAGCAGAAGACCGACGAGGATGACTAGACAGCAAAAA  
AGGAAAAAGTTAAA

## 13706.1

GATGAAAATTAATACTTAAATTAATCAAAAAGGCACTACGATACCACCTAAAACCTACTG  
CCTCAGTGGCAGTAKCCTAAKGAACATCAAGCTACAGSACATYATCTAATATGAATGTTA  
GCAATTACATAKCARGAAGCATGTTTGGTTTCCAGAAGACTATGCNACAATGGTCATTWG  
GGCCCAAGAGGATAATTTGGCCNCGAAAGCATCAAGATAGATNAANGTAAAG

## 13706.2

GAGTAGCAACGCCAAAGCGCTTGGTATTGAGTCTGTGGSGACTTCGGTTCCGGTCTCTGCA  
GCAGCCGTGATCGCTTAGTGGAGTCTTAGGGTAGTTGGCCAGGATGCCGAATATCAAAA  
TCTTCAGCAGGCAGCTCCACAGGACTTATCTCASAATAATGCTGACCGCTGGGCCTGG  
AGCTAGGCAAGGTGGTGACTAAGAAAATTCAGCAACCAGGAGACCTGTGTGAAATTTGGTG  
AAAGTGTACCGTGGACAGGATGTCTACATTTGTTTCAGAGTGGNTGTGGCGAAATCAATGAC  
AATTTAATGGAGCTTTTGATCATGATTAATGCCCTGCAAGATTGCTTCAGCCAGCCGGGTTA  
CTGCAGTCATCCCATGCTTCCCTTATGCCCCGGCAGGATAAGAAAAGATNAGAGCCGGGCC  
GCCAATCTCAGCCAAGCTTGGTGCAAAATATGCTATCTGTAGCAGTGCAGATCATATTATCA  
CCATGGACCTACATGCTTCTCAAAATTCANGGCTTTT

## 13707.3

ATGCAAAAGGGGACACAGGGGGTTCAAAAATAAAAATTTCTCTTCCCCCTCCCCAAACCT  
GTACCCAGCTCCCCGACCACAACCCCTTCTCCCCCGGGGAAAGCAAGAAGGAGCAGG  
TGTGGCATCTGCAGCTGGCAAGAGAGAGGCCGGGAGGTGCCGAGCTCGGTCTGTCTC  
TTTCCAAATATAAATACGTGTGTGAGAACTGGAAAACTCTCCAGCACCCACCACCAAGCA  
CTCTCCGTTTTCTGCCGGTGTGGAGAGGGGGCGGNGGGCAGGGGCGCCAGGCACCGGCT  
GGCTGCGGTCTACTGCATCCGCTGGGTGTGCACCCCGCA

## 13710.2

AGGTTGGAGAAGGTCAATGCAGGTGCAGATTGTCCAGGSKCAGCCACAGGGTCAAGCCCAA  
CAGGCCCAGAGTGGCACTGGACAGACCATGCAGGTGATGCAGCAGATCATCACTAACACA  
GGAGAGATCCAGCAGATCCCGGTGCAGCTGAATGCCGGCCAGCTGCAGTATATCCGCTTA  
GCCCAGCCTGTATCAGGCACTCAAGTTGTGCAGGGACAGATCCAGACACTTGCCACCAAT  
GCTCAACAGATTACACAGACAGAGGTCCAGCAAGGACAGCAGCAGTTCAAGCCAGTTTAC  
AAGATGGACAGCAGCTCTACCAGATCCAGCAAGTCACCATGCCTGCGGGCCANGACCTCG  
CCAGCCATGTTTATCCAGTCAAGCCAACCAGCCCTTCNACGGGCAGGCCCCCAGGTGAC  
CGGCGACTGAAGGGCCTGAGCTGGCAAGGCCAANGACACCCAACACAATTTTTGCCATAC  
AGCCCCAGGCAATGGGCACAGCCTTTCTTCCAGAGGAC

## 13710-1

TGAGATTTATTGCATTTTCATGCAGCTTGAAGTCCATGCAAAGGRCAGTACACAGTTTTTA  
ATGCATTTAAAAATAAAACGGAGGTGGGCAGCAAAACACAAAAGTCTAGTTTCTGGG  
TCCCTGGGAGAAAAGAGTGTGGCAATGAATCCACCCACTCTCCACAGGGAATAATCTGT  
CTCTTAAATGCAAACAATGTTTCCATGGCCTCTGGATGCAAATACACAGAGCTCTGGGGTC  
AGAGCAAGGGATGGGAGAGGACCAGAGTGAAAAAGCAGCTACACACATTCACCTAAT  
TCCATCTGAGGGCAAGAACAACGTGGCAAGTCTTGGGGTACCAGCTGT

## 13711.1

TCCAGACATGCTCCTGTCTAGGCGGGGACCAGGAACCAGACCTGCTATGGGAAGCAGAA  
AGAGTTAAGGGAAGGTTTCTTTCATTCCTGTTCTTCTCTTTTGAACAGTTTTTA  
AATATACTAATAGCTAAGTCAATTCGCCAGCCAGGTCCCGGTGAACAGTAGAGAACAAGGA  
GCTTGCTAAGAATTAATTTGCTGTTTTACCCCCATTCAAACAGAGCTGCCCTGTTCCCTG  
ATGGAGTTCCATTCCTGCCAGGGCAGGGCTGAGTAACACGAAGCCATTCAAGAAAGCCGG  
GTGTGAATCACTGCCACCCCATGGACAGCCCTCACTCTTCTTACCCGACAGGCT  
ACTTAATAAATAATTAATTTGAAATTAATGATAACCGAATTTTCCATGCGGCATCCTA  
AGGCACTTGCCAGCTCTTATCCGGACAGTCAAGCACTGTTGTTGGACAACAGATAAAGG  
AAAAGAAAAAGAAAGAAAACAACCGCACTTCTGT

FIG. 15L

13711.2

TGAGACGGACCACTGGCCTGGTCCCCCTCATKTGCTGTCGTAGGACCTGACATGAAACGC  
AGATCTAGTGGCAGAGAGGAAGATGATGAGGAACTTCTGAGACGTCGGCAGCTTCAAGAA  
GAGCAATTAATGAAGCTTAATCAGGCCCTGGGACAGTTGATCTTGAAAGAAGAGATGGAG  
AAAGAGAGCCGGGAAAGGTCATCTCTGTTAGCCAGTCGCTACGATTCTCCCATCAACTCAG  
CTTCACATATTCCATCATCTAAAACCTGCATCTCTCCCTGGCTATGGAAGAAATGGGCTTCA  
CCGGCTGTTTCTACCGACTTCGCTCAGTATAACAGCTATGGGGATGTCAGCGGGGAGTG  
CGAGATTACCAGACACTTCCAGATGGCCACATGCCCTGCAATGAGAATGGACCGAGGAGTG  
TCTATGCCCAACATGTTGGAACCAAGATAATTCATATGAAATGCTCATGGTGACCAACA  
GAGGGCCGAAACCAATCTCAGAGAGGTGGACAGAA

13713.1&amp;2

TCACTTTATTTTCTTGATAAAAAACCCTATGTTGTAGCCACAGCTGGAGCCTGAGTCCGCT  
GCACGGAGACTCTGGTGTGGGTCTTGACGAGGTGGTCAGTGAACCTCTGATAGGGAGACT  
TGGTGAATACAGTCTCCTTCCAGAGTCCGGGGGTGAGGTAGCTGTAGGTCTTAGAAATGGC  
ATCAAAGGTGGCCTTGGCGAAGTTGCCAGGGTGGCAGTGCAGCCCCGGGCTGAGGTGTA  
GCAGTCATCGATACCAGCCATCATGAG

13715.4

CTGGAATATAGACCCGTGATCGACAAAACCTTGAACGAGGCTGACTGTGCCACCGTCCCGC  
CAGCCATTGCTCTACTGATGAGACAAGATGTTGGTGAATGACAGAATCAGCTTTGTAAAT  
ATGTATAATAGCTCATGCAATGTGTCCATGTCAATACTGTCTTCAACCTTCTGCACTCTGG  
GGAAGAACGAGTACATTGAAGGGAGATTGGCACCTAGTGGCTGGGAGCTTGGCAGGAACC  
CAGTGGCCAGGGAGCGTGGCACTTACCTTTGTCCCTTGCTTCATCTTGTGAGATGATAAA  
ACTGGGCACAGCTCTTAAATAAAATATAAATGAACA

13717.1&amp;2

TGAATGGGGAGGAGCTGACCCAGGAAATGGAGCTTGNGGAGACCAGGCCTGCAGGGGAT  
GGAACCTTCCAGAAGTGGGCATCTGTGGTGGTGCCTCTTGGGAAGGAGCAGAAGTACACA  
TGCCATGTGGAACATGAGGGGGTGGCTGAGCCCCCTCACCTTGAGATGGGGCAAGGAGGAG  
CCTCCTTATCCACCAAGACTAACACAGTAATCAATGCTGTTCCGGTTGTCTTGGAGCTGT  
GGTCATCCTTGGAGCTGTGATGGCTTTGTGATGAAGAGGAGGAGAAACACAGGTGGAAA  
AGGAGGGGACTATGCTCTGGCTCCAGGCTCCAGAGCTCTGATATGTCTCTCCAGATTGT  
AAAGTGTGAAGACAGCTGCCCTGGTGTGGAATGGTGACAGACAATGTCTTACACATCTCC  
TGTGACATCCAGAGACCTCAGTCTCTTTAGTCAAGTGTCTGATGTTCCCTGTGAGTCTGCC  
GGCTCAAAGTGAAGAAGTGTGGAGCCCACTCCACCCCTGCACACCAGGACCCTATCCCTG  
CACTGCCCTGTGTTCCCTTCCACAGCCAACTTGTGCTGCCAGCCAAACATTGGTGGACAT  
CTGCAGCCTGTGAGCTCCATGCTACCTGACCTTCAACTCCTCACTTCCACACTGAGAATA  
ATAATTTGAATGTGGGTGGCTGGAGAGATGGCTCAGCGCTGACTGCTCTTCCAAAGGTCT  
GAGTTCAAATCCCAGCAACCACATGGTGGCTCACAACCATCTGTAATGGGATCTAATACCC  
TCTTCTGCAGTGTCTGAAGACASCTACAGTGTACTTACATATAATAATAAATAAG

FIG. 15M

## 13719.1&amp;2

GGCCGGGGCGCGCGCGCCCCCGCCACACGCCACGCCGGGGCGTGCCAGTTTATAAAGGGAGAG  
AGCAAGCAGCGAGTCTTGAAGCTCTGTTGGTGCTTTGGATCCATTTCATCGGTCCTTAC  
AGCCGCTCGTCAGACTCCAGCAGCCAAGATGGTGAAGCAGATCGAGAGCAAGACTGCTTT  
TCAGGAAGCCTTGGACGCTGCAGGTGATAACTTGTAGTAGTTGACTTCTCAGCCACGTGG  
TGTGGGCTTGC AAAATGATCAAGCCTTCTTTCATTCCCTCTCTGAAAAGTATTCCAACGT  
GATATTCTTGAAGTAGATGTGGATGACTGTCAGGATGTTGCTTCAGAGTGTGAAGTCAAA  
TGCATGCCAACATTCCAGTTTTTAAAGAAGGGACAAAAGGTGGGTGAATTTCTGGAGCCA  
ATAAGGAAAAGCTTGAAGCCACCATTAAATGAATTAGTCTAATCATGTTTTCTGAAAATATA  
ACCAGCCATTGGCTATTTAAACTTGTAAATTTTTTAATTTACAAAAATATAAAATATGAA  
GACATAAACCCMGTGGCATCTGCGTGACAATAAAACATTAATGCTAACACTT

## 13721.1

TCACATAAGAAATTTAAGCAAGTTACRCTATCTTAAAAAACACAACGAATGCATTTTAATA  
GAGAAACCCTTCCCTCCCTCCCTCCCTCCCTCCCTCCCTCATGAATTAAGAATCTAAG  
AGAAGAAGTAACCATAAAACCAAGTTTGTGCAATCCATCATCCAGAGTGCTTACATGGT  
GATTAGGTTAATATTGCTTCTTACAAAATTTCTATTTTAAAAAAATTATAACCTTGATTG  
CTTATTACAAAAAATTCAGTACAAAAGTTCAATATATTGAAAAATGCTTTTCCCTCCCT  
CACAGCACCGTTTTATATATACGACAGAAATGAAGAGATTGCTAGTCTAGATGGGGCA  
ATCTTCAAAATTACACCAAGACCGACAGTGGTTATTTACCCTCCCTTCTCATAAG

## 13721.2

GGAAAGGATTCAAGAATTAGACCACTTCTGCTRRAGAAAAAGACAACCTCTCGTGGCAT  
GCTGACAGACAAAGAGAGAGAGATGGCGGAAATAAGGGATCAAAATGCAGCAACAGCTGA  
ATGACTATGAACAGCTTCTTGATGTAAAGTTAGCCCTGGACATGGAAATCAGTGCTTACAG  
GAACTCTTAGAAGGCCAAGCAAGAGAGGTTGAAGCTGTCTCAAGCCCTTCTTCCCGTGT  
GACAGTATCCCGAGCATCCTCAAGTCTGAGTGTACCGTACAACCTAGAGGAAGCGGAAGA  
GGGTTGATGTGGAAGAATCAGAGCGGAAGTAGTAGTGTAGCATCTCTCATTCGGCTCAA  
CCACTGGAAATGTTGTCATCGAAGAAATGATGTTGATGGGAAATTTATCCCGCTTGAAGA  
ACACTTCTGAACAGGATCAACCAATGGGAAGCCTTGGGAGATGATCAGAAAAATTCGAGA  
CACATCAGTCAGTTATAAAATACCTCAA

## 13723.1

CATGGGTTTCACCAGGTTGGCCAGCCTGCTCTTGAAGTCTGACCTCAGGTGATCCACCCG  
CCTCGGCTCCCAAAGTCTGGGATTACAGGCTGAGCCACCACCCCGGGCCCCCAAAGC  
TGTTTCTTTTGTCTTAGCGTAAAGCTCTCTGCCATGCAGTATCTACATAACTGACGTGAC  
TGCCAGCAAGCTCAGTCACTCCGTGGTCTTTCTCTTTCCAGTTCTTCTCTCTCTTCAAG  
TTCTGCCTCAGTGAAGCTGCAGGTCCCCAGTTAAGTGATCAGGTGAGGGTTCTTTGAACC  
TGGTTCATCAGTCGAATTAATCTTCATGATGG

FIG. 15N

13723.2

GATGTGTTGGACCCTCTGTGTCAAAAAAACCTCACAAAGAAATCCCCTGCTCATTACAGAA  
GAAGATGCAFTTAAAAATATGGGTTATTTTCAACTTTTTATCTGAGGACAAGTATCCATTAA  
TTATTGTGTCAGAAGAGATTGAATACCTGCTTAAGAAGCTTACAGAAGCTATGGGAGGAG  
GTTGGCAGCAAGAACAATTTGAACATTATAAAATCAACTTTGATGACAGTAAAAATGGCC  
TTTCTGCATGGGAACCTTATTGAGCTTATTGAAATGGACAGTTTAGCAAAGGCATGGACCG  
GCAGACTGTGTCTATGGCAATTAATGAAGTCTTTAATGAAGTATATTAGATGTGTTAAAG  
CAGGGTTACATGATGAAAAAGGGCCACAGACCGAAAAAAGTGGACTGAAAGATGGTTTGT  
CTAAAACCCAACATAATTTCTTACTATGTGAGTGAGGATCTGAAGGATAAGAAAGGAGAC  
ATTCTCTTGGATGAAAAATTGCTGTGTAGAAGTCCTTGCTGACAAAAGATGGAAAGAAAT  
GCCTTTT

13725.1

GACTGGTTCTTTATTTCAAAAAAGACACTTGTCAATATTCAGTRTCAAAACAGTTGCACTATT  
GATTTCTCTTTCTCCCAATCGGCCCAAGAGACCACATAAAAAGGAGAGTACATTTTAAGC  
CAATAAGCTGCAGGATGTACACCTAACAGACCTCTAGAAACCTTACCAGAAAAATGGGGA  
CTGGGTAGGGAAGGAACTTAAAGATCAACAACTGCCAGCCACGGACTGCAGAGGCT  
GTCACAGCCAGATGGGGTGGCCAGGGTCCACAAACCCAAAGCAAGTTTCAAAATAATA  
TAAATTTAAAAAGTTTGTACATAAGCTATTCAAGATTCTCCAGCACTGACTGATACAA  
AGCACAAATTGAGATGGCACTTCTAGAGACAGCAGCTTCAAACCCAGAAAAAGGGTGATGAG  
ATGAAGTTTCACATGGCTAAATCAGTGGCAAAAACACAGTCTTCTTTCTTTCTTTCAA  
GGANGCAGGAAAGCAATTAAGTGGTCACCTTAACATAAGGGGGAC

13725.2

TGGGTGGGCACCATGGCTGGGATCACCACCATCGAGGCGGTGAAGCCCAAGATCCAGGTT  
CTGCAGCAGCAGGCAGATGATCCAGAGGAGCGAGCTGAGCGCTCCAGCGAGAAGTTGA  
GGGAGAAAGGCGGGCCCGGGAACAGGCTGAGGCTGAGCTGGCCTCCTTGAACCGTAGGA  
TCCAGCTGGTTGAAGAAGAGCTGGACCGTGGCTCAGGAGCGCCTGGCCACTGCCCTGCAAA  
AGCTGGAAGAAAGCTGA AAAAGCTGCTGATGACACTGAGAGAGGTATGAAGGTTATTGAA  
AACC GGCCCTTAAAAAGATGAAGAAAGATGCAACTCCAGGAAATCCAACTCAAAGAAGC  
TAAGCACATTGCAGAAAGAGCCAGATAGCAAGTATGAAGAGGTGGCTCGTAAGTTGGTGAT  
CATTTAAGGAGACTTGAACCCGACAGAACGAACGAGCTTGACCTTGGCAAAAAGTCCCGT  
TGCCACAGATGGGATGAACCAGATTAGACTGATGGACCANAACC

13726.1&amp;2

AGGGGCGNGCGGCTGCGTGGGCCACTGGGTGACCGACTTAGCCTGGCCAGACTCTCAGCAC  
CTGGAAGCGCCCCGAGAGTGACAGCGTGAGCCTGGGAGGGAGGACTTGGCTTGAGCTTGT  
TAAACTCTGCTCTGAGCCTCCTTGTGGCTGCAATTAGATGGCTCCCGCAAGAAGGGTGG  
CGAGAAGAAAAAGGGCCGTTGTGGCATCAACGAAGTGTAACCCGAGAATACACCATCAA  
CATTACAAAGCGCATCCATGCAAGTGGCTTCAAGAAGCGGTGCACCTCGGGCACTCAAAGA  
GATTGGGAAATTTGCCATGAAGGAGATGGGAACCTCCAGATGTCCGCAATTGACACCAGGCT  
CAACAAAGCTGTCTGGGCCAAAGCAATAAGGAATGTGCCATACCGAATCCGGTGTGGCGC  
TGTCAGAAAAAGTAATGAGGATGAAGATTACCAAAATAAGCTATATACTTTGGTTACCTA  
TGTACCTGTTACCACTTTCAAAAATCTACAGACAGTCAATGTGGATGAGAATAATCGCTG  
ATCGTCAGATCAATAAAGTTATAAAT

FIG. 150

13727.1

TCGGGAGCCACACTTGGCCCTCTTCCTCTCCAAAGSGCCAGAACCTCCTTCTCTTTGGAGAA  
TGGGGAGGCCCTCTTGGAGACACAGAGGGTTTCACCTTGGATGACCTCTAGAGAAATTGCC  
CAAGAAGCCCACTTCTGGTCCCAACCTGCAGACCCCAAGCAGTCAGTTGGTCAGGCCCT  
GCTGTAGAAGGTCACCTGGCTCCATTGCCTGCTTCCAACCAATGGGCAGGAGAGAAGGCC  
TTTATTTCTCGCCACCCATTCTCTCTGTACCAGCACCTCCGTTTTTCAGTCAGTGTGTCCA  
GCAACGGTACCGTTTACACAGTCACCTCAGACACACCAATTCACCTCCCTTGCCAAGCTGT  
TAGCCTTAGAGTGATTGCAGTGAACACTGTTTACACACCGTGAATCCATTCCCATCAGTCC  
ATTCCAGTTGGCACCAGCCTGAACCAATTTGGTACCTGGTGTAACTGGAGTCCTGTTTACA  
AGGTGGAGTCGGGGCTTGCTGACTTCTCTTCATTGAGGGCAC

13727.2

ACCTAGACAGAAGGTGGGTGAGGGAGGACTGGTAGGAGGCTGAGGCAATTCCTTGGTAGT  
TTGTCTGAAACCCTACTGGAGAAGTCAGCATGAGGCACCTACTGAGAGAAGTGCCCA  
AACTGCTGACTGCATCTGTTAAGAGTTAACAGTAAAGAGGTAGAAGTGTGTTTCTGAATCA  
GAGTGAAGCGTCTCAAGGTCCCACAGTGGAGGTCCCTGAGCTACCTCCCTTCCGTGAGT  
GGGAAGAGTGAAGCCCATGAAGAAGTGAATGAAGCAAGGATGGGGTTCCTGGGCTCCA  
GGCAAGGGCTGTGCTCTCTGCCAGCAGGGAGCCCCACGAGTCAGAAGAAAAGAACTAATCA  
TTTGTTCGAAGAAACCTTGCCCGGATACTAGCGGAAAAGTGGAGGCGGNGGTGGGGGCAC  
AGGAAAGTGGAAGTGATTTGATGGAGAGCAGAGAAGCCTATGCACAGTGGCCGAGTCCAC  
TTGTAAGTG

13728.1&amp;2

TTCAAGCAATTGTAACAAGTATATGTAGATTAGAGTGAGCAAAATCATATACAAATTTTCAT  
TTCCAGTTGCTATTTTCCAAATGTTCTGTAAATGTCGTTAAATTAATTAATAAATAACAAA  
GCCAAAAATTATATTAAGACAAGAAAGCCATCCCTACATTAATCTTACTTTTCCACTCAC  
CGCCCCATCTCTCTCTCTTTTCTTAAGTATGCCATTAAAACTGTTCTACTGGGCCGGGGC  
TGTGGCTCATGCTGTAAATCCACCAATTTGGGAGGCCAAGGCAGGCGGATCATGAGGTC  
AAGAGATTGAGACCATCCTGGCCAAATGCTGAAACCCCGCTCGACTAAGAATACAAAA  
ATTAGCTGGGCATGGTGGCCCATGCTGTAGTCTCAGCTACTCGGGAGGCTGAGGCAGAA  
GAATCGCTTGAAACCCGGGAGGCAGAGGATGCAGTGAGCCCCGATCGCGCCACTGCACTCT  
AGCCTGGGCGACAGACTGAGACTCTGCTC

13731.1&amp;2

TGTGCCAGTCTACAGCCCTATCAGCAGCGACTCCTTCAGCAACAGATGGGGTCCCTGTTT  
AGGCCAACCCTATGAGCCCCCAGCAGCATATGCTCCCAATCAGGCCAGTCCCCACACCT  
ACAAGGCCAGCAGATCCCTAAATCTCTCTCCAATCAAGTGGCTCTCCCCAGCCTGTCCCTT  
CTCCACGGCCACAGTCCCAGCCCCCCTCAGTCTTCCCCAAGGATGCAGCCTCAGCC  
TTCTCCACACCAGTTTCCCAACAGACAAGTCCCAATCTGGAAGTGGTAGTTGCCAG  
GCCAACCCTATGGAACAAGGGCATTTTCCAGCC

FIG. 15P

## 13734.1&amp;2

TGTA AAAA ACTTGT TTTTAA TTTTGT ATAAATAA AGGTGGTCCATGCCACGGGGGCTGTAGGAAATCCAAGCAGACCAGCTGGGGTGGGGGGATGTAGCCTACCTCGGGGACTGTCTGTCTCTAAAACGGGCTGAGAAAGGCCCGTCAGGGGGCCAGGTCCACAGAGAGGCCCTGGGATCTCCCCAACCCGAGGGGCAGACTGGGCAGTGGGGAGCCCCATCGTGCCCCAGAGGTGGCCACAGGCTGAAGGAGGGGCTGAGGCACCGCAGCCTGCAACCCCCAGGGCTGCAGTCCACTAACTTTTACAGAAATAAAGGAACATGGGGATGGGGAAAAAGCACCAGGTCAGGCCAGGGCCGAGGGCCCCAGATCCCAGGAGGGCCAGGACTCAGGATGCCAGCACACCCTAGCAGCTCCACAGCTCCTGGCACAGGAGGCCGCCACGGATTGGCACAGGCCGCTGCTGGCCATCACGCCACATTTGGAGAACTTGTCCCGACAGAGGTGAGCTCGGAGGAGCTCCTCGTGGGACACACTGTACGAACACAGATCTCCTTGTAAATGACGTACACACGGCGGAGGCTGCGGGACAGGGCACGGGAGGTCTCAGCCCCACTT

## 13736.2

ATGGCTGCTGGATTAGGTGGTAATAGGGGCTGTGGGCCATAAATCTGAAGCCTTGAGAACCTTGGGTCTGGAGAGCCATGAAGAGGGAAGGAAAAAGAGGGCAAGTCTGAACCTAACCAATGACCTGATGGATTGCTCGACCAAGACACAGAAGTGAAGTCTGTGTCTGTGCACTTCCACAGACTGGAGTTTTTGGTCTGATAGAGCCAGTTGCTAAAAAATTGGGGGTTTGGTGAAGAAATCTGATTGTTGTGTGTAATCAATGTGTGATTTAAAAATAAACAGCAACAACAATAAAAACCTGACTGGCTGTTTTTCCCTGTATTTTACAACCTATTTTTGACCCTCTGAAAAATTATTATACTTCACCTAAATGGAAGACTGCTGTGTTGTGGAAATTTGTAAATTTTAAATTATTTTATCTCTCTCTCTTTTATTTTCCCTGCAAGATCCGTTGAGAGACTAATAAGGCTTATATTTAATTGATTGTTTAAATATGTATATAAAT

## 13744.2-13696.2

GGCATCCGAGCCACTCGGCGCACCCAAAGGGCGGGCGGGAGCACACGGAGCACTGCAGGCCCGGGGTTGGGACAGCCTCTTGGCTGCTGGATAGTCTGTGTTTTCGGGATCGAGGATCTCACCAGAAACCGAAAAAGCCGAAACCAATCAATGTCCGAGTTACCACCATGGATGCCAGGCTGGAGTTTGCAATCCAGCCAAATACAACCTGGAAAAACAGCTTTTTGATCAGGTGGTAAGACTATCGGCTCGGGGAAGTGTGGTACTTTGGCCTCCACTATGTGGATAATAAAGGATTTCTACCTGGCTCAAGCTGCAAGAAAGGTGTCTGCCAGGAGGTGAGGAAGGAGAAATCCCTCCAGTTCAAGTTCCGGGCCAAAGTTCTACCTGAAGATGTGGCTGAGGAGCTCATCCAGGACATCACCCAGAAACTTTTCTCTTCAAGTGAAGGAAGGAATCCTTAGCGATGAGATCTACTGCCCCCTTGARACTGCGGTGCTTTGGGGTCTACGCTTGTGCATGCCAAGTTTGGGACTACCACCAAGAAG

## 13746.1&amp;2-13720.1&amp;2

GAAGGAGTCCGGATACTCAGCAATTCATGCACCCCAATTTCAAAGCGGCATTCTTCGGCAGGTCTCTGGGACAATCTCTAGGGTCACTACCTGGAACCTCGTTAGGGTACAACCTGAATGCTGAAAGCAAAGAACACCTGCAGAACCGGACAGAAATTCACCCCGGCGATCAGCTGATTGATCTCGGTCCAGCAGAAGTCAATGGCTAAAGATGACGAGGACGTTGTCAATTCCTCGGGCTTTTGAAGTGAAGTCCAGCAGCAGTCTGAGGTATTCGGGGCCGTTATGCACCTGGACCACAGCAACAGCTCCCGGGGGGGCCAGGTCCAGCCTTATCTACATTCCTCAGGGTCTGATCAAAGTTGAGCTGGTACACACGGACCGGTACCGCAGCCTCAGGTTGTCCGCTCGGGCTGGGGGACCGCCGGACAGGGAAGCCGGCCACAGGTTGGACACCTGCGGATGCCACAGCCACAGAGGGTGCTCCCAACCGGGGCGGGGCCAGCCCGCGGGTTTCGGCGTCCACCAACGGTGGGGGAGGGCTCGTTCTTCTTCTTCTGTCGCTTCTGCTCCAGAGGACGAAGCCGCAGGCGGCCACACGAGCGTCAGGATTAGCACCTTCCGTTGTAGATGCGGAACCTCATGGTCTCCAGGGCCGGAGCGCAGCTACAGCTCGAGCCTCGGGCGCGCGCTAGGAGCCGCGGCTCGGCTCGTCTCGCTCTCTCAATTCAGCACACCGGGTCCCGGAAAAAGCTCAGCCSCGGTCCCAAACCGACCCCTAGCTTCGTTACCTCGGCTCGCTG

FIG. 15Q

14347.1

CAGATTTTATTTGCACTCGTCACTGGGGCCGTTTCTTGCTGCTTATTTGTCTGCTAGCCTG  
CTCTTCCAGCTGCATGGCCAGGCGCAAGGCCTTGATGACATCTCGCAGGGCTGAGAAATGC  
TTGGCTTGCTGGGCCAGAGCAGATTCCGCTTTGTTACAAAAGGTCTCCAGGTCATAGTCTG  
GCTGCTCGGTCACTCAGAGAGCTCAAGCCAGTCTGGTCTTGCTGTATGATCTCCTTGAG  
CTCTTCCATAGCCTTCTCCTCCAGCTCCCTGATCTGAGTCATGGCTTCGTTAAAGCTGGACA  
TCTGGGAAGACAGTTCCTCCTCTTCTGGATAAAATGCCTGGAATCAGCGCCCCGTTAGA  
GCAGGCTTCCATCTCTTCTGTTTCCATTGAATCAACTGCTCTCCACTGGGCCCCACTGTGGG  
GGCTCAGCTCCTTGACCCTGCTGCATATCTTAAGGGTGTTAAAGGATATTCACAGGAGCT  
TATGCCTGGT

14347.2

CTCCTCTTGGTACATGAACCCAAGTTGAAAGTGGACTTAACAAAGTATCTGGAGAACCAA  
GCATTCTGCTTTGACTTTGCATTTGATGAAACAGCTTCGAATGAAGTTGTCTACAGGTTTAC  
AGCAAGGCCACTGGTACAGACAATCTTTGAAGGTGGAAAAGCAACTTGTTTGCATATGG  
CCAGACAGGAAGTGGCAAGACACATACTATGGCGGAGACCTCTCTGGGAAAGCCCCAGAA  
TGCATCCAAAGGGATCTATGCCATGGCCTTCCGGGACGCTCTTCTTGAAGAATCAACCCT  
GCTACCGGAAAGTTGGGCTGGAAGTCTATGTGACATTCTTCGAGATCTACAATGGGAAGCT  
GTTTGACCTGCTCAACAAGAAAGCCCAAGCTTGGCGTGCTGGAAGACGGCAAGCAACAGG  
TGCAAGTGGTGGGGGCTTGCAGGAACATCTGGNTAACTCTGCTTGATGATGGCANTCAAG  
ATGATCGACATGGGCAGCGCCTGCAGA

14348.2&amp;14350.1&amp;2

TCCCGAATTCAAGCGACAAATGGAWAGTGAAATGGAAGATGCCTATCATGAACATCAGG  
CAATCTTTTCCGCCAAGATCTGATGAGACGACAGGAAGAATTAAGACGCATGGAAGAAC  
TTCACAATCAAGAAATCCAGAAACGTAAAGAAATGCAATTGAGGCAAGAGGAGGAACGA  
CGTAGAAGAGAGGAAGAGATGATGATTCCTCAACGTGAGATGGAAGAACAATGAGGCG  
CCAAAGAGAGGAAAGTTACAGCCCAATGGGCTACATGGATCCACGGGAAAGAGACATGC  
GAATGGGTGGCGGAGGAGCAATGAACATGGGAGATCCCTATGGTTCAAGAGGCCAGAAA  
TTTCCACCTCTAGGAGGTGGTGGTGGCATAGGTTATGAAGCTAATCCTGGCGTTCCACCAG  
CAACCATGAGTGGTTCCATGATGGGAAGTGACATGCGTACTGAGCGCTTGGGCAGGGAG  
GTGCGGGGCTGTGGGTGGACAGGCTCTAGAGGAATGGGGCTGGAACCTCCAGCAGGAT  
ATGGTAGAGGGAGAGAAGAGTACGAAGCC

14349.1&amp;2

TTCTGTAAGACCCCTGACTGGTAAGACCATCACTCTCGAAGTGGAGCCCGAGTGACACCAT  
GAGAATGTCAAGGCCAAAGATCCAAAGACAAGGAAGGCATCCCTCCTGACCAGCAKAGGTTG  
ATCTTTGCTGGGAAACAGCTGGAAGATGGACGCACCCCTGTCTGACTACAACATCCAGAAA  
GAGTCCACCCCTGCACCTGGTCTCGCTCTCAGACGTGGGATGCAAAATCTTCGTGAAGACCC  
TGACTGCTAAGACCATCACCCCTCGAGGTGGAGCCCAAGTGACACCATCGAGAATGTCAAGG  
CAAAGATCCAAGATAAGCAAGCCATCCCTCTGATCAGCAGAGGTTGATCTTTGCTGGGA  
AACAGCTGGAAGATGGACGCACCCCTGTCTGACTACAACATCCAGAAAGAGTCCACTCTGC  
ACTTGGTCTGCGCTTGAGGGGGGGTGTCTAAGTTTCCCTTTAAGGTTTCAACAAATTTT  
ATTGCACCTTCTTTCAATAAACTTGTTCATT

FIG. 15R



## 14352.1&amp;2

GGCGGGGTGCGTGGGGCACTGGGTGACCGACTTAGCCTGGCCAGACTCTCAGCACCTGGA  
AGCGCCCCGAGAGTGACAGCGTGAGGCTGGGAGGGAGGACTTGGCTTGAGCTTGTTAAAC  
TCTGCTCTGAGCCTCCTTGTGCGCTGCA TTTAGATGGCTCCCGCAAAGAAGGGTGGCGAGA  
AGAAAAAGGGCCGTTCTGCCATCAACGAAGTGTAACCCGAGAAATACACCATCAACATTC  
ACAAGCGCATCCATGGAGTGGGCTTCAAGAAGCGTGACCTCGGGCACTCAAAGAGATTC  
GGAAATTTGCCATGAAGGAGATGGGAATCCAGATGTGCGCATTGACACCAGGCTCAACA  
AAGCTGTCTGGGCCAAAGGAATAAGGAATGTGCCATACCGAATCCGTGTGCGGCTGTCCA  
GAAACGTAATGAGGATGAAGATTCACCAAATAAGCTATATACTTTGGTTACCTATGTACC  
TGTTACCACTTTCAAAAAATCTACAGACAGTCAATGTGGATGAGAACTAATCGCTGATCGT

## 14353.1

AATTCCTTTATTTAAATCAACAACTCATCTTCTCTCAAGCCCCAGACCATGGTAGGCAGCCC  
TCCCTCTCCATCCCCCTCACCCCACCCCTTAGCCACAGTGAAGGGAATGGAAAATGAGAAGC  
CAGGAGGGCCCCCTGCCAGGGAAGGCTGCCCCAGATGTGTGGTGAGCACAGTCAGTGCAGC  
TGTGGCTGGGGCAGCAGCTGCCACAGGCTCCTCCTATAAATTAAGTTCCTGCAGCCACAG  
CTGTGGGAGAAAGCATACTTGTAGAAGCAAGGCCAGTCCAGCATCAGAAGGCAGAGGCGAG  
CATCAGTGACTCCCAGCCATGGAATGAACGGAGGACACAGAGCTCAGAGACAGAACAGG  
CCAGGGGGAAGAAGGAGAGACAGAAATAGGCCAGGGCATGGCGGTGAGGGA

## 14353.2

TGATGAATCTGGGTGGCGCTGGCAGTAGCCCCAGATGATGGCCTCTTCTCTGGGGATCCCAA  
CTGGTTCCCTAAGAAATCCAAGGAGAAATCCTCGGAACCTTCTCGGATAACCAGCTGCAAGA  
GGGCAAGAACGTGATCGGGTTACAGATGGGCAACCAACCGCGGGCGTCTCANGCAGGCAT  
TACCTGGCTACGGGATGCCACGCCAGATCCTCTGATCCCACCCAGGCCCTTGGCCCTGCCCT  
CCCACGAATGGTTAATATATATGTAGATATATATTTAGCAGTGACATTCACAGAGAGCCC  
CAGAGCTCTCAAGCTCCTTCTCTCAGGGTGGGGGTTCAAGCCTGTCTGTACCTCTGA  
AGTGCCTGCTGGCATCCTCTCCCCCATGCTTACTAATACATTCCCTTCCCCATAGCC

## 17182.1&amp;2

AGCGGAGCTCCCTCCCTGGTGGCTACAACCCACACACGCCAGGCTCAGGCATCGAGCAG  
AACTCCAGCGACTGGGTAACTCACTGACATTCAGGTGAAGGTGCGGGACACCTACCTGGAT  
ACACAAGGTGGTGGGACAGACAGGTGTATCCGCAAGTGTACCGGGCGCATGTGCTCTGTG  
TACCTGAAGGACAGTGAGAAGGTTGTCAGCATTTCCAGTGAGCACCTGGAGCCTATCACC  
CCACCAAGAACAACAAGGTGAAGTGATCCTGGGGAGGATCGGGAAGCCACGGGGCGT  
CCTACTGAGCATTTGATGGTGAGGATGGCAATTGTCCGTATGGACCTTGATGAGCAGCTCAAG  
ATCCTCAACCTCCGCTTCTCGGCAAGCTCCTGGAAGCCTGAAGCAGGCAGGGCCGGTGG  
ACTTCGTGCGATGAAGAGTGATCCTCCTTCTTCCCTGGCCCTTGGCTGTGACACAAGATC  
CTCCTGCAGGGCTAGGGCGATTGTTCTGGATTTCCTTTGTTTTCTTTTAGGTTTCCATCT  
TTTCCCTCCCTGGTGCTCAATTGGAATCTGAGTAGAGTCTGGGGGAGGGTCCCCACCTTCT  
GTACCTCCTCCCCACAGCTTCTTTTGTGTACCGTCTTTCAATAAAAAGAAGCTGTTGGT  
CTA

FIG. 15S

17183.2

GGTTCACAGCACTGCTGCTTGTGTGTTGCCGGCCAGGAATCCAGGCTCACAAGGCTATCT  
TAGCAGCTCGTTCTCCGGTTTTAGTGCCATGTTTGAACATGAAATGGAGGAGAGCAAAAA  
GAATCGAGTTGAAATCAATGATGTGGAGCCTGAAGTTTTAAGGAAATGATGTGCTTCATT  
TACACGGGGAAGGCTCCAAACCTCGACAAAATGGCTGATGATTTGCTGGCAGCTGCTGAC  
AAGTATGCCCTGGAGCGCTTAAAGGTCAATGTGTGAGGATGCCCTCTGCAGTAACCTGTCCG  
TGGAGAACGCTGCAGAAATCTCATCTCTGGCCGACCTCCACAGTGCAGATCAGTTGAAAA  
CTCAGGCAGTGGATTTCATCAACTATCATGCTTCGGATGTCTTGAGACCTCTTGGG

17186.1&amp;2

TCGTAGCCATTTTTCTGCTTCTTTGGAGAATGACGCCACACTGACTGCTCATTGTCTGTTGGT  
TCCATGCCAATTTGGTGAAATAGAACCTCATCCGGTAGTGGAGCCGGAGGGACATCTTGTG  
ATCAACGGTGATGGTGCGATTGGAGCATACCAAGAGCTTGGTGTCTCGCCATACAGGGCA  
AAGAGGTTGTGACAAAGAGGAGAGATACGGCATGCCTGTGCAGCCCTGATGCACAGTTCC  
TCTGCTGTGTAATCTCTCCACTGCCACGCCGGAGGGGCTCCCTGTCCGACAGATAGAAGATCA  
CTCCACCCCTGGCTTG

17187.1&amp;2

TGGCACACTGCTCTTAAGAAACTATGAATGATCTGAGATTTTTGTGTATGTTTTGACTCT  
TTTGAGTCGTAATCATATGTGCTTTATAGATGTACATACCTCCTTGACAAAATGGAGGGG  
AATTCATTTTCATCACTGGCAGTGTCTTAGTGTATAAAAACCATGCTCGTATATGGCTTC  
AAGTTGTA AAAATGAAAGTGACTTTAAAGAAAATAGGGGATGGTCCAGGATCTCCACTG  
ATAAGACTGTTTTAAGTAACCTAAGGACCTTTGGGTCTACAAGTATATGTGAAAAAATG  
AGACTTACTGGGTGAGGAAATTCATTTTAAAGATGGTCTGTGTGTGTGTGTGTGTGTG  
TG  
ACTGKGTAAATATATGTGTGATAATGATTTGCTYTTTGVCMACTAAAATTACGVCTGTATA  
AGTWCTARATCCMTCCCTGGGKGTGTATTTCCMAGATATTGATGATAMCCCTTAAAT  
GTAACCYGCCTTTTCCCTTTCCTYTCMAATTAAGTCTATTCTMAAAG

17191.1&amp;39.1

GGGGGTAGGCTCTTTATTAGACGGTTATTGCTGTACTACAGGCTCAGAGTGCAGTGTAAGC  
AGTGTGACAGGCCCCGCTTCAGCCCAAGAATGTGGATTTCTCTCCCTATTGATCACAGTG  
GGTGGGTTTTCTTCAGAAAAGCCCCAGAGGCAGGACCAGTGAGCTCCAAGGTTAGAAGTG  
GAACTGGAAGGCTTCAGTCAATGCTGCTTCCACGCTTCCAGGCTGGCCAGCAAGGAGGA  
GATGCCCCATGACGTGCCAGGTCTCCCATCTGACACCAAGTGAAGTCTGGTAGGACAGCAG  
CCGACGCTGCTGCTGCGCAGGAGGCCAATCATGGTAGGCAGCATTGCAGGGTCAGAGGT  
CTGAGTCCGGAATAGCAGCAGGGGAGGTCCCTGCGGAGAGGCATTCTGCCCTGAAGAC  
AGCTCCAATTGACCCCCCTGCACTACAGGYGTAGTGCTTGGACCAAGCCCCACAGCCTGGTA  
AGGGGGCGCTGCCAGGCCACGGCCAGGAGCCA

FIG. 15T

17192.1&amp;2

TAATTTCTTAGTCGTTTGGAAATCCTTAAGCATGCAAAAGCTTTGAACAGAAGGGTTACAA  
AGGAACCAGGGTTGTCTTATGGCATCCAGTTAAGCCAGAGCTGGGAATGCCTCTGGGTCTAT  
CCACATCAGGAGCAGAAGCACTTGACTTGTGCGTCTGCTGCCACGGTTTGGGCGCCACC  
ACGCCCACGTCCACCTCGTCTCCCCCTGCCGCCACGTCTGGCGGCCAAGGTCTCCAAA  
TTGATCTCCAGCTGAGACGTTATATCATTTGCTGGCTTCCGGAATGATGGTCCATAACCG  
AATCTTCAGCATGAGCCTCTTCACTCTTTGATTTATGAAGAACAATCCCTTCTTCACTGC  
CCATCAGCACCTTTCATTTGGTTTTGGGATATTAATTTCTACTTTTGGCCGGTCTTATTTGA  
ATAGCCTTCCACTCATCCAAAGTCATCTCTTTGGACCCTCCTCTTTACCTCTTCAACTTCA  
TTCTCCTTATTTTCAGTGTCTGCCACTGGATGATGTCTTACCTTCAGGTGTTTCTCAGTC  
ACATTTGATTGATCCAAAGTCAGTTAATTCGTCTTTGACAGTTCCCAAGTTGTGAGATCCGCT  
ACCTCCACGTTTGTCTCGTCTTCAAGGCCAGATCTATCACTTCCACTATGCCTATCAAAAT  
CAGTTTGGCCACGAGAATCAAAATCCATCTCTCGGCCATTCACGTCCACGGCCCCCTCG  
ACCTCTTCCAAGACCACCGACCTCGAATAGGTGGTCAATAATCGGTCTATCAACTGAA  
AATTCGCTCTTCACTCTTTCTTCAAGTGGCTTTTCGAATCTTCGTTCACGAGGTGGTCTG  
CCTTTCTGGTCTTCTATCAATTAATTTCCCTTCACTTGAAGTTGTGATCAGGTCTTCTTC  
AACTCGTGC

17193

AAGCGGATGGACCTGAGTCAGCCGAATCCTAGCCCCCTTCCCTTGGCCCTGCTGTGGTGCTC  
GACATCAGTGACAGACCGAAGCAGCAGACCATCAAGGCTACGGGAGGCCCGGGCGCTT  
GCGAAGATGAAGTTTGGCTGCTCTCTCTTCCGGCAGCCTTATGCTGGCTTTGTCTTAAATG  
GAATCAAGACTGTGGAGACCGCTGCGTCTCTGCTGAGCAGCCAGCGGAAGTGTACCA  
TCGCCGTCCACATTCCTCAGGGGACTGGGAAGGCGATGCTGTGGGAGCTGCTGGTGG  
AGAGACTCGGATGACTCTCTCTCAGATTCAGGCTTCTCAGGAAAGGGGAAAAGTTTG  
GTGAGGAGTGATAGCGGGACTCGTTGACATTTGGGGAACCTTTGCAATGCCCGAAGACT  
TAACTCCCGATGAGGTTGTGGAATCAGAAAATCAAGCTGCACTGACCAACCTGAAGCAGA  
AGTACCTGACTGTGATTTCAAAACCCAGGTGGTTACTGGAGCCCATACCTTGGAAAGGAG  
GCAAGGATGTATTTCCAGGTAGACATCCAGACACCTGATCCCTTTGGGGCATGAAGTGT  
GACAAGTGTGGGCTCTGAAACGAATGTTCCRGAGAAACCAGCTAAATCATGGCACCTTC  
AATTTGCCATCGTGACCCAGACCTGTATAAAATAGGTTAAAGATGAATTTCCACTGCTTTG  
GAGAGTCCCACTTAAAGCACTGTGCAATGTAACAGGTTCTTTGCTCAGATGAAGGAA  
GTAGGGGGTGGGGCTTTCTTGTGTGATGCCCTCTTAGCCACACAGGCAATGTCTCAAGTA  
CTTTGACCTTAGGGTAGAAGGCAAGCTGCCAGTAAATGTCTCAGCATTCCTGCTAAATTT  
GGTCTGCTAGTTCTGGAATGTACAAATAAATGTGTTGTAGATGA

FIG. 15U

16443.1.edit

TCGAGCGGCGCCCGGGCAGGTGTCGGAGTCCAGCACGGGAGGCGTGGTCTTGTAGTTGT  
TCTCCGGCTGCCCAITGCTCTCCCACTCCACGGCGATGTCGCTGGGATAGAAGCCTTTGAC  
CAGGCAGGTACGGCTGACCTGGTTCTTGGTCATCTCTCCCGGATGGGGGCAGGGTGTAC  
ACCTGTGGTTCTCGGGGCTGCCCTTTGGCTTTGGAGATGGTTTTCTCGATGGGGGCTGGGA  
GGGCTTTGTTGGAGACCTTGCCTTTGTACTCCTTGCCATTCAACCAGTCCTGGTGCANGAC  
GGTGAGGACGCTNACCACACGGTACGNGCTGGTGTACTGCTCCTCCCGCGGCTTTGTCTTG  
GCATTATGCACCTCCACGGCTCCACGTACCAATTGAACCTTGACCTCAGGGTCTTCGTGGC  
TCACGTCCACCACCACGCATGTAACCTCAAANCTCGGNCGGGANACGC

16443.2.edit

AGCGTGGTTCGGCGCCGAGGTCTGAGGTTACATGCGTGGTGGTGGACGTGAGCCACGAAGA  
CCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAAA  
GCCGCGGGAGGAGCAGTACAAACAGCAGTACCGTGTGGTCAGCGTCTCACCCTCTGCA  
CCAGGACTGGCTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCAGC  
CCCCATCGAGAAAACCATCTCCAAGGCCAAAGGGCAGCCCCGAGAACCACAGGTGTACAC  
CCTGCCCCCATCCCCGGGAGGAGATGACCAAGAACCAGGTACGCTGACCTGGCTGCA  
AGGCTTCTATCCAGCGACATCGCCCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACA  
ACTACAAGACCACGCCTCCCGTGTGACTCCGACACCTGCCGGGCGGCCGCTCGA

16444.2.edit

AGCGTGGTTNCGGCGGAGGTCCCAACCAAGGCTGCANCTGGATGCCATCAAAGTCTTCTG  
CAACATGGAGACTGGTGACCTGCGTGTACCCCACTCAGCCCAGTGTGCCCCAGAAGAA  
CTGGTACATCAGCAAGAACCCCAAGGACAAAGAGCCATGTCTGGTTCGGCGAGAGCATGAC  
CGATGGATTCCAGTTCGAGTATGGCGGCCAGGGCTCCGACCCTGCCGATGTGGACCTGCCC  
GGGCGGNCGCTCGA

16445.1.edit

AGCGTGGTTCGGCGCCGAGGTCAAGAACCCCGCCCGCACCTGCCGTGACCTCAAGATGTGC  
CACTCTGACTGGAAGAGTGCAGACTTGGATTGACCCCAACCAAGGCTGCAACCTGGAT  
GCCATCAAAGTCTTCTCCAACATGGAGACTGGTGAGACCTGGGTGTACCCCACTCAGCCCA  
GTGTGGECCAGAAGAAGTGGTACATCAGCAAGAACCCCAAGGACAAAGAGGCATGTCTGGT  
TCGGCGAGAGCATGACCGATGGATTCCAGTTCGAGTATGGCGGCCAGGGCTCCGACCCTG  
CCGATGTGGACCTGCCCGGGCGGCCGCTCGA

## 16445.2.edit

TCGAGCGGTGCGCCCGGGCAGGTCCACATCGGCAGGGTCGGAGCCCTGGCCGCCATACTCG  
AACTGGAATCGATCGGNCATGCTCTCGCCGAACCAGACATGCCTCTTGNCTTGGGGTTCT  
TGCTGATGTACCAGNTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACGCAGGTCTCACC  
ANTCTCCATGTTGCANAAGACTTTGATGGC.ATCCAGGTTGCAGCCTTGGTTGGGGTCAATC  
CAGTACTCTCCACTCTTCCAGACAGAGTGGCACATCTTGAGGTCACGGCAGGTGCGGGCGG  
GGTCTTGACCTCGGTGCGGACCAAGCT

## 16446.1.edit

TCGAGCGGCCGCGCCCGGGCAGGTCTCTCAGAGCGGTAGCTGTTCTTATTGCCCCGGCAGC  
CTCCATAGATNAAGTTATTGCANGAGTTCCTCTCCACGTCAAAGTACCAGCGTGGGAAGG  
ATGCACGGCAAGGCCAGTGACTGCGTTGGCGGTGCAGTATTCTTCATAGTTGAACATATC  
GCTGGAGTGGACTTCAGAACTCTGCCTTCTGGGAGCACTGGGACAGAGGAATCCGCTGC  
ATTCTGCTGCTGGACCTCGGCCGCGACCAAGCT

## 16446.2.edit

AGCGTGGTCCGCGCCGAGGTCCACCAGGAATGCAGCGGATTCCTCTGTCCCAAGTGC  
TCCCAGAAGGCAGGATTCTGAAGACCACTCCAGCGATATGTTCAAATATGAAGAATACTG  
CACCGCCAACGCAGTCACTGGGCCCTTGGCGTGCATCCTTCCCACGCTGGTACTTTGACGTG  
GAGAGGAACTCCTGCAATAACTTCATCTATGGAGGCTGCCGGGGCAATAAGAACAGCTAC  
CGCTCTGAGGAGGACCTGCCCGGGCGCGCTCGA

## 16447.1.edit

TCGAGCGGCCGCGCCCGGGCAGGTCCACATCGGCAGGGTCGGAGCCCTGGCCGCCATACTCG  
AACTGGAATCCATCGGTCACTCTCTCGCCGAACCAGACATGCCTCTTGTCTTGGGGTTCT  
TGCTGATGTACCAGTTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACGCAGGTCTCACC  
AGTCTCCATGTTGCAGAAGACTTTGATGCCATCCAGGTTGCAGCCTTGGTTGGGGTCAATC  
CAGTACTCTCCACTCTTCCAGCCAGAAATGGCACATCTTGAGGTCACGGCANGTGCGGGCGG  
GGTCTTGACCTCGGCCGCGACCAAGCT

16447.2.edit

AGCGTGGTCGCGGGCCGAGGTCAAGAAACCCCGCCCGCACCTGCCGTGACCTCAAGATGTG  
CCACTCTGGCTGGAAGAGTGGAGAGTACTGGATTGACCCCAACCAAGGCTGCAACCTGGA  
TGCCATCAAAGTCTTCTGCAACATGGAGACTGGTGAGACCTGCCGTGTACCCCACTCAGCCC  
AGTGTGGCCAGAAAGAACTGGTACATCAGCAAGAACCCCAAGGACAAGAGGCATGTCTGG  
CTCGGCGAGAGCATGACCGATGGATTCCAGTTCGAGTATGGCGGCCAGGGCTCCGACCCT  
GCCGATGTGGACCTGCCCCGGGCGGCCGCTCGA

16449.1.edit

AGCGTGGTCGCGGGCCGAGGTCTGTACAGTGGCACTGGTAGAAGNTCCAGGAACCCCTGA  
ACTGTAAGGGTTCTTCATCAGTGCCAACAGGATGACATGAAATGATGTACTCAGAAGTGTG  
CTGNAATGGGGCCCATGANATGGTTGNCTGAGAGAGAGCTTCTTGTCTACATTGGCGGG  
GTATGGTCTTGGCCTATGCCTTATGGGGGTGGCCGTTGNGGGCGGTGNGGTCCGCCTAAAA  
CCATGTTCTCAAAGATCATTTGTTGCCCAACACTGGGTTGCTGACCANAAGTGCCAGGAA  
GCTGAATACCAATTTCCAGTGTACATCCCAAGGTTGGGTGACGAAAGGGGTCTTTTGAAGTGT  
GGAAGGAAACATCCAAGATCTCTGNTCCATGAAGATTGGGGTGTGGAAGGGTTACCAAGTTG  
GGGAAGCTCGCTGTCTTTTCTTCCAATCANGGGCTCGCTCTTCTGAATATTCTTCAGGGC  
AATGACATAAAATTGTATATTGGTTCCCGGTTCCAGGCCAG

16450.1.edit

TCGAGCGGGCCGCGGGCCAGGTCCACCACACCCAATTCCTTGCTGGTATCATGGCAGCCCG  
CACGTGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCTCCAGAGA  
AGTGGTCCCTCGGGCCCGCCCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGGA  
ACCGAATATACAAATTTATGTCTATGGCCTGAAGAATAATCAGAACAGCGAGCCCTGATTG  
GAAGGAAAAAGACAGACGAGCTTCCCAACTGGTAACCCCTTCCACACCCCAATCTTCATG  
GACCAGAGATCTTGGATGTTCTTCCAGAGTTCAAAAGACCCCTTTCGTACCCACCCTGG  
GTATGACACTGGAAATGGTATTCAGCTTCTGGCACTTCTGGTACGCAACCCAGTGTGGG  
CAACAAATGATCTTTGANGAACATGGNTTAGGGCGGACCACACCGGCCACAACGGGCACC  
CCATAAGGCATAGGCCAAGAACATACCCGNCGAATGTAGGACAAGAAGCTCTNTCTCAN  
ACAANCATCTCATGGGCCCCATTCCANGACACTTCTGAGTACATCANTTCAATGGCATCCTG  
GTGGCACTGATAAAAAACCCCTTACAGTTA

16450.2.edit

AGCGTGGTCGCGGGCCGAGGTCTGTACAGTGGCACTGGTAGAAGTTCAGGAACCCCTGA  
ACTGTAAGGGTTCTTCATCAGTGCCAACAGGATGACATGAAATGATGTACTCAGAAGTGTG  
CTGGAATGGGGCCCATGAGATGGTTCTGTGAGAGAGAGCTTCTTGTCTACATTGGCGGG  
TATGGTCTTGGCCTATGCCTTATGGGGGTGGCCGTTGTGGGCGGTGTGGTCCGCCTAAAA  
CATGTTCTCAAAGATCATTTGTTGCCCAACACTGGGTTGCTGACCAGAAGTGCCAGGAAG  
CTGAATACCAATTTCCAGTGTACATCCCAAGGTTGGGTGACGAAAGGGGTCTTTTGAAGTGTG  
GAAGGAAACATCCAAGATCTCTGGTCCATGAAGATTGGGGTGTGGAAGGGTTACCAAGTTGG  
GGAAGCTCGTCTGTCTTTTCTTCCAATCANGGGCTCGCTCTTCTGAATATTCTTCAGGGC  
AATGACATAAAATTGTATATTGGNTCCCGGTTNAGCCAATAATAAACCCTCTGTGACA  
CCANGGCGGGGCGGAAGGANCAT

FIG. 15X

## 16451.1.edit

AGCGTGGTCGCGGCCGAGGTCCTCACCAGAGGTACCACCTACAACATCATAGTGGAGGCA  
CTGAAAGACCAGCAGAGGCATAAGGTTTCGGGAAGAGGTTGTTACCGTGGGCAACTCTGTC  
AACGAAGGCTTGAACCAACCTACGGATGACTCGTGCTTTGACCCCTACACAGTTTCCATT  
ATGCCGTTGGAGATGAGTGGGAACGAATGTCTGAATCAGGCTTTAAACTGTTGTGCCAGTG  
CTTANGCTTTGGAAGTGGTCATTTCAGATGTGATTTCATCTAGATGGTGCCATGACAAATGGT  
GTGAACTACAAGATTGGAGAGAAGTGGGACCGTCAGGGAGAAAATGGACCTGCCCGGGC  
GGCCGCTCGA

## 16451.2.edit

TCGAGCGGCCCGCCGGGCAGGTCCATTTTCTCCCTGACGGTCCCACTTCTCTCCAATCTTGT  
AGTTCACACCAATTGTCATGGCACCATCTAGATGAATCACATCTGAAATGACCACTTCCAAA  
GCCTAAGCACTGGCACAAAGTTTAAAGCCTGATTTCAGACATTGTTCCCACTCATCTCCA  
ACGGCATAATGGGAACTGTGTAGGGGTCAAAGCACGAGTCATCCGTAGGTTGGTTCAAG  
CCTTCGNTGACAGAGTTGCCCACGGTAACAACCTCTTCCCGAACCTTATGCCTCTGCTGGT  
CTTTCAGTGCCCTCCACTATGATGTTGTAGGTGGTACCTCTGGTGAGGACCTCGGCCGCGAC  
CACGCT

## 16452.1.edit

AGCGTGGCCCGCGGCCGAGGTCCAATGGCTGGAACGGCATCAACTTGGAAAGCCAGTGATCG  
TCTCAGCCTTGGTTCTCCAGCTAATGGTGATGGNGGTCTCAGTAGCATCTGTACACAGAGC  
CCTTCTTGGTGGGCTGACATTCCTCCAGAGTGGTGACAACACCCCTGAGCTGGTCTGCTTGT  
AAAGTGTCCTTAAGAATCATAGACACTCACTTCATATTTGGCGNCCACCATAAGTCCTGATA  
CAACCACGGAATGACCTGTCAGGAAC

## 16452.2.edit

TCGAGCGGCCCGCCGGGCAGGTCCCTCAGACCGGGTTCTGAGTACACAGTCAGTGTGGTTGC  
CTTGACAGATGATATGGAGAGCCAGCCCTGATTGGAACCCAGTCCACAGCTATTCTTGCA  
CCAACGACCTGAAGTTCACTCAGGTACACCCACAAGCCTGAGCGCCAGTGGACACCA  
CCCAATGTTCACTCACTGGATATCGAGTGGGGTGACCCCAAGGAGAAGACCGGACCA  
ATGAAAGAAATCAACCTTGGCTCCTGACACCTCATCCGTGGTTGTATCAGGACTTATGGCGG  
CCACCAAAATATGAAGTGAGTGCTATGCTCTTAAGGACACTTTGACAAGCAGACCAGCTCA  
GGGTGTTGTACCACTCTGGAGAATGTCAGCCCACCAAGAAGGGCTCGTGTGACAGATGC  
TACTGAGACCACCATCACCAATTAGCTGGAGAACCAGACTGAGACGATCACTGGCTTCCA  
AGTTGATGCCGTTCCAGCCAATGGACCTCGGCCGCGCACCAAGCTT

FIG. 15Y

## 16453.1.edit

ACCGTGGTCGCGGGCCGAGGTCTGGCCGAAGTCCAGTGACAGGGAAGATGTACATGTTA  
TAGNTCTTCTCGAAGTCCCGGGCCAGCAGCTCCACGGGGTGGTCTCCTGCCTCCAGGCGCT  
TCTCATTCTCATGGATCTTCTTACCCCGCAGCTTCTGCTTCTCAGTCAGAAGGTTGTTGTCC  
TCATCCCTCTCATAACAGGGTGACCAGGACGTTCTTGAGCCAGTCCCGCATGCGCAGGGGGA  
ATTGGTCAGCTCAGAGTCCAGGCAAGGGGGGATGTAATTTGCAAGGCCCGATGTAGTCCA  
AGTGGAGCTTGTGGCCCTTCTTGGTGCCCTCCAAGGTGCACTTTGTGGCAAAGAAGTGGCA  
GGAAGAGTCGAAGGTCTTGTGTCATTGCTGCACACCTTCTCAAACCTCGCCAATGGGGGCT  
GGGCAGACCTGCCCGGGCGGCCGCTCGA

## 16453.2.edit

TCGAGCGGCGCCCGGGCAGGTCTGCCAGCCCCCATTTGGCGAGTTTGAGAAGGNGTGCA  
GCAATGACAACAAGACCTTCGACTCTTCTGCCACTTCTTTGCCACAAAGTGACCCCTGGA  
GGGCACCAAGAAAGGGCCACAAGCTCCACCTGGACTACATCGGGCCTTGCAAATACATCCC  
CCCTTGCTGGACTCTGAGCTGACCGAATCCCCCTGCGCATGCGGGACTGGCTCAAGAAC  
GTCCTGGTCACCTGTATGAGAGGGATGAGGACAAACACCTTCTGACTGAGAAGCANAAG  
CTGCGGGTGAAGAANAATCCATGAGAATGANAAGCGCTGNAGGCCANGAGACCACCCCGT  
GGAGCTGCTGGCCCGGGACTTCGAGAAGCAACTATAACATGTACATCTTCCCTGTACACTGG  
CAGTTCGGCCAGACCTCGGCCGCGACCACGCT

## 16454.1.edit

ACCGTGGNTGCGGACGACGCCACAAAGCCATTGTATGTAGTTTTANTTCAGCTGCAAA  
AATACCNCCAGCATCCACCTTACTAACAGCATATGCAGACA

## 16454.2.edit

TCGAGCGGTGCGCCCGGGCAGGTCTGGGGCGATAGCACCGGGCATATTTTGGAAATGGATGA  
GGTCTGGCACCCCTGAGCAGCCGAGCGAGCACTTGGTCTTAGTTGACCAATTTGGCTAGGA  
GGATAGTATGCAGCACCGTTCTGAGTCTGTGGGATAGCTGCCATGAAGNAACCTGAAGGA  
GGCGCTGGCTGGTANGCGTTGATTACAGGCTGGGAACAGCTCGTACACTTGCCATTCTCT  
GCATATACTGCNTAGTGAGGGCAGCTGGCGCTCTTCTTGGCGTGAGCTAAAGCTACATA  
CAATGGCTTTGNGGACCTCGGCCGCGACCACGCTT



## 16455.1.edit

TCGAGCGGCGCGCGGGCAGGTCCATTTCTCCCTGACGGTCCCACTTCTCTCCAATCTTGT  
AGTTCACACEATTGTCA TGACACCATCTAGATGAATCACATCTGAAATGACCACTTCCAAA  
GCCTAAGCACTGGCACAACAGTTTAAAGCCTGATTCAGACATTCGTTCCCACTCATCTCCA  
ACGGCATAATGGGAAACTGTGTAGGGGTCAAAGCACGAGTCATCCGTAGGTTGGTTCAAG  
CCTTCGTTGACAGAAAGTTGCCCACGGTAACAACCTCTCCCGAACCTTATGCCTCTGCTGGT  
CTTCAAGTGCCTCCACTATGATGTTGTAGGTGGCACCTCTGGTGAGGACCTCGGCCGCGA  
CCACGCT

## 16455.2.edit

AGCGTGGTTTGCGGCGGAGGTCTCACCANAGGTGCCACCTACAAACATCATAGTGGAGGC  
ACTGAAAGACCAAGCAGAGGCATAAGGTTCCGGAAGAGGTTGTTACCGTGGGCAACTCTGT  
CAACGAAGGCTTGAACCAACCTACGGATGACTCGTCTTTGACCCCTACACAGNTTCCCAT  
TATGCCGTTGGAGATGAGTGGGAACGAATGTCTGAATCAGGCTTTAAACTGTTGTGCCAGT  
GCTTANGCTTTGGAAGTGCTCATTTGAGATGTGATTATCTANATGGTGTGATGACAATGG  
TGNGAACTACAAGATTGGAGAGAACTGGNACCGTCAGGGGANAAAAATGGACCTGCCCGG  
GCGGCNCGCTCGA

## 16456.1.edit

AGCGTGGTTCGCGCGCGGAGGTCTGGCTTCTGCTCANGTGATTATCCTGAACCATCCAGGCC  
AAATAAGCGCGCGGCTATGCCCTGNAATGGATTGCCACACGGCTCACATTGCATGCAAGTT  
TGCTGAGCTCAAGGAAAAAGATTGATC

## 16456.2.edit

TCGAGCGGCGCGCGCGGCGGACGTCCAAATGAAACAAACAGTTCTGAGACCGTTCTTCCACCA  
CTGATTAAGAGTGGCGNCGCGGTAATAGGGAATAATTCATTTAGCCTTCTGAGCTTTCT  
GGGCAGACTTGGTGACCTTGGCAGCTCCAGCAGCTTCTGGTCCACTGCTTTGATGACACC  
CACCGCAACTGTCTGTCTCATATCAGCAACAGCAAAGCGACCCAAAGGTGGATAGTCTGA  
GAAGCTCTCAACACACATGGGCTTCCAGGAACCATATCAACAATGGGCAGCATCACAG  
ACTTCAAGAAATTAAGGGCCATCTTCCAGCTTTTACCAGAACGGCGATCAATCTTTTCCTT  
CAGCTCAGCAAACTTGCATGCAATGTGAGCCG

## 16459.1.edit

TCGAGCGGGCGCCCGGGCAGGTCCAGAGGGCTGTGCTGAAGTTTGCTGCTGCCACTGGAG  
CCACTCCAATTGCTGGCCGCTTCACTCCTGGAACCTTCACTAACCAGATCCAGGCAGCCTT  
CCGGGAGCCACGGCTTCTTGTGGNACTGACCCCAGGGCTGACCACCAGCCTCTCACGGAG  
GCATCTTATGTTAACCTACCTACCATTTGCGCTGTGTAAACACAGATTCTCCTCTGCGCTATGT  
GGACATTGCCATCCCATGCAACAACAAGGGAGCTCACTCAGNNGGGTTTGATGTGGTGGA  
TGCTGGCTCGGGGAAGTTCTGCGCATGCGTGGCACCATTTCCTGTAACACCCATGGGANGN  
CATGCGCTGATCTGGACTTCTACAGAGATCTGAAGAGATTGAAAAAGAAGAACAGGCTGN  
TTGCTGANAAAAGCAAGTGACCAAGGANGAAATTCANGGGTGAAANGGACTGCTCCCGCT  
CCTGAATTCAGTCTACTCAACCTGANGNTGCAGACTGGTCTTGAAGGNGNACANGGGCC  
CTCTGGGCTATTTAAGCANCTTCGGTCGCGAACACGNT

## 16459.2.edit

AGCGTGNGTCGCGGGCGAGGTGCTGAATAGGCACAGAGGGCACCTGTACACCTTCAGACC  
AGTCTGCAACCTCAGGCTGAGTAGCAGTGAACCTCAGGAGCGGGAGCAGTCCATTACCCCT  
GAAATTCCTCCTTGGNCACTGCCTTCTCAGCAGCAGCCTGCTCTCTTTTCAATCTCTTCA  
GGATCTCTGTAGAAGTACAGATCAGGCATGACCTCCCATGGGTGTTACCGGAAATGGTG  
CCACGCATGCGCAGAACTTCCCGAGCCAGCATCCACCACATCAAAACCCACTGAGTGAGCT  
CCCTTGTGTGTGATGGGATGGGCAATGTCCACATAGCGCAGAGGAGAATCTGTGTTACAC  
AGCGCAATGGTAGGTAGGTTAACAATAAGATGCTTCCCGGAGAAGCTGGTGGTCAGCCCTG  
GGGTCAAGTAACCACAAGAAGCCGTGGCTCCCGGAAGGCTGCTGGATCTGTTAGTGAA  
GGNTCCAGGAGTGAAGCGGCCAACATTCGAGTGGCTTCAGTGGCAAGCAGCAAACTTCA  
GCACAAGCCCTCTGGACCTGCCCGGGCGCCGCTCGA

## 16460.1.edit

TCGAGCGGGCGCCCGGGCAGGTCCAATTTCTCCTGACGGNCCCACTTCTCTCCAATCTTGT  
AGTTACACCAATTGTATGGCACCATCTAGATGAATCACATCTGAAATGACCACTTCCAAA  
GCCTAAGCACTGGCACAACAGTTTAAAGCCTGATTGAGACATTGTTCCCACTCATCTCCA  
ACGGCATAATGGGAAACTGTGTAGCGGTCAAAGCAGAGTCATCCGTAGGTTGGTTCAAG  
CCTTCGTTGACAGAGTTGCCACGGTAACAACCTCNTCCCGGAACCTTATGCTCTGCTGG  
GCTTTCAGNGCCTCCACTATGATGNTGTAGCGGGGACCTCTGGNGANGACCTCGCCCGC  
GACCACGCT

## 16460.2.edit

AGCGTGGTGGCGGGCGAGGTCTCACCAGAGGTGCCACCTACAACATCATAGTGCAGGCA  
CTGAAAGACCAGCAGAGGCATAAGGCTCGGGAAGAGGTTGHTACCGTGGGCAACTCTGTC  
AACGAAGCCTTGAACCAACCTACGGATCACTCGTGCTTTGACCCCTACACAGTTTCCCAT  
ATGCCGTTGGAGATGAGTGGGAACGAATGTCTGAATCAGGCTTTAAACTGTTGTGCCAGTG  
CTTANGCTTTGGAAGTGGGTCAATTCAGATGTGATTCACTAGATGGTGCCATGACAATGG  
NGNGAACTACAAGATTGGAGAGAACTGGNACCGNCACGGAGAAAAATGGACCTGCCCGGG  
CGGCCGCTCGA

## 16461.1.edit

AGCGTGGTCGCGGGCCGAGGTCCACATCGGCAGGGTCGGAGCCCTGGCCGCCATACTCGAA  
CTGGAATCCATCGGTTCATGCTCTCGCCGAACCAGACATGCCTCTTGCTTGGGGTTCTTGC  
TGATGTACCAGTTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACGCAGGTCTCACCAGT  
CTCCATGTTGCAGAAGACTTTGATGGCATCCAGGNTGCAACCTTGGTTGGGGTCAATCCAG  
TACTCTCCACTCTTCCAGCCAGAGTGGCACATCTTGAGGTACGGCAGGTGCGGNCGGGGG  
NTTTGCGGGTGCCTCTGGNCTTCGGNTGTNCTCNATCTGCTGGCTCA

## 16461.2.edit

TCGAGCGGCCGCCCCGGGCAGGTCTCGCGGTGCGACTGGTGATGCTGGTCTGTTGGTCCCC  
CCGGCCCTCCTGGACCTCCTGGCCCCCTGGTCTCCAGCGCTGGTTTCGACTTCAGCTTC  
CTGCCCCAGCCACCTCAAGAGAAGGCTCAGATGGTGGCCGCTACTACCGGGCTGATGAT  
GCCAATGTGGTTCTGTGACCGTGACCTCGAGGTGGACACCACCTCAAGAGCCTGAGCCAG  
CAGATCGAGAACATCCGGAGCCCAGAGGGCAGNCGCAAGAACCCCGCCCGCACCTGCCGT  
GACCTCAAGATGTGCCACTCTGACTGGAAGAGTGGAGAGTACTGGATTGACCCCAACCA  
GCTGCAACCTGGATGCCATCAAAGTCTTCTGCAACATGGAGACTGGTGAGACCTGCGTGTA  
CCCCACTCAGCCAGTGTGCCCCAAAAGAACTGGTACATCAGCAAGAACCCCAAGGACAA  
GAAGCATGTCTGGTTGCGCGAGAAATGACCGATGGATTCCAGTTCGAGTATGGCGGGCA  
GGGCTCCGACCCTGCCGATGGGGACCTTGGCCGCGAACACGCT

## 16463.1.edit

AGCGTGGNNGCGGGCAGGTATAAATAFCAGNCCATATCCTCCCTCCACACGCTGANAG  
ATGAAGCTGTNCAAAGATCTCAGGGTGGANAAAACCAT

## 16463.2.edit

TCGAGCGGCCGCCCCGGGCAGGTCTTCAGACTTGGACTGTGTCACACTGCCAGGCTTCCAG  
GGCTCCAACTTGCAGACGGGCTGTTGTGGGACAGTCTCTGTAATCGGAAAGCAACCATG  
GAAGACCTGGGGGAAAACACCATCGTTTATCCACCCTGAGATCTTTGAACAACCTCATCT  
CTCAGCGTGGGAGGGAGGCTCTGGACTGGATATTTCTACCTCGGCCCGGACCACGCT

## 16464.1.edit

CGAGCGGGCGACCGGGCAGGTNCAGACTCCAATCCANANAACCATCAAGCCAGATGTCAG  
AAGCTACACCAATCACAGGTTTACAACCAGGCAGTACTACAAGANCTACCTGCACACCTTG  
AATGACAATGCTCGGAGCTCCCTGTGGTCAATCGACGCCTCCACTGCCATTGATGCACCAT  
CCAACCTGCGTTTCCTGGCCACCACCCCAATTCCTTGCTGGTATCATGGCAGCCGCCACG  
TGCCAGGATTACCGGTACATCATCNAGTATGANAAGCCTGGGCCTCCTCCCAGAGAAGNG  
GTCCCTCGGCCCCGCCCTGNTGTCCANAGGNTACTATTACTGNGCCNGCAACCGGCAACC  
GATATCNATTTTGNCAATTGGCCTTCAACAATAATTA

## 16464.2.edit

AGCGTGGTTCGCGGGCCGANGTCCTGTGACAGTGGCACTGGTAGAAGTTCCAGGAACCCTG  
AACTGTAAGGGTTCTTCATCAGNGCCAACAGGATGACATGAAATGATGTAAGTACTAGAAGTG  
TCCTGGAAATGGGGCCCATGAGATGGTTGTCTGAGAGAGAGCTTCTTGNCTGTCTTTTTCC  
TTCCAATCAGGGGCTCGCTCTTCTGATTATTGTCAGGGCAATGACATAAATTGTATATTCCG  
GGTCCCGGNTCCAGGCCAGTAATAGTANCCCTCTGTGACACCAGGGCGGNGCCGAGGGACC  
ACTTCTCTGGGAGGAGACCCAGGCTTCTCATACTGTATGATGTAACCGGTAATCCTGGCAC  
GTGGCGGCTGCCATGATACCAGCAAGGAATTGGGGTGGTGGCCAGGAAACGCAGGTTG  
GATGGNGCATCAATGCCAGTGGAGGCCGTCGATGACCACAGGGGGAGCTCCGACATTGTC  
ATTC.AAGGTG

## 16465.1.edit

AGCGTGGNCGCGCCGAGGTGCAGCGCGGCTGTGCCACCTTCTGCTCTCTGCCCCAACGAT  
AAGGAGGGTNCCTGCCCCAGGAGAACATTAACNTCCCCAGCTCGGCCTCTGCCGG

## 16465.2.edit

TCGAGCGGGCGCGCGGGCAGGTTTTTTTTGCTGAAAGTGONTACTTTATTGNTGGGAAAG  
GGAGAAGCTGTGGTCAGCCCAAGACGGGAATACAGAGNCCCGAAAAAGGGGAGGGCAGGT  
GGGCTGGAACCAAGACCCAGGGCCAGGCAGAACTTCTCTCCTCACTGCTCAGCCTGGTG  
GTGGCTGGAGCTCANAAAAATGGCAGTGACACAGGACACCTTCCCACAGCCAATTGCGGGCGG  
CATTTCACTGGCCAGGACACTGGCTGTCCACCTGGCACTGGTCCCGACAGAAGCCCGAGC  
TGGGGAAAGTTAATGTTACCTGGGGGCAGGAACCTCCTTATCATTGNGCAGAGAGCAG  
AAGGTGGCACAGCCCGCGCTGCACCTCGGCTGGCACCACGCT

## 16466.2.edit

TCGAGCGGGCGCGCGGGCAGGTCCACCATAAGTCTTGATACAACCACGGATGAGCTGTCA  
GCAGCAAGGTTGATTTCTTCAATTGGTCCGNCCTCTCCTTGGGGGNCACCCGCACTCGAT  
ATCCAGTGAGCTGAACATTGGGTGGCGTCCACTGGCGCTCAGGCT

## 16467.2.edit

TCGAGCGGTTGCGCCGGGGCAGGTCCACCACACCCAATTCTTGCTGGTATCATGGCAGCCG  
CCAGTGCCAGGATTACCGCTACATCATCAAGTATGAGAAGCCTGGGTCTCCTCCCAGAG  
AAGCGTCCCTCGGCCCCGCCCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGG  
AACCGAATATACAATTTATCTCAATTGNCCTGAAGAATAATCANNAANAGCGANCCCTGA  
TTGGAAGGA

AGCGTGGTTCGCGGCCGAGGTTGTACAAGCT

TCGAGCGGNCGCCCGGGCAGGTCTGCC.AACACCAAGATTGGCCCCCGCCGCATCCACACA  
GTCCGTGTGCGGGGAGGTAACAAGAAATACCGTCCCTGAGGTGGACGTGGGGAATTTT  
TCTGGGGCTCAGAGTGTGTACTCGT.AAAAAAGGATCATCGATGTTGTCTACAATGCAT  
CTAATAACGAGCTGTTTCGTACCAAGACCCTGGTGAAGAATTGCATCGTGTCTACGACAG  
CACACCGTACCGACAGTGGTACGAGTCCCACTATGCGCTGCCCTGGGCCGCAAGAAGGG  
AGCCAAGCTGACTCTGAGGAAGAAGAGATTTTAAACAAAAAACGATCT.AANAAAAAAA  
AAACAAT

AGCGTGGTGC GCGCGGAGG TGAAATGGTATTCAGCTTCTGGCACTTCTGGTCAGCAACCC  
AGTGTGGGCAACAATGATCTTTGAGGAACA TGGTTTAGGCGGACCACACCGCCCA  
ACGGCCACCCCATAGGCATAGGCCAAGACCA TACCCGCCGAATGTAGGACAAGAAGCT  
CTCTCTACAGCAACCATCTCATGGGCCCCATTCCAGGACACTTCTGAGTACATCATTTCTAG  
TCATCTGTGGCACTGATGAAGAACCCTACAGTTCAAGGTTCTCTGGAACCTTCTACCACT  
GCCACTCTGACAGGACCTGCCCGGGCGCCGCTCGA

TCGAGCGGCGCCCGCGGCAGGTCTGTGAGAGTGGCACTGGTAGAAGTTCCAGGAACCTT  
GAACGTGAAGGGTCTTTCATCAGTGGCAACAGGATGACATGAAATGATGTA CTCTAGAAGT  
GTCTCGGAATGGGGCCCATGAGATGGTTGTCTGAGAGAGAGCTTCTGTCTACATTCGGC  
GGGATGGTCTTGGCCTATGCCCTATGGGGGCTGGCCGTGTGGGCGGTGTGGTCCGCCTAA  
AACCATGTTCTCTCAAGATCATTTGTGTGGCAACACTGGGTGCTGACCAGAAGTGCCAGG  
AAGCTGAATACCAATTCACCTCGGCGCGGACCAAGCTA

TCGAGCGGCCGCCCGGACAGGTCTCCCTCTTGGCGGCCAGGGGCAGCGCATAGTGGGAC  
TCGTACCAGTGTGGTACGGGTGTCTGTGTGATGAGCAGATGCAATCTTACCAGGGGTCT  
TGGTACGAACCACTGCTGTTATTAGATGCAATTGTAGACAAACATCGATGATCTCTTTTACG  
AGTACAACACTCTGAGCCCCAGGAGAAATCCCCACGTCCAACCTCAGGGCACGGTATTTT  
TTGTTACCTCCCCGCACACCGATGTGTGGATGCCCGCGGGGCCAAGCTGACTCCTGAGGA  
AGAAGAGATTTTAAACAAAACGATCTAAAAAATTCAGAAAGAAATGATGAAAGGA  
AAAAGAATGCCAAATCAGCAGTCTCTGGAGGAGCAGTTCAGCAGGGCAAGCTCTTGT  
CGTGCAATCGCTTCAAGGCCGGGACAGTCTGACCGAGCAGATGGCTATGTGCTAGAAGGCA  
AAGAAGTGGAGTCTCTATCTTAAAGAAAATCAGGGCCCCAGAATGGTGNGTCTTCAACTAATC  
CAAGGGGAGTTTACAGACANTAGTCCAAATCAGCAAAAACATTGATACTGNTGGCCAAATTTA  
TTGGTGACGGGCTTGCACANTANGANNCGCTGGGTCTGGGGCTTGGAATTGGNACAAGCT  
TTGGCAGCCTTTTCTTTTGGTTTTGCCAAAACCTTTGNTGAAGANGANACCTNNGGGCGGA  
CCCCTAACCGATTCCACNCCNNGNGGCGTTCTANGNCCCNCTTG

FIG. 15EE

06\_16471.edit

AGCGTGGTCGCGGCCGAGGTCTGCTGCTTCAGCGAAGGGTTTCTGGCATAACCAATGATA  
AGGCTGCCAAAGACTGTTCCAATACCAGCACCAGAACCAGCCACTCCTACTGTTGCAGCAC  
CTGCACCAATAAAATTTGGCAGCAGTATCAATGTCTCTGCTGATTGCACTGGTCTGAAACTC  
CCTTTGGATTAGCTGAGACACACCAATTTGGGCCCTGATTTTCTAAGATAGAAGTCCAAC  
TCTTTGCCCTCTAGCACATAGCCATCTGCTCGGTACACTGTCCCGGCTTGAAAGCGATGC  
ACGCAAGAAGCTTGCCCTGCTGGAAGTGTCTCCAGGAGACTGCTGATTTTGGCATTCTT  
TTTCCTTTCATCATATTTCTTCTGAATTTTCTAGATCGTTTTTGTAAATCTCTTCTTCC  
TCAGGAGTCAGCTTGGCCCCCGCCGATCCACACAGTCCGTGTGCGGGGAGGTAACAAGA  
AATACCGTGCCCTGAGGTTGGACGTGGGGAATTTCTCTGGGGCTCAGAGTGGTGTACTCG  
TAAAACAAGGATCATCGATGGTGNCTACAATGCATCTAATAACGAGCTGGGTGGACCCA  
AAGAACCTGGNGAANAAATGGATCGNCTCATCGACAGGACACCGTACCCGACAGGGGNA  
CGANTCCCACTATGCGCTTGCCCTGGGCCGCAANAAAGGAAAACTGCCCGGGCGGCCNT  
CGAAAGCCCAATTNTGGAATAATCCATCACACTGGNGGCCNGTCGAGCATGCATNTAN  
AGGGGCCCATCCCCCTNANN

07\_16472.edit

TCGAGCGGCCCGCCCGGGCAGGTCCCCAACCAAGGCTGCAACCTGGATGCCATCAAAGTCT  
TCTGCAACATGGGAGACTGGTGAGACCTGCGTGTACCCCACTCAGCCCAGTGTGGCCGAGA  
AGAACTGGTACATCAGCAAGAACCCCAAGGACAAGAGGCAATGTCTGGTTGGCGAGAGCA  
TGACCGATGGATTCAGTTCGAGTATGGCGGCCAGGGCTCCGACCCTGCCGATGTGGACCT  
CGGCCGCGACCACGCT

08\_16472.edit

AGCGTGGTCCGCGCCGAGGTCCACATCCGCAAGGCTCGGAGCCCTGGCCGCCATACTCGAA  
CTGGAATCCATCGGTATGCTCTGCGCGAACCCAGACATGCCCTTGTCTTGGGTTCTTGC  
TGATGTACCACTTCTTCTGCGCCACACTGGCTGAGTGGGGTACACCGAGGTCTCACCAGT  
CTCCATGTTGCAGAAAGACTTGTATGGCATCCAGTTGCAGCCTTGGTTGGGGACCTGCCCG  
GGCGGCCGCTCGA

09\_16473.edit

TCGAGCGGCCCGCCCGGGCAGGTCCACCACACCCAATTCTTGTGCTGGTATCATGGCAGCCGC  
CAGGTGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCCTCCAGAGA  
AGTGGTCCCTCGGCCCGCCCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGGA  
ACGGAATATACAAATATGTCAATGCCCTGAAGAAATATCAGAAGAGCGAGCCCTGATTG  
GAAGGAAAAAGACAGACGAGCTTCCCCAACTGGTAACCCCTCCACACCCCAATCTTCATG  
GACCAGAGATCTTGGATGTTCTTCCACAGTTCAAAAGACCCCTTCTGTCACCCACCCCTGG  
GTATGACACTGGAATGGTATTCAGCTTCTGGCACTTCTGGTCAGCAACCCAGTGTGGG  
CAACAAATGATCTTTGAGGAACATGGNTTATGGCGGACCACACCGCCCACAACGGCCACC  
CCCATAAAGGCATAGGCCAAAGACCATACCCGCCGAATGTAGGACAAGAAGCTNTNTNCAN  
ACACCATNTNATGGGCCCCATTCCAGGACACTTCTGAGTACATCATTTATGNCATCTGTGG  
CACTTGATGAAAACCCCTTACAGTTCAGGCTTCTGGAACCTTTACCAGGCCTNTTACAGGAC  
TNGCCCGGACNCCCTTAAGCCNATNCAACCTGGGCCCTTCTANGGTCCCACTCGNNCACTG  
GNGAAAATGGCTACTGTN

FIG. 15FF

11\_16474.edit

AGCGTGGTCGCGGCCGAGGTCCACTAGAGGTCTGTGTGCCATTGCCAGGCAGAGTCTCTG  
CGTTACAACTCCTAGGAGGGCTTGCTGTGCGGAGGGCCTGCTATGGTGTGCTGCGGTTCA  
TCATGGAGAGTGGGGCCAAAGGCTGCGAGGTTGTGGTGTCTGNGAACTCCNAGGACANG  
AGGGCTAAATTCCATGAAGTTTGTGGATGGCCTGATGATCCACAATCGGAGACCCTGTTAA  
CTACTACCGTCTNACCNCCTGCTGTNCNCCCCNTTCTGCTNAANACATNGGGNTNNTNC  
TTGNCCNTCCTTGGGTNGAANA TNNA TNCCCTNCCNTTCTNANCTACTNGNTCCANA  
NTTGGCCTTTAAANAATCCNCCCTTGCCTTNNNCACTGTTCANNTNTTNTCGTAAACCCCT  
ATNANTTNATTANATNTNNTNNTNCTACCCCCCTNCTATTNANCCNATANGCTNNNA  
ANTCCTTNANNCCTCCNCCCNNTNCTNCTACTNANTNCTTCTNNCCCATACNNAGCT  
CTTTCNTTTAANATAATGNNGCCNNGCTCTNCTATNCTACNATNTGNNAATNCCCCNCC  
CCCNANCGNNTTTTGACCTNNNAACCTCCTTTCCTCTCCCTNCCNAAAATTNCCNANTTCC  
NCNTTCCNNCNTTTCGGNTNNTCCCATNCTTTCANNNCTTCANTCTANCNCNCTNCAACT  
TATTTTCTNCTATCCCTTNTTCTTACANNCCCCCTNNTCTACTCNCNNTTNCATTANAT  
TTGAAACTNCCACNCTANTTNCCTCCTCTACNNTTTATTTNCGNTCCTCTACNTAAT  
ANTTTAATNANTNTCN

12\_16474.edit

TCGAGCGGCCGCCCCGGCCAGGTCTGCCAAGGAGACCCTGTTATGCTGTGGGACTGGCTG  
GGGCATGGCAGCGGGCTCTGGCTTCCACCCCTTCTGTTCTGAGATGGGGTGGTGGGCAGT  
ATCTCATCTTTGGGTTCCACAATGCTCACGTGGTCAAGGCAGGGGCTTCTTAGGGCCAATCT  
TACCAGTTGGGTCCCAGGGCAGCATGATCTTCACCTTGATGCCAGCACACCCTGTCTGAG  
CAACACGTGCCGCACAAAGCAGTGTCAACGTAGTAAGTTAACAGGGTCTCCGCTGTGGATC  
ATCAGGCCATCCACAACCTTCATGGA TTAGCCCTCTGTCTCGGAGTTTCCAGACACCA  
CAACCTCGCAGCCTTGGCCCCACTCTCCATGATGAACCCGAGCACACCATACCAGGCCCT  
CGGCACAAGCAAGCCCTCCTAAGAA TTTGTAACCCANANACTCTGCTGGCAATGGCACAC  
AAACCTCTAGTGGACCTCGGNC CCGACCACGC

13\_16475.edit

TCGAGCGGCCGCCCCGGCCAGGTCTGGTCCAGGATAGCCTGCGAGTCCCTACTGCTACTC  
CAGACTTGACATCATATGAATCATCTGCGGAGAAATAGTTCTGAGGACCAGTAGGCCATG  
ATTACAGATTCCAGGGGGCCAGGAGAACAGGGGACCCTGGTTGTCTGGAATACCAG  
GGTCACCATTTCTCCAGGAATACCAGGAGGGCCTGGATCTCCCTTGGGGCCTTGAGGTCC  
TTGACCAATTAGGAGGGCGAGTAGGAGCAGTTGGAGGCTGTGGGCAAACTGCACAACATTC  
TCCAAATGGAA TTTCTGGGTTGGGGCAGTCTAA TTTCTTGATCCGTCACATATTATGTCATCG  
CAGAGAACGGATCCTGAGTCACAGACACATATTTGGCATGGTTCTGGCTTCCAGACATCTC  
TATCCGNCATAGGACTGACCAAGATGGGAACATCCTCCTTCAACAGCTTNTGTTGTGCC  
AAAAATAATAGTGGGATGAAGCAGACCGAGAAAGTANCCAGCTCCCTTTTGCACAAAGC  
NTCATCATGTCTAAATATCAGACATGAGACTTCTTTGGCAAAAAAGGAGAAAAAGAAAA  
AGCAGTTCAAAGTANCCNCAATCAAGTTGGTTCCTTGCCNNTCAGCACCCCGGGCCCGTT  
ATAAAACACCTNGGGCGGACCCCTT

FIG. 15GG

14\_16475.edit

AGCGTGGTCCGCGCCGAGGTGTTTTATGACGGGCGCGGTGCTGAAGGGCAGGGAACAACACT  
TGATGGTGCTACTTTGAACTGCTTTTCTTTCTCCTTTTGCACAAAGAGTCTCATGTCTGA  
TATTTAGACATGATGAGCTTTGTGC.AAAAGGGGAGCTGGCTACTTCTCCTCTGCTTCATC  
CCACTATTATTTGGCACAACAGGAAGCTGTTGAAGGAGGATGTTCCCATCTTGGTCAATC  
CTATGCCGATAGAGATGTCTGGAAGCCAGAACCATGCCAAATATGTGTCTGTGACTCAGG  
ATCCGTCTCTGCGATGAC.ATAATATGTGACGATCAAGAATTAGACTGCCCCAACCCAGAA  
ATTCCATTTGGAGAAATGTTGTGCAGTTTGGCCACAGCCTCCAACCTGCTCTACTCGCCCTCC  
TAATGGTCAAGGACCTCAAGGCCCCAAGGGAGATCCAGGCCCTCCTGGTATTCTGGGGAG  
AAATGGTGACCCCTGGTATTCCAGGACAACCAGGGTCCCCTGGTCTCCTGGCCCCCTGGA  
ATCNGGNGAATCATGCCCTACTGGTCTCAAACCTATTCTCCANATGATTCATATGATGTC  
AAGTCTGGGATAGCNAGT.ANGGANGGACTCCGAGGCTATTCTGGACCANACCTGCCGGGG  
GGGCGTTGGAAAGCCCCGAATCTGCANAVNTNCTTACACTGGCGGCCGTCGAGCTGCTTT  
AAAAGGGCCATTCCNCTTTAGNGNGGGGGGANTACAATTACTNGGCGCGCTTTANANCG  
CGNGNCTGGGAAAT

15\_16476.edit

AGCGTGGTCCGCGCCGAGGTCCACATCGGCAGGGTCCGAGCCCTGGCGGCCATACTCGAA  
CTGGAATCC.ATCGGTATGCTCTCGCCGAACCAGACATGCCTCTTGTCTTGGGGTTCTTGC  
TGATGT.ACCAGTTCTTCTGGGCCACACTGGGCTGAGTGGGTACACGCAGGTCTCACCAGT  
CTCCATGTTGCAGAAGACTTTGATGGCA.TCCAGGTTGCAGCCTTGGTTGGGTCAATCCAG  
TACTCTCCACTCTTCCAGTCAGAGTGGC.ACATCTTGAGGTACGGCAGGTCCGGCGGGGT  
TCTTGGCGCTGCCCTCTGGGCTCCGATGTTCTCGATCTGCTGGCTCAGGCTCTTGAGGGTG  
GTGTCCACCTCGAGGT.CACGGTCACGA.ACCACATTGGCATCATCAGCCCGGTACTAGCGGC  
CACC.ATCGTGAGCCTTCTCTTGANGTGGCTGGCGCAGGA.ACTGAAGTCGAAACC.AGCCCT  
GGGAGGACCAGGGGGACCA.ANAGGTCCAGGAAGGGCCCCGGGGGGGACCAACAGGACCAG  
CATC.ACCAAGTGCG.ACCCGCGAGA.CCCTGCCCGGCCGNCCTCGAA

16\_16476.edit

TCGAGCGNNGCCCCGGGCGAGGTCTCGCGGTGCGCACTGGTGATGCTGGTCTCTTGGTCCCC  
CCGCCCCCTCTGGACCTCCTGGTCCCCCTGGTCTCCAGCGCTGGTTTCGACTTCAGCTTC  
CTGCCCC.ACCACCTCAAGAGAAGGCTC.ACGATGGTGGCGCTACTACCGGGCTGATGAT  
GCCAATGTGGTTCGTGACCGTGACCTCGAGGTGG.ACACCCTCAAGAGCCTGAGCCAG  
CAGATCGAGA.ACATCCGGACCCGAGAGGGCAGCGCA.AGAACCCCGCCCGCACCTGCCGT  
GACCTCAAGATGTGCCACTCTG.ACTGCA.AGAGTGGAGAGTACTGGA.TTGACCCCAACCA  
GGCTGCA.ACCCTGATGCCATCA.AAGTCTTCTGCA.ACATGGAGACTGGTGAGACCTGCCGTG  
ACCCCACTCAGCCCCAGTGTGGCCAG.AGA.AGACTGGTACATCAGCA.AGAACCCCAAGGACA  
AGAGCCATGTCTGTTCCGGCAGAGCA.TGACCCATGGA.TTCCAGTTCGAGTATGGCGGCC  
AGGGCTCCCA.CCCTGCCGATGTGCACTCGGGCCGCGACCACTT

FIG. 15HH



17\_16477.edit

TNGAGCGGCGCCCGGGC.AGGNTGNNAACGCTGGTCCTGCTGGTCCTCTGGCAAGGCTG  
GTGAAGATGGTCACCTGGAAAACCCGGACGACCTGGTGAGAGAGGAGTTGTTGGACCAC  
AGGGTGCTCGTGGTTTCCCTGGAACTCCTGGACTTCTGGCTTCAAAGGCATTAGGGGACA  
CAATGGTCTGGATGGATTGAAGGGACAGCCCGGTGCTCCTGGTGTAAGGGTGAACCTGG  
TGCCCTGGTGAAAATGGAACTCCAGGTCAAACAGGAGCCCGTGGGCTTCTGGTGAGAG  
AGGACCGTGTGGTGCCCTGGCCCANACCTCGGCCGCGACCGCTAAGCCCGAATTTCC  
AGCACACTGGNGGCCGTTACTANTGGATCCGAGCTCGGTACCAAGCTTGGCGTAATCATG  
GTCATAGCTGTTTCTGNGTGAAATTGTTATCCGCTCACAATTTACACANCATACGAAGC  
CGGAAAGCATAAAAGTGTAAGCCTTGGGGTGCTAATGAGTGAGCTAACTCNCAATTAAATT  
GCGTTGCGCTCACTGCCCGCTTTTCCANNNGGAAACNTGGCNTNGCCNGCTTGCTNTAA  
NTGAAATCCGCCNACCCCGGGGAAAGNCGGTTTGCNGTATTGGGGCNCTTTTCCCTTT  
CCTCGGNTTACTTGANTTANTGGGCTTTGGNCGNTTCGGGTTGNGGGGANCGGTTCAACN  
TCACNCCAAAGGNGGNAANACCGTTTCCCANAAATCCGGGGGNTANCCCAANGNAAAAC  
ATNNGNCNAANGGGCT

18\_16477.edit

AGCGTGGTTNGCGGCCGAGGTCTGGGGCAGGGGCACCAACACGTCTCTCTCACCAGGAA  
GCCCACGGGCTCCTGTTTGACCTGGAGTTCCATTTTACCAGGGGCACCAGGTTACCCCTT  
CACACCAGGAGC.ACCGGGCTGTCCCTTCAAATCCATNCAGACCAATTGTGNCCCTAATGCCT  
TTGAAGCCAGGAAGTCCAGGAGTTCCAGGAAACACCGAGCACCTGTGGTCCAACAAC  
TCCTCTCTCACCAGGTCTCCGGGTTTCCAGGGTGACCATCTTACCAGCCTTGCCAGGA  
GGACCAGCAGGACCAGCGT.ACCAACCTGCCCGGGCGGCGCTCGA

21\_16479.edit

TCGAGCGGCGCCCGGGCAGGTCCA.TTCTCCTGACGGTCCC.ACTTCTCTCCAATCTTGT  
AGTTACACCAATTGTCA.TGCCACCATCTAGATGAATCACA.TCTGAAATGACC.ACTTCCAAA  
GCCTAAGCACTGGCACA.ACAGTTTAAAGCCTGA.TTCAGACA.TTCGTTCCCACTCATCTCCA  
ACGGCATAATGGGAAACTGTGTAGGGGTCAAAGCAGAGTCATCCGTAGGTTGGTTCAAG  
CCTTCGTTGACAGAGTTGCCACCGTAACAACCTCTTCCCGAACCTTATGCCTCTGCTGGTC  
TTTCAAGTGCCTCCACTATGATGTTGTAGGTGCCACCTCTGGTGAGGACCTCGGCCGCGACC  
ACGCT

22\_16479.edit

AGCGTGGTCCGGCGGAGGTCTCACCAGAGGTGCCACCTACAACATCATAGTGGAGGCA  
CTGAAAGACCAGCAGAGGCATAAGGTTCCGGAAAGAGGTTGTTACCGTGGGCAACTCTGTC  
AACGAAGGCTTGAACCAACCTACCGATGACTCGTGCTTTGACCCCTACACAGTTTCCCAT  
ATGCCGTTGGAGATGAGTGGGAACGAATGCTGAAATCAGGCTTTAAACTGTTGTGCCAGTG  
CTTAGGCTTTGGAAGTGGTCA.TTCAAGATGTGATTCATCTAGATGGTGCCATGACAATGG  
TGTGA.ACTACAAGATTGGAGAGAAGTGGGACCGTCAGGGAGAAAAATGGACCTGCCCGG  
CCGGCCGCTCGA

24\_16480.edit

TCGAGCGNNCGCCCGGGCAGGTCCAGTAGTGCTTCGGGACTGGGTTCACCCCCAGGTCTG  
CGGCAGTTGTACAGCGCCAGCCCCGCTGGCCTCCAAAGCATGTGCAGGAGCAAATGGCA  
CCGAGATATTCCTTCTGCCACTGTTCTCTACGTGGTATGTCTTCCCATCATCGTAACACGT  
TGCTCATGAGGGTCACACTTGAATTCTCTTTTCGGTCCCAAGACATGTGCAGTCAATTT  
GGCTGGCTCTATAGTTTGGGAAAGTTTGTGAAACTGTGCCACTGACCTTTACTTCTCTCT  
TCTTACTGGAGCTTTTCGTACCTTCCACTTCTGCTGTGGTAAAATGGTGGATCTTCTATCA  
ATTTCAITGACAGTACCCACTTCTCCCAAACATCCAGGGAAATAGTGATTTTCAGAGCGATT  
AGGAGAACCAAATTATGGGGCAGAAATAAGGGGCTTTTCACAGGTTTTCTTTGGAGGA  
AGATTTCACTGGTGACTTTAAAAGAACTACTCAACAGTGTCTTCATCCCCATAGCAAAAGAA  
GAAACNGTAAATGATGGAANGCTTCTGGAGATGCCNNCATTTAAGGGACNCCCAGAACTT  
CACCATCTACAGGACCTACTTCAGTTTACANNAAGNCACATANTCTGACTCANAAAGGAC  
CCAAAGTAGCNCCATGGNCAGCACTTTNAGCCTTTCCCTGGGGAAAANNTTACNTTCTTAA  
ANCTNNGGCCNNGACCCCCCTTAAGNCCAAATTNTGGAAAANTTCCNTNCCNCTGGGGGGC  
NGTTCNACATGCNTTTNAAGGGCCCAATTNCCCCNT

25\_16481.edit

TCGAGCGGCGCCCGGGCAGGTGTGCGAGTCCAGCACGGGAGGCGTGGTCTTGTAGTTGT  
TCTCCGGCTGCCCCATTGCTCTCCACTCCACGGCGATGTGCTGGGATAGAAGCCTTTGAC  
CAGGCAGGTACAGGCTGACCTGGTTCTTGGTCACTCTCTCCCGGATGGGGGCAGGGTGTAC  
ACCTGTGGTTCTCGGGGCTGCCCTTTGGCTTTGGAGATGGTTTTCTCGATGGGGGCTGGGA  
GGGCTTTGTGGAGACCTTGCCTTGTACTCTTGGCAATTCAGCCAGTCTGCTGTCAGGAC  
GGTGAGGACGCTGACCACACGGTACGTGCTGTTGTACTGCTCTCCCGCGGCTTTGTCTTG  
GCATTATGCACCTCCACGGCTCCACCTACCACTTGAAGTACCTCAGGGTCTTCTGTGGC  
TCACGTCCACCACCGCATGTAACCTCAGACCTCGGCGCGGACCAAGCT

25\_16481.edit

AGCGTGGTGGCGGCGGAGGTCTGAGCTTACATGCGTGGTGGTGGACGTGAGCCACGAAGA  
CCCTGAGGTCAAGTTCAACTGCTACGTGGACGGCGTGGAGGTGCATAATGCCAAGACAAA  
GCCGCGGGAGGAGCAGTACAACACGACCTACCGTGTGGTCAAGCTCCTCACCGTCTGCA  
CCAGGACTGGCTGAATGGCAAGGAGTACAAGTCCAAGGTCTCCAACAAAGCCCTCCAGC  
CCCCATCGAGAAAACCACTCTCAAAAGCCAAAGGCCAAGCCCCGAGAACCACAGGTGTACA  
CCCTGCCCCCAATCCCGGAGGAGATGACCAAGAACCAGGTACGCTGACCTGCCTGGTCA  
AAGGCTTCTATCCCAAGCGACATCGCCGTGGAGTGGGAGAGCAATGGGCAGCCGGAGAACA  
ACTACAAGACCACGGCTCCCGTGTCTGCACTCCGACACCTGCCCGGGCGGCGGCTCGA

27\_16482.edit

TCGAGCGGCGGCGGCGGAGGTGAAATGGCTCTCTGCTGACCAACCCCGGTGCTGGTGGTGG  
GTACAGAGCTCCGATGGGTGAAACCAATTGACATAGAGACTGTCCCTGTCCAGGGTGTAGG  
GGCCACGCTCAGTGATGCCGTGGGTGAGCTGGCTCAGCTTCCAGTACAGCCGCTCTCTGTC  
CAGTCCAGGGCTTTTGGCGTCAAGGACATGGGTGCAGACAGCATCCACTCTGGTGGCTGC  
CCCATCCTTCTCAGGCCTGACCAAGGTCACTCTGCAACCAAGAGTACAGAGAGCTGACACT  
GGTGTCTTGAACAAGGGCATAAGCAGACCTGAAGGACACCTCGGCGCGGACCAAGCT

FIG. 15JJ

23\_16482.edit

AGCGTGGTCCGGCCGAGGTGTCCTTCAGGGTCTGCTTATGCCCTTGTTCAAGAACCAG  
TGTCAGCTCTCTGTACTCTGGTTGCAGACTGACCTTGCTCAGGCCTGAGAAGGATGGGGCA  
GCCACCAGAGTGGATGCTGTCTGCACCCATCGTCCTGACCCAAAAGCCCTGGACTGGACA  
GAGAGCGGCTGTACTGGAAGCTGAGCCAGCTGACCCACGGCATCCTGAGCTGGGCCCCCT  
ACACCTGGACAGGGACAGTCTCTATGTCAATGGTTTCACCCATCGGAGCTCTGTACCCAC  
CAACAGCACCGGGGTGGTCAGCGAGGAGCCATTCAACCTGCCCGGGCGGCCGCTCGA

29\_16483.edit

AGCGTGGTCCGGCCGAGGTCTGTCTCAGAGTGGCACTGGTAGAAGTTCCAGGAACCCTGA  
ACTGTAAGGGTTCTTCATCAGTGCCAAACAGGATGACATGAAATGATGTACTCAGAAAGTGT  
CTGGAATGGGGCCCATGAGATGGTTGTCTGAGAGAGAGCTTCTTGTCCTACATTCGGCGGG  
TATGGTCTTGGCCTATGCCCTTATGGGGGTGECGGTTGTGGGCGGTGGTCCGCCTAAAAC  
CATGTTCTCAAAGATCAATTTGTGCCAAACACTGGGTTGCTGACCAGAAGTGCCAGGAAG  
CTGAATACCATTTCCAGTGTCATACCCAGGGTGGGTGACGAAAGGGGTCTTTTGAAGTGTG  
GAAGGAACATCCAAGATCTCTGGTCCATGAAGATTGGGGTGTGGAAGGGTTACCAAGTTGG  
GGAAGCTCGTCTGTCTTTTCTCTTCCAAATCAGGGGCTCGCTCTTCTGATTATTCTTCAGGGC  
AATGACATAAATTGTATAATTCGGTCCCGGTTCCAGGCCAGTAATAGTAGCCTCTGTGACAC  
CAGGGCGGGGGCGAGGGACCCCTCTNTTGAAGAGACCAGCTTCTCATACTTGATGATGA  
GNCCGGTAATCCTGGCACGTGGNGGTTGCATGATNCCACCAAGGAAATNNGNGGGGGNG  
GACCTCCCGGGCGGGCGGTTCTNAAAGCCCAATTCACACACTTGGNGGCCGTACTATGGATC  
CCTCTCNGTCCAACCTTGGNGGAATATGGCATAACTTTT

31\_16484.edit

TGGAGCGGGCGGGCGGGCAGGTCTCTGACCTTTTCAGCAAGTGGGAAGGTGTAATCCGTCT  
CCACAGACAAGGCCAGGACTCGTTTGTACCGGTTGATGATAGAATGGGGTACTGATGCAA  
CAGTTGGGTAGCCAATCTGCAGACAGACACTGCCAACATTCGGGACACCTCCAGGAAGC  
GAGAATGCAGAGTTTCTCTGTGATATCAAGCACTTCAGGGTTGTAGATGCTGCCATTGTC  
GAACACCTGCTGGAATGACAGCCCAAGGAGCAAGGGGGAGATGTTGAGCATGTTACGACG  
CGTGGCTTCGCTGGCTGCCACTTTGTCTCCAGTCTTGATCAGACCTCGGCCCGGACCACGCT

37\_16487.edit

AGCGTGGTCCGGCCGAGGTCTGTCTCAGTCTCAGGACTCTACTCCCTCAGCAGCGTG  
GTGACCGTGCCCTCCAGCAACTTCGGCACCCAGACCTACCTGCCAACGTAGATCACAAGC  
CCAGCAACACCAAGGTGGACAAGAGAGTTGAGCCCAAAATCTTGTGACAAAACCTCACACAT  
GCCCACCGTGCCCAAGCACCTGAACCTCTGGGGGGACCGTCAGTCTTCTCTTCCCCCGCAT  
CCCCCTTCCAAACCTGCCCGGGCGGGCGCTCG

FIG. 15KK

38\_16487.edit

CGAGCGGCGCGCGCGGCGAGGTTTGGAAAGGGGGATGCGGGGGAAGAGGAAGACTGACGGT  
CCCCCAGGAGTTTCAGGTGCTGGGCACGGTGGGCATGTGTGAGTTTTGTCACAAGATTTGG  
GCTCAACTCTCTTGTCCACCTTGGTGTGCTGGGCTTGTGATCTACGTTGCAGGTGTAGGTC  
TGGGTGCCGAAGTTGCTGGAGGGCACGGTCACCACGCTGCTGAGGGAGTAGAGTCTCGAG  
GACTGTAGGACAGACCTCGGCCGCGACACGCT

39\_16488.edit

NGGNNGGTCCGGNCNGNCAGGACCACTCNTCTTCGAAATA

41\_16489.edit

AGCGTGGTTCGCGGCGGAGGTCCTCACTTGCCTCTGCAAAGCACCGATAGCTGCGCTCTGG  
AAGCGCAGATCTGTTTTAAAGTCCTGAGCAATTTCTCGCACCAGACGCTGGAAGGGAAGTT  
TGCGAATCAGAAGTTCAGTGGACTTCTGATAACGTCTAATTTACGGAGCGCCACAGTACC  
AGGACCTGCCCCGGCGCGCGCTCGA

42\_16489.edit

TCGAGCGCGCGCGCGCGGCGAGGTCCTCGTACTGNGGCGCTCCGTGAAATTAGACGTTATCA  
GAAGTCCACTGAACCTTCTGATTGCGAAACTTCCCTTCAGCGTCTGGTGCGAGAAATTGCT  
CAGGACTTTAAACAGATCTGCGCTTCCAGAGCGCAGCTATCGGTGCTTTGCAGGAGCCA  
AGTGAGGACCTCGGCCGCGACACGCT

45\_16491.edit

TCGAGCGGCGCGCGCGGCGAGGTCACATCGGCAGGGTCGGAGCCCTGCGCGCCATACTCG  
AACTGGAATCCATCGGTGATGCTCTCGCGGAACCAGACATGCCTCTTGTCTTGGGTTCT  
TGCTGATGTACCACTTCTTCTGGGCGACACTGGGCTGAGTGGGGTACACGCAGGTCTCACC  
AGTCTCCATGTTGCAGAAGACTTTGATGGCATCCAGGTTGCAGCCTTGGTTGGGGTCAATC  
CAGTACTCTCCACTCTCCAGTCAGAGTGGCACA TCTTGAGGTACGGCAGGTGCGGGCGG  
GGTTCTTGACCTCGGCCGCGACACGCT

46\_16491.edit

GTGGGNTTGAACCCNTTTNANCTCCGCTTGGTACCGAGCTCGGATCCACTAGTAACGGCCG  
CCAGTGTGCTGGAAATTCGGCTTAGCGTGGTCCGGCCGAGGTCAAGAACCCCGCCGCAC  
CTGCCGTGACCTCAAGATGTGCCACTCTGACTGGAAGAGTGGAGAGTACTGGATTGACCC  
CAACCAAGGCTGCAACCTGGATGCCATCAAAGTCTTCTGCAACATGGAGACTGGTGAGAC  
CTGCGTGTACCCCACTCAGCCCAGTGTGGCCCAAGAAGAACTGGTACATCAGCAAGAACCC  
CAAGGACAAGAGGCATGTCTGGTTCGGCCGAGAGCATGACCGATGGATTCCAGTTCGAGTA  
TGGCGGCCAGGGCTCCGACCCTGCCGATGTGGACCTGCCCGGGGGCGGCTCGA

47\_16492.edit

AGCGTGGTCCGGCCGAGGTCTGGGATGCTCCTGCTGCACAGTGAGATATTACAGGATC  
ACTTACGGAGAAACAGGAGGAAATAGCCCTGTCCAGGAGTTCCTGTGCCTGGGAGCAAG  
TCTACAGCTACCATCAGCGCCCTTAAACCTGGAGTTGATTATACCATCACTGTGTATGCTG  
TCACTGGCCGTGGAGACAGCCCCGCAAGCAGCAAGCCAATTTCCATTAAATTACCGAACAG  
AAATTGACAAACCATCCAGATGCAAGTGACCGATGTTCAAGGACAACAGCAATTAGTGTC  
AGTGCTGCTTCAAGTTCCTGTTACTGGTTACAGAGTAACCACTCCCAAAAATGG  
ACCAGGACCAACAAAACTAAAAGTGCAGGTCCAGATCAAACAGAAATGACTATTGAAG  
GCTTGACGCCACAGTGGAGTATGTGGTTAAGTGTCTATGCTCAGAAATCCAAGCGGAGAG  
AAGTCAGCCTCTGGTTCAGACTGNAAGTAACCAACATTGATCGCCTAAAGGACTGGCAATC  
ACTGATGNGGATGCCGATTCATCAAAATGNTTGGGAAAAACCCACAGGGGCAAGTTTNC  
ANGTCNAGGNGGACCTACTCGAGCCCTCAGGATGGAATCCTTGACTNTTCTTNNCTGAT  
GGGGAAAAAAACCTTNAAACTTGAAGGACCTGCCCGGGGGCGGCTNCAAAACCCAATT  
CCACCCCTTGGGGGCGTTCATCGGNCCTACTCGGACCAAACTTGGGGTAAN

48\_16492.edit

TCGAGCGGGGGGGGGGGCAGGTCTTCCAGCTCTCAGTGTCTTCTTACCATCAGGTGCA  
GGGAATACCTCATGGATTCCAATCTCAGGGCTCGAGTAGGTACCCCTGTACCTGGAAACTT  
GCCCCTGTGGGCTTTCCCAAGCAATTTGATGGAATCGGCATCCACATCAGTGAATGCCAG  
TCCTTTAGGGCGATCAATGTTGCTTACTGCACTGTAACCAGAGGCTGACTCTCTCCGCTT  
GGATTCTGAGCATAGACACTAACCACATACTCCACTGTGGGCTGCAAGCCTTCAATAGTCA  
TTTCTGTTTGTATCTGGACCTGCCAGTTTGTGTTTGTGGTCTGCTGCTCAATTTTGGGAGTG  
GTGGTTACTCTGTAAACCAGTAACAGCGGAACTTGAAGGCAGGCACTTGACACTAATGCTGT  
TGCTCTGAACATCGGTCACTTCCATCTGGGATGGTTTGTCAATTTCTGTTGGTAATTAATG  
GAAATTCGGCTTCTGCTTCCGGGGCTTGTCTCCACGGCCAGTGACAGCATACACAGTGATG  
GTATAATCAACTCCAGGTTTAAGCCGCTGATGGTAGCTGAACTTTGCTCCAGGCCACAAGT  
GAACTCCTGACAGGGCTATTTCTTCTGTTCTCCGTAAGTGATCTGTAAATCTCACTGGG  
ACAGCAGGANGCAATCCAAAACCTCGGGCGNGACCCCTAAGCCGAAATNTGCAATATNC  
ATCACTGGCGGGGCTCGANCAATTAATAAGCCCCAATNCCCCTATACGGAGTNT  
ANTACAATTNG

FIG. 15MM

49\_16493.edit

TCGAGCGGCCGCCCGGGCAGGTCACTTTTGGTTTTTGGTCATGTTCCGTTGGTCAAAGATA  
AAAATAAGTTTGAGAGATGAATGCAAAGGAAAAAATATTTCCAAAGTCCATGTGAAA  
TTGTCTCCCATTTTTTGGCTTTGAGGGGGTTCAGTTTGGGTGCTTGTCTGTTTCCGGGT  
GGGGGAAAGTTGGTTGGGTGGGAGGGAGCCAGGTGGGATGGAGGGAGTTTACAGGAA  
GCAGACAGGGCCAACGTCG

55\_16496.edit

AGCGTGGTCGCGGCCGAGGTCTCACCAGAGGTGCCACCTACAACATCATAGTGGAGGCA  
CTGAAAGACCAGCAGAGGCCATAAGGTTCCGGGAAGAGGTTGTTACCGTGGGCAACTCTGTC  
AACGAAGGCTTGAACCAACCTACGGATGACTCGTGCTTTGACCCCTACACAGTTTCCCAT  
ATGCCGTTGGAGATGAGTGGGAACGAATGTCTGAATCAGGCTTTAACTGTTGTGCCAGTG  
CTTAGGCTTTGGAAGTGGTCATTTAGATGTGATTCATCTAGATGGTGCCATGACAATGGT  
GTGAATAACAAGATTGGAGAGAAGTGGGACCGTCAGGGAGAAAAATGGACCTGCCCGGGC  
GGCCGCTCGA

56\_16496.edit

TCGAGCGGCCGCCCGGGCAGGTCCATTTTCTCCCTGACGGTCCCACTTCTCTCCAATCTTGT  
AGTTCACACCAATTTGTCATGGCACCATCTAGATGAATCAGATCTGAAATGACCACTTCCAAA  
GCCTAAGCACTGGCACAACAGTTTAAAGCCTGATTCAGACATTCGTTCCCACTCATCTCCA  
ACGGCATAATGGGAACTGTGTACGGGTCAAAGCACCACTCATCCGTAGGTTGGTTCAAG  
CCTTCGTTGACACAGTTGCCACGGTAACAACCTCTCCCGAACCTTATCCCTCTGCTGGTC  
TTTCAGTGCTCCACTATGATGTTGTAGGTGGCACCTCTGGTGAGGACCTCGGCCCGGACC  
ACGCT

59\_16498.edit

TCGAGCGGCCGCCCGGGCAGGTCCACATAAATCTCTGATACAACCACGGATGAGCTGTCA  
GGAGCAAGGTTGATTTCTTTCAATGGTCCGCTTCTCTCTGGGGTCAACCGCACTCGATA  
TCCAGTGACCTGAACATTCGTTGGTGTCTCACTGGCGGCTCAGGCTTGTGGGTGTGACCTGA  
GTGAATTCAGGTGAGTTGGTCCAGGAATAGTGGTTACTGCACTCTGAACCAGAGGCTGA  
CTCTCTCCGCTTGGATTCTGAGCATAGACACTAACCACATACTCCACTGTGGGCTGCAAGC  
CTTCAATAGTCATTTCTGTTTGAATCTGGACCTGCCAGTTTACTTTTGTGGTCTGGTCCAT  
TTTTGGGAGTGGTGGTTACTCTGTAACCACTAACAGGGGAACCTTGAAGGCAGCCACTTGAC  
ACTAATGCTGTTGCTGTAACATCGGTCACTTGCACTGCGGATGGTTGNCATTTCTGTTT  
GGTAATTAATGGAATTCGCTTGGTCTTGGGGGCTGTCTCCACGGCCAGTGACAGCATA  
CACAGNGATGGNATNATCAACTCCAAGTTTAAGGCCCTGATGGTAACCTTAACTTGTCTC  
CAGCCAGNGAATCTCCGACAGGGTATTTCTCTGGTTTTCCGAAAGNGANCCTGGAATNN  
TCTCTTGGANCAGAAGGANCNTCCAAAACCTTGGCCCGGAACCCCTT

FIG. 15:VV

60\_16473.edit

AGCGTGGTCCGGCCGAGGTCTGTGACAGTGGCACTGGTAGAAGTTCAGGAACCCTGA  
ACTGTAAGGGTCTTCATCAGTGCCAAACAGGATGACATGAAATGATGTACTCAGAAGTGTC  
CTGGAATGGGGCCCATGAGATGGTTGTCTGAGAGAGAGCTTCTGTCTACATTCCGGCGGG  
TATGGTCTTGGCCTATGCCCTATGGGGGTGGCGTTGTGGGCGGTGTGGTCCGCCTAAAC  
CATGTTCTCAAAGATCATTGTTGCCAACTGGGTTGCTGACCAGAAGTCCAGGAAG  
CTGAATACCATTTCCAGTGTCATACCCAGGGTGGGTGACGAAAGGGGTCTTTTGAAGTGTG  
GAAGGAACATCCAAGATCTCTGGTCCATGAAGATTGGGGTGTGGAAGGGTTACCAAGTTGG  
GGAAGCTCGTCTGTCTTTTCTTCCAATCAGGGGCTCGCTCTTCTGATTATTCTTCAGGGC  
AATGACATAAATTGTATATTCGGTTCCTGGTTCAGGCCAGTAATAGTAGCCTCTTGTGAC  
ACCAGGCGGGGCCCCANGGACCACTTCTCTGGGANGAGACCCAGCTTCTCATACTTGATGAT  
GTAACCCGGTAATCTGACAGTGGCGGCTGNCATGATACCANCAAGGAATTGGGTGNGGN  
GGACCTGCCCCGGCGCCCTCNA

60\_16498.edit

AGCGTGGTCCGGCCGAGGTCTGGGATGCTCCTGCTGTACAGTGAGATATTACAGGATC  
ACTTACGGAGAAACAGGAGGAAATAGCCCTGTCCAGGAGTTCACTGTGCCTGGGAGCAAG  
TCTACAGCTACCATCAGCGGCCCTTAAACCTGGAGTTGATTATACCATCACTGTGTATGCTG  
TCACTGGCCGTGGAGACAGCCCCGCAAGCAGCAAGCCAATTTCATTAAATTACCGAACAG  
AAATTGACAAACCATCCAGATGCAAGTGACCGATGTTCAAGGACAACAGCATTAGTGTC  
AGTGGCTGCCCTCAAGTTCCTCTGTTACTGGTTACAGAGTAACCACTCCCAAAAAATGG  
ACCAGGACCAACAAAACTAAACTGCAAGTCCAGATCAACAGAAATGACTATTGAAG  
GCTTGCAGCCACAGTGGAGTATGTCGTTAGTGTCTATGCTCAGAAATCCAAGCGGAGAGA  
GTCAGCCTCTGCTTCACTGCACTGCACTAATCTCTCCACCAACTGACCTGAAGTTTAC  
TCAGGTCACACCCACAAGCTTGAGCCCCCAGTGGACACCAACCAATGTTCACTCACTGGAT  
ATCGAGTGGCGGTGACCCCCAAGGAGAAAGACCCGACCCATGAAAGAAATCAACCTTGCT  
CTGACAGCTCATCCGCGGTGTATCAGGACTTATGGGGGACTGCCCGCGCGCGGNTC  
GAAANCGAATTNTGAAATTTCTTTCNCACTGGGNGCGNTTCCAGCTTNTNTANANGGC  
CCAATTNCCTNTAGNGGCTCTN

61\_16499.edit

AGCGTGGTCCGGCCGAGGTCTNAGGA

62\_16483.edit

TCGAGCGGCGCGCGCGGACAGGTCCACCACACCCAATTCCTTGCTGGTATCATGGCAGCCGC  
CACGTGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCCTCCCAGAGA  
AGTGGTCCCTCGGCCCCGCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGGA  
ACCGAATATACAATTTATGTCATTGGCCTGAAGAATAATCAGAAGAGCGAGCCCTGATTG  
GAAGGAAAAAGACAGACGAGCTTCCCCAAGTGGTAACCTTCCACACCCCAATCTTCATG  
GACCAGAGATCTGGATGTTCTCTCCACAGTTCAAAAGACCCCTTTCGTCACCCACCTGG  
GTATGACACTGGAATGGTATTCAGCTTCTGGCACTTCTGGTCAGCAACCCAGTGTGGG  
CAACAAATGATCTTTGAGGAACATGGTTTACGGCGGACCACACCGCCCAACCGGGCACC  
CCCATAAAGGNATAGGCCAAGACCATACCCCGCGGAATGTAGGACAAGAAGCTCTNTCTCA  
ACAACCATCTCATGGGCCCCATTCCAGGACACTTCTGAGTACATCATTTATGTATCTCTG  
GTGGGCACTTGATGAANAACCCCTACAGTTCAGGGTCTCTGGAACCTTCTACCAGNGCCACT  
TCTGACAGGANCTTGGGCGGACCCACCT

FIG. 1500

63\_16500.edit

AGCGTGGTCGCGGCCGAGGTCCATTTCTCCCTGACGGTCCCACTTCTCTCCAATCTTGTAG  
TTCACACCAATGTGTCATGGCACCATCTAGATGAATCACATCTGAAATGACCACTTCCAAAGC  
CTAAGCACTGGCACAAACAGTTTAAAGCCTGATTCAGACATTCGTTCCCACTCATCTCCAAC  
GGCATAATGGGAAACTGTGTAGGGGTCAAAGCAGGATCATCCGTAGGTTGGTTCAAGCC  
TTCGTTGACAGAGTTGCCCACGGTAACAACTCTTCCCGAACCTTATGCCTCTGCTGGTCTT  
TCAGTGCCTCCACTATGATGTTGTAGGTGGCACCTCTGGTGAGGACCTGCCCGGGCGGCC  
GCTCGA

64\_16493.edit

AGCGTGGTCGCGGCCGAGGTGTGCCCCAGACCAGGAATTCGGCTTCGACGTTGGCCCTGTG  
TGCTTCTGTAAACTCCCTCCATCCCAACCTGGCTCCCTCCCAACCAACTTTCCCCC  
AACCCGAAACAGACAAGCAACCCAACTGAACCCCTCAAAGCCAAAAAATGGGAG  
ACAATTTACATGGACTTTGGAAAATATTTTTCTTTGCAATTCATCTCTCAAACCTTAGTT  
TTTATCTTTGACCAACCGAACAATGACCAAAAAACCAAAAGTGACCTGCCCGGGCGGCCGCTC  
GA

64\_16500.edit

TCGAGCGGCCGCGGCCGAGGTCTCACCAGAGGTGCCACCTACAAATCATAGTGGAGG  
CACTGAAAGACCAGCAGAGGCATAAGGTTCCGGAAGAGGTTGTTACCGTGGGCAACTCTG  
TCAACGAAGGCTTGAACCAACCTACCGATGACTCGTGCTTTGACCCCTACACAGTTTCCCA  
TTATGCCGTTGGAGATGAGTGGGAACGAATGTCTGAATCAGGCTTTAACTGTTGTGCCAG  
TGCTTAGGCTTTGGAAAGTGCTCAATTCAGATGTGATTCACTAGATGGTCCCATGACAATG  
GTGTGAACCTACAAGATTGGAGAGAAGTGGGACCGTCAGGGAGAAAAATGGACCTCGGCCG  
CGACCACCT



16501.edit

TCGAGCGGCCGCCCGGGCAGGTACCGGGGTGGTCAGCGAGGAGCCATTCACTGAACTT  
CACCATCAACACCTGCGGTATGAGGAGAACAATGCAGCACCTGGCTCCAGGAAGTTCAA  
CACCACGGAGAGGGTCTTCAGGGCCTGCTCAGGTCCCTGTTCAAGAGCACCACTGTTGGC  
CCTCTGTACTCTGGCTGCAGACTGACTTTGCTCAGACCTGAGAAACATGGGGCAGCCACTG  
GAGTGGACGCCATCTGCACCCTCCGCTTGATCCCACTGGTCTGGACTGGACANANAGCG  
GCTATCTTGGGAGCTGANCCNAACCTTTGGCGNGACNCCNCTT

16501.2.edit

GAGGACTGGCTCAGCTCCAGTATAGCCGCTCTCTGTCCAGTCCAGGACCAGTGGGATCAA  
GGCGGAGGGTGCAGATGGCGTCCACTCCAGTGGCTGCCCCATGTTTCTCAAGTCTGAGCAA  
AGNCAGTCTGCAGCCAGAGTACAGAGGGCCAACACTGGTGTCTTGAACAGGGACCTGAG  
CAGGCCCTGAAGGACCCTCTCCGTGGTGTGAACTTCTGGAGCCAGGGTGTGCATGTTT  
TCCTCATACCGCAGGTTGTTGATGGTGAAGTTCAAGTGAATGGCTCCTCGCTGACCACCC

16502.1.edit

AGCGTGGTCCGGCGCGAGGTCCACCACACCCAAATTCCTTGCTGGTATCATGGCAGCCGCCA  
CGTGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCTCCAGAGAA  
GTGGTCCCTCGGCCCCCGCCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGGAA  
CCGAATATACAATTTATGTCAATGCCCTGAAGAATAATCAGAAGAGCGAGCCCTGATTGG  
AAGGAAAAAGACAGACGAGCTTCCCAACTGGTAACCTTCCACACCCCAATCTTCATGG  
ACCANANANCTTGGATNGTCTTTCACNGGTTNAAAAAACCTTTTCGGCCCCCACCCTG  
GGGATTAACCTTGGGAAANGGGGAATTNACCNITCC

16502.2.edit

TCGAGCGGCCGCCCGGGCAGGTCTCTGTACAGTGGCACTGGTAGAAGTTCCAGGAACCTT  
GAAGTGTAAAGGTCTCTCATCACTCCCAACAGGATGACATGAAATGATGTACTCAGAAGT  
GTCTTGGAAATGGGGCCCATGAGATGGTTGTCTGAGAGAGAGCTTCTGTCTCATATCGGC  
GGGTATGGTCTTGGCCTATGCCCTATGGCGGTGGCCGTTGTGGCGGTGTGGTCCGCCTAA  
AACCATGTTCCTCAAAGATCAATTTGTTGCCCAACACTGGGTGCTGACCAAGAGTCCAGG  
AAGCTGAATACCATTTCCAGTGTATACCAAGCGNGGGTGACCAAGGGGGTCTNTTNGA  
CCTGGNGAAAGGAACCATCCAAANCTCTGNCCCATG

## 16503.1.edit

AGCGTGGNCGCGGCCGAGGTCTGAGGATGTAACTCTTCCAGGGGAAGGCTGAAGTGCT  
GACCATGGTGCTACTGGGTCCCTTCTGAGTCAGATATGTGACTGATGNGAACTGAAGTAGGT  
ACTGTAGATGGTGAAAGTCTGGGTGTCCCTAAATGCTGCATCTCCAGAGCCTTCCATCATT  
CCGTTTCTTCTTTTGCTATGGGATGAGACACTGTTGAGTATTCTCTAAAGTCACCACTGAAA  
TCTTCTCCAAAGGAAAACCTGTGGAAAAGCCCTTATTCTGCCCCATAATTTGGTTCTCC  
TAATCNCCTGAAATCACTATTCCCTGGAANGTTTGGGAAAAANNNGGCNACCTGNAN  
TGGAAANTGGATANAAAGATCCCACCATTTTACCCAAACNAGCAGAAAGTGGGAANGGTAC  
CGAAAAGCTCCAAGTAANAAAAAGGAGGGAAGTAAAGGTCAAGTGGGCACCAGTTTCAA  
ACAAAACCTTCCCCAACTATANAACCA

## 16503.2.edit

AAGCGGCGCGCGCGGCGAGGNNCAGNAGTGCCCTTGGGACTGGGNTCACCCCCAGGTCTGC  
GGCAGTTGTCACAGCGCCAGCCCCGCTGGCCTCCAAAGCATGTGCAGGAGCAAATGGCAC  
CGAGATATTCTTCTGCCACTGTTCTCTACGTGGTATGTCTTCCCATCATCGTAACACGTT  
GCCTCATGAGGGTCACACTTGAATTCTCCTTTCCGTTCCCAAGACATGTGCAGCTCATTTG  
GCTGGCTCTATAGTTTGGGGAAAGTTTGTGAAACTGTGCCACTGACCTTTACTTCTCTCT  
CTCTACTGGAGCTTTCCGTACCTTCCACTTCTGCTGNTGGNAAAAAGGGNGGAACNTCTTA  
TCAATTTCAATTGGACAGTANCCCNCTTCTNCCCAAAACATNCAAGGGAAAAATATTGATTN  
CNAGAGCGGATTAAGGAACAACCCNAATTATGGGGCCAGAAATAAAGGGGGCTTTTCCA  
CAGGTNTTCTCT

## 16504.1.edit

TCGACCGCGCGCGCGCGGCGAGGTCTGCAGGCTATTGTAAGTGTCTGAGCACATATGAGAT  
AACCTGGGCCAAGCTATGATGTTGATACGTTAGGTGTATTAATGCACCTTTGACTGCCA  
TCTCAGTGGATGACAGCCTTCTCAGTACAGCAGAGATCTTCTCACTGTGCCAGTGGGCA  
GGAGAAAGAGCATGCTGCGACTGGACCTCGGCGCGGACACGCT

## 16504.2.edit

AGCGTGGTGGCGCGCGAGGTCCAGTCCAGCATGCTCTTCTCTGCCCAGTGGCACAGTG  
AGGAAGATCTCTGCTGTAGTGAGAGGCTGTCTCACTGAGATGGCAGTCAAAAGTGC  
ATTTAATACACCTAACGTATCGAACATCATAGCTTGGCCCCAGTTATCTCATATGTGCTCA  
GAACACTTACAATAGCCTGCAGACCTGCCCCGGCGCGGCTCGA

## 16505.1.edit

CGAGCGGCGGCCCCGGGCAGGTCCAGACTCCAATCCAGAGAACCACCAAGCCAGATGTGAG  
AAGCTACACCATCACAGGTTTACAACCAGGCACTGACTACAAGATCTACCTGTACACCTTG  
AATGACAATGCTCGGAGCTCCCTGTGGTCATCGACGCTCCACTGCCATTGATGCACCAT  
CCAACCTGCGTTTCTTGCCACCACACCCAATTCCTTGCTGGTATCATGGCAGCGGCCACG  
TGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCCTCCCAGAGAAGT  
GGTCCCTCGGCCCCGCTGGTGNACAGAAAGCTACTATTACTGGCCTGGAACCGGGAACC  
GAATATACAAATTTATGTCAATGCCCTGAAGAATAATCANAAGAGCGAGCCCTGATTGGA  
AGG

## 16505.2.edit

AGCGTGGTCCGCGGCGGAGGTCTGTGAGAGTGGCACTGGTAGAAGTTCCAGGAACCCCTGA  
ACTGTAAGGGTTCTTCATCAGTGCCAACAGGATGACATGAAATGATGTACTCAGAAGTGT  
CTGGAATGGGGCCCATGAGATGGTTGTCTGAGAGAGAGCTTCTTGCTGTCTTTTCTTC  
CAATCAGGGGCTCGCTCTTCTGATTATTCTTCAGGGCAATGACATAAAATGTATATTGGTT  
CCCGGTTCCAGGCCAGTAATAGTAGCCTCTGTGACACCAGGGCGGGGCGAGGGACCACT  
TCTCTGGGAGGAGACCCAGGCTTCTCATCTTGATGATGTANCCGGTAATCCTGGCACCGT  
GGCGGCTGCCATGATACCAGCAAGGAATTGGGTGTGGTGGCCAGAAACGCAGGTTGGAT  
GGTGCATCAATGGCAGTGGAGGCGTCGATNACCACAGGGGAGCTCCGANCATTGTCAATC  
AAGGTGCACAGGTAGAACTCTGTAATCAGGTGCCTGGTTTGTAAACCTG

## 16506.1.edit

TCGAGCGGCGGCCCCGGGCAAGTTTCTGACCGTGACCTCGAGGTGGACACCACCTCAAG  
AGCCTGAGCCAGCAGATCGAGAACATCCCGAGCCAGAGGGCAGCCGCAAGAACCCCGC  
CCGCACCTGCGGTGACCTCAAGATGTGCACTCTGACTGGAAGAGTGGAGAGTACTGGAT  
TGACCCCAACCAAGGCTGCAACCTGGATGCCATCAAAGTCTTCTGCAACATGGAGACTGGT  
GAGACCTGCGGTGTACCCCACTCAGCCCACTGTGGCCAGAGAAGTGTACATCAGCAAG  
AACCCCAAGGACAAGAAGCAATGTCTGGTTCCGGCAAGCAATGACCGATGGATTCCAGTTC  
GAGTATGGCGGCCAGGGCTCCGACCTCCGATGTGGACCTCGCCCGCGACCAAGCTAAG  
CCCGAATTCAGCACACTGGCGGCGCTTACTAGTGGGATCCGAGCTTCGGTACCAAGCTTG  
CGGTAATCATGGGNCATAGCTGTTCTGNGTGAAATGGTATTCCGCTCACAATTTCCC  
AC

## 16506.2.edit

AGCGTGGTCCGCGGCGGAGGTCCACATCGGCAGGGTCCGAGCCCTGGCCGCCATACTCGAA  
CTGGAATCCATCGGTCAATGCTCTCGCCGAACCAGACATGCCTCTTGCTCTGGGGTTCTTGC  
TGATGTACCAGTTCTTCTGGGGCACTGGGCTGAGTGGGGTACACGCAGGTCTCACCAGT  
CTCCATGTTCCAGAAGACTTGTATGGCATCCAGGTTGCAGCCTTGCTTGGGGTCAATCCAG  
TACTCTCCACTCTTCCAGTCAGAGTGGCACATCTTGAGGTACAGGCAGGTGCGGGCGGGT  
TCTTGGCGCTGCCCTCTGGGCTCCGGAATGTTCTCGATCTGCTGGCTCAAGCTCTTGAAGGT  
GGTGTCCACCTCGAGGTACGGTCACGAACCTGCCCCGGCGGCCGCTCGA

AGCGTGGTTCGCGCCGAGGTCAAGAACCCTGCGCCGACCTGCCGTGACCTCAAGATGTGC  
CACTCTGACTGGAAGAGTGGAGAGTACTGGATTGACCCCAACCAAGGCTGCAACCTGGAT  
GCCATCAAAGTCTTCTGCAACATGGAGACTGGTGAGACCTGGGTGACCCCACTAGCCCA  
GTGTGGCCAGAACTGGTACATCAGCAAGAACCCCAAGGACAAGAGGCAATGTCTGGT  
TCGGGAGAGCATGACCGATGGATTCCAGTTCGAGTATGGCGGCCAGGGCTCCGACCTG  
CCGATGTGGACCTGCCGNGCCGNCCTCGAAAAGCCCAATTTCCAGNCACACTTGG  
CCGGCCGTTACTACTG

TCGAGCGGGCCGCCCGGGCAGGTCCACATCGGCAGGGTCGGAGGCCCTGGCCGCCATACTCG  
AACTGGAATCCATCGGTCATGCTCTGCCGAACCAGACATGCCTCTTGCTCTTGGGGTTCT  
TGCTGATGTACCAAGTTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACGCAGGTCTCACC  
AGTCTCCATGTTGCAGAAGACTTTGATGGCATTCCAGGTTGCAGCCTTGGTTGGGGTCAATC  
CAGTACTCTCCACTCTTCCAGTCAAGATGGGCACATCTTGAGGTACACGGCAGGTGCGGGCGG  
GGTCTTGACCTCGGCGCGACACAGCT

CGAGCGGCGCGCGGGCAGGTCCCCCCCC

AGCGTGGTGGCGGCGGAGGCTGGCAATCCTTCGACTTCTCTCCAGCCGAGCTTCCCAGAA  
CATCACATACTACTGCAAAAAATAGCAATGCATACATGGATCAGGCCAGTGGAAATGTAAA  
GAAGGCCCTGAAGCTGATGGGGTCAAAATGAAGGTGAATTCAGGCTGAAGGAAATAGCA  
AATTCACCTACACAGTTCTGGAGGATGCTTGCACGAAACACACTGGGGAAATCGGACAAAA  
CAGTCTTTGAATATCGAACACGCAAGGGTGTGAGACTACCTATTGTAGATAATTGACACCTA  
TGACAATGGGTCTCTGATCAAGAAATTTGGTGTGGACGTTGGCCCTGTTTGCTTTTATAAA  
CCAACTCTATCTGAAATCCCAACAAAAAAATTTAACTCCATATGTGNTCCTCTTGTTCT  
AATCTTGGCAACCAAGTGCAAGTGACCGACAAAAATCCAGTTATTTATTTCCAAAAATGTTTG  
GAAACAGTATAATTTGACAAAGCAAAAAGGATACTTCTCTTTTTTTGGCTGGTCCACCAAA  
TACAATFCAAAAGGCTTTTTGGTTTTATTTTTTANCCAAATTCCAAATTTCAAAATGTCTCA  
TGGNGCTTATAATAAAATAAACTTTCACCTTNTTTTTNGAT

## 16509.1.edit

AGCGTGGTCCGGCCGAGGTCTGGGATGCTCCTGCTGCAGTGAGATATTACAGGATC  
ACTTACGGAGAAACAGGAGGAAATAGCCCTGTCCAGGAGTTCACTGTGCCTGGGAGCAAG  
TCTACAGCTACCATCAGCGGCCTTAAACCTGGAGTTGATTATACCATCACTGTGTATGCTG  
TCACTGGCCGTGGAGACAGCCCCGCAAGCAGCAAGCCAATTTCCATTAAATTACCGAACAG  
AAATTGACAAACCATCCCAGATGCAAGTGACCGATGTTCAAGGACAACAGCATTAGTGCA  
AGTGGCTGCCTTCAAGTTCCCTGTTACTGGTTACAGAAGTAACCACTCCCAAAAATG  
GACCAAGGACCAACAAAACTAAAACTGCAGGTCCAGATCAAACAGAAAATGGACTATTG  
AAGGCTTGACGCCACAGTGGAAGTATGTGGNTAGGNGTCTATGCTCAGAATCCCAAGCC  
GGAGAAAGTCAGCCTTCTGGTTTAGACTGCAGTAACCAACATTGATCGCCCTAAAGGACT  
GGNCATTCACTTGGATGGTGGATGTCCAATTC

## 16509.2.edit

TCGAGCGGCGCCCGGGCAGGTCTTGCAGCTCTGCAGNGTCTTCTTCACCATCAGGTGCA  
GGGAATAGCTCATGGAATCCATCCTCAGGGCTCGAGTAGGTACCCCTGTACCTGGAACCTT  
GCCCCTGTGGGCTTTCCCAAGCAAATTTGATGGAATCGACATCCACATCAGNGAATGCCAG  
TCCTTTAGGGCGATCAATGTTGGTTACTGCAGTCTGAACCAAGGGCTGACTCTCTCCGCTT  
GGATTCTGAGCATAGACACTAACCACATACTCCACTGTGGCTGCAAGCCTTCAATAGTCA  
TTTCTGTTTATCTGGACCTGCAGTTTTAAGTTTTTGGTGGTCTGNCCCAATTTTGGGAAG  
TGGGGGGTTACTCTGTAACCAAGTAACAGGGGAACCTGAAGGCAGCCACTTGACACTAATG  
CTGTTGCTCTGAACATCGCTCACTTGCATCTGGGATGGTTTTGACAAATTTCTGTTCCGCA  
AATTAATGGAATTTGGCTTCTGCTTGGCGGGGCTGNCTCCACGGGGCAGTGACAGCATA  
C

## 16510.1.edit

TCGAGCGGCGCCCGGGCAGGTCTTGCAGCTCTGCAGTGTCTTCTTCACCATCAGGTGCA  
GGGAATAGCTCATGGAATCCATCCTCAGGGCTCGAGTAGGTACCCCTGTACCTGGAACCTT  
GCCCCTGTGGGCTTTCCCAAGCAAATTTGATGGAATCGACATCCACATCAGTGAATGCCAG  
TCCTTTAGGGCGATCAATGTTGGTTACTGCAGTCTGAACCAAGGGCTGACTCTCTCCGCTT  
GGATTCTGAGCATAGACACTAACCACATACTCCACTGTGGCTGCAAGCCTTCAATAGTCA  
TTTCTGTTTATCTGGACCTGCAGTTTTAAGTTTTTGGTGGTCTGNCCCAATTTTGGGGAA  
GGGGTGGTTACTCTTGTAAACCAAGTAACAGGGGAACCTGAAGGCAGCCACTTGACACTAATG  
CTGGTGGCCTGAACATCGGTCACTTGCATCTGGGATGGTTTGGTCAATTTCTGTTCCGTAAT  
TAATGGGAAATTTGGCTTACTGGCTTCCGGGGGCTGTCTCCACGGNCAGTGACAAGCATA  
ACAGGNGATGGGTATAATCAACTCCAGGTTTAAGGCCNCTGATGGTA

## 16510.2.edit

AGCGTGGTCCGGCCGAGGTCTGGGATGCTCCTGCTGCAGTGAGATATTACAGGATC  
ACTTACGGAGAAACAGGAGGAAATAGCCCTGTCCAGGAGTTCACTGTGCCTGGGAGCAAG  
TCTACAGCTACCATCAGCGGCCTTAAACCTGGAGTTGATTATACCATCACTGTGTATGCTG  
TCACTGGCCGTGGAGACAGCCCCGCAAGCAGTAAGCCAATTTCCATTAAATTACCGAACAG  
AAATTGACAAACCATCCCAGATGCAAGTGACCGATGTTCAAGGACAACAGCATTAGTGCA  
AGTGGCTGCCTTCAAGTTCCCTGTTACTGGTTACAGAGTAACCACTCCCAAAAATGG  
GACCAAGGACCAACAAAACTAAAACTGCAGGTCCAGATCAAACAGAAAATGACTATTG  
AAGGCTTGACGCCACAGTGGAAGTATGTGGTTAGTGTCTATCTCAGAAATNCCAAGCGG  
AGAGAGTCAGCCTCTGTTCACT

FIG. 15UU

## 16511.1.edit

TCGAGCGGCGCGCGCGGCGGCGAGGTCAGCGCTCTCAGGACGTACACCACCATGGCCTGGGCTCT  
GCTCCTCCTCAECCTCCTCACTCAGGGCACAGGGTCCTGGGCCCAGTCTGCCCTGACTCAG  
CCTCCCTCCGCGTCCGGGTCTCCTGGACAGTCAGTCACCATCTCCTGCACTGGAACCAGCA  
GTGACGTTGGTGCTTATGAATTTGTCTCCTGGTACCAACAAACCCAGGCAAGGCCCCCAA  
ACTCATGATTTCTGAGGTCACTAAGCGGCGCTCAGGGGTCCCTGATCGCTTCTCTGGCTCC  
AAGTCTGGCAACAGGCGCTCCCTGACCGTCTCTGGGCTCCANGCTGAGGATGANGCTGATT  
ATTACTGGAAGCTCATATGCAGGCAACAACAATTGGGTGTTTCGGCGGAAGGGACCAAGCT  
GACCGTNTAAAGGTCAAGCCCAAGGCTTCCCCCCTCGGTCACTCTGTTCCACCCCTCCTCT  
GAAGAAGCTTTCAAGCCAACAANGNCACACTGGGTGTGTCTCATAAGTGGACTTTCTACCC

## 16511.2.edit

AGCGTGGTCGCGGCGGAGGTCTGTAGCTTCTGTGGGACTTCCACTGCTCAGGCGTCAGGCT  
CAGGTAGCTGCTGGCCGCTACTTGTGTGCTTTGNTTGGAGGGTGTGGTGGTCTCCACT  
CCCGCCTTGACGGGCTGCTATCTGCCTTCCAGGCCACTGTACGGCTCCCGGTAGAACT  
CACTTATGAGACACACCAGTGTGGCCTTGTGGCTTGAAGCTCCTCAGAGGAGGGTGGGA  
ACAGAGTGACCGAGGGGGCAGCCTTGGGCTGACCTAGGACGGTCAGCTTGGTCCCTCCGC  
CGAACACCCAATTGTTGCTTGCCTGCATATGAGCTGCAGTAATAATCAGCCTCATCCTCAGC  
CTGGAGCCAGAGACNGTCAAGGGAGGGCGGTGTTGCCAAGACTTGAAGCCAGANAAG  
CGATCAGGGACCCCTGAGGGCGGCTTTACNGACCTCAAAAAATCATGAATTTGGGGGGCC  
TTTGCTGGGNGTTGGTTGGTNACCAGNAAAACAAAATTTTCATAAAGCACCAACGTCACT  
GCTGGTTTCCAGTGCANGAANAATGGTGAAGTGAANTGTCC

## 16512.1.edit

AGCGTGGTCGCGGCGGAGGTCCAGCATCAGGAGCCCCGCTTGGCGGCTCTGGTCACTGCC  
TTCTTTTTGTGGCCTGAAACGATGTCAACAATTCAGTAGCAGAACTGCCGTCTCCACTG  
CTGTCTTATAAGTCTGCAGCTTACAGGCAATGGCTCCCATATGCCAGTTCCTTCATGTCC  
ACCAAAGTACCCGTCTCACCAATTTACACCCAGGTCTCACAGTTCTCCTGGGTGTGCTTGG  
CCCGAAGGGAGCTAAGTANACGGATGGTCTGCTGCCACAGTTCTGGATCAGGGTACGAG  
GAATGACCTCTAGGGCCTGGCCNACAAGCCCTGTATGGACCTGCCCCGGGCGGGCCGCTC  
GA

## 16512.2.edit

TCGAGCGGCGCGCGCGGCGGCGAGGTCCATACAGGCTGTGGCCAGGCGCTAGAGGNCATTCC  
TTGTACCCGTATCCAGAACTGTGGGAGGAGCACCATCCGTCTACTTACCTCCCTTCGGGCC  
AAGCACACCCAGGAGAACTGTGAGACCTGGGTTGTAATGGNGAGACGGGTACTTTGGTG  
GACATGAAGGAAGTGGCCATATGGGAGCATTGGCTGNGAAGCTGCANACTTATAAGACA  
GCAGTGGAGACGGCAGTTCTGCTACTCCAAATGATGACATCGTTTCAGGCCACAAAAAG  
AAAGGCGATGACCANAGCCCGGCAAGCGGGGCTTCTCATGCTGGACCTCGCCGCGGAC  
CACGCTT

FIG. 15VV

## 16514.1.edit

AGCGTGGTCGCGGCCGAGGTCCACTAGAGGTCTGTGTGCCATTGCCAGGCAGAGTCTCTG  
CGTTACAAAGTCTAGGAGGGCTTGCTGTGCGGAGGGCCTGCTATGGTGTGCTGCGGTTCA  
TCATGGAGAGTGGGGCCAAAGGCTGCGAGGTTGTGGTGTCTGGGAACTCCGAGGACAGA  
GGGCTAAATCCATGAAGTTTGTGGATGGCCTGATGATCCACAGCGGAGACCCTGTAACTA  
CTACGTTGACACTGCTGTGCGCCACGTGTTGCTCANACAGGGTGTGCTGGGCATCAAGGTG  
AAGATCATGCTGCCCTGGGACCCANCTGGCAAAAATGGCCCTTAAAAACCCCTTGCCNTG  
ACCACGTGAACCAATTTGTGNGAACCCEAAGATGAANATACTTGCCACCAACCCCCATTG

## 16514.2.edit

TCGAGCGGCCGCGGCCGAGGTCTGCCAAGGAGACCCTGTTATGCTGTGGGACTGGCTG  
GGGCATGGCAGGCGGCTCTGGCTTCCCACCTTCTGTTCTGAGATGGGGGTGGTGGGCAGT  
ATCTCATCTTTGGGTTCCACAATGCTCAGTGGTCAAGCAGGGGCTTCTTAGGGCCAACT  
TACCAGTTGGGTCCAGGGCAGCATGATCTTACCTTGATGCCAGCACACCTGTCTGAG  
CAACACGTGGCGCACAGCAGTGTCAACGTAGTAGTTAACAGGGTCTCGGCTGTGGATCAT  
CAGGCCATCCACAACTTCATGGAATTAAGCCCTCTGTCTCGGAGTTTCCAAAACACCAC  
AACCTCGCCAGCCTTTGGGCCCCACTTCTCATGAATGAAACCGCAGCACACCAATTANCAA  
GGCCCTTCCGCACAGGNAAGCCCTTCTAAGGAGTTTGTAAACGCAAAAACTCTTGCCCT  
GGGGCAAAATGGGCACACAGACCTNTANTNGGACCTTGNGCCGGAACCAACCGCTT

## 16515.1.edit

AGCGTGGTCGCGGCCGAGGTCTGCGCCCTCTGSCAAGGCTGGTGAAGATGGTCACCCCTGG  
AAAACCCGGACCACTGGTGAGAGAGGAGTTGTTGGACCAACAGGGTGCTCGTGGTTTCCC  
TGGAACTCCTGGAATTCCTGGCTTCAAAGCCATTAGGGGACACAAATGGTCTGGATGGATTG  
AAGGGACAGCCCCGTGCTCCTGGTGTGAAGGGTGAACCTGGNGCCCCCTGGTGAATAATGGA  
ACTCCAGGTCAAACAGGAGCCCCGNGGCTTCTGNGAGAGAGGACGTGTTGGTGGCCCT  
GCCCCANACCTGCCCGGGCGCCGCTCNAAAAGCCGAAATCCAGNACACTGGCGGCCGNT  
ACTANTGGAATCCGAATTCGGTACCAAGCTTGGCCGTAATCATGGCCATAGCTTGTTC  
CTGGGNGGAAATGGTATTCGCTNCCAAATCCACACAACATACCGAACCCGGAAAGCA  
TTAAAGTGTAAAAGCCCTGGGGGGCCCTAAATGANGTGAGCNTAACTCNCATTTAATTGG  
CGTTGCGCTTCACTGCCCGGCTTTCCAGTCCGGNA

## 16515.2.edit

TCGATCGGGCCCCCGGCCAGGTCTGGGCCAGGGGCACCAACACGTCTCTCTCACCAGGA  
AGCCACGGGCTCTGTTGACCTGGAGTTCCATTTTACCAGGGGCACCAAGTTTACCCT  
TCACACCAGGAGCACCGGGCTGTCCCTTCAATCCATCCAGACCAATTGTGNCCTTAATGCC  
TTTGAAGCCAGGAAGTCCAGGAGTTCCAGGGAACACAGGACACCTGTGGTCCAACAAC  
TCCTCTCTCACCAGGTCTGCGGCTTTCCAGGGTCAACATCTTACCAGCCTTGCCAGGA  
GGGCCAGACCTCGCCCGGACCAAGCT

16516.1.edit

ANCGTGGTCGGCGCCGAGGTCTCACCAGAGGTGNCACCTACAACATCATAGTGGAGGCA  
CTGAAAGACEANCAGAGGCATAAGGTTCCGGGAAGAGG

16516.2.edit

TGGAGCGGCCGCGCCGGGCAGGTCCATTTTCTCCCTGACGGTCCCACCTTCTCTCCAATCTTGT  
AGTTCACACCAATTGTATGGCACCATCTAGATGAATCACATCTGAAATGACCACTTCCAAA  
GCCTAAGCACTGGCACAACAGTTTAAAGCCTGATTGAGACATTGTTCCCACTCATCTCCA  
ACGGCATAATGGGAACTGTGTAGGGGTCAAAGCAGGATCATCCGTAGGTTGGTTCAAG  
CCTTCGTTGACAGAGTTGTCCACGGTAACAACCTTCTCCCGAACCTTATGCCTCTGCTGGTC  
TTTCAGTGCCTCCACTATGATGTTGTAGGTGGCACCTCTGGTGAGGACCTCNGNCCNGAAC  
AACGCTTAAGCCCGNATTCTGCAGAATAATCCCATCACACTTGGCGCCGCTTCGANCATG  
CATNTAAAAGGGGCCCCAATTTCCCCCTTATAAGNGAANCCGTATTNCCAATTTCACTG  
GNCCCCGCGNTTTTACAAACGNCGGTGAACCTGGGGAAAAACCCTGGCGGTTACCCAACTT  
TAATCGCCNTTGGCAGCACAAATCCCCCTTTTCGNCCANCNTGGGCGTAAATAACCGAAAA

16517.1.edit

ANCGNGGTGCGCGCCGANGTNTTTTCTNTTTTTT

16518.1.edit

AGCGTGGTCGGCGCCGAGGTCTGAGGTACATGCGTGGTGGTGACGTGAGCCACGAAGA  
CCCTGAGGTCAAGTTCAACTGGTACGTGGACGGCGTGAGGTGCATAATGCCAAGACAAA  
GCCCGGGGAGGAGCAGTACAACAGCACGTACCGGGNGGTCAGCGTCTCACCGTCTGCA  
CCAGAATTGCTTGAATGGCAAGGAGTACAAGNGCAAGGTTTCCAAACAAAGCCNTCCCAGC  
CCCCNTCGAAAAAACCATTTCCAAAGCCAAAGGGCAGCCCCGAGAACACAGGTGTACAC  
CCTGCCCCCATCCCGGAGGAAAAGANCAANAACNGGTTACGCCTTAACCTTGCTTGGTC  
NAANGCTTTTTATCCCAACGNACTTCCCCNTGGAANTGGGAAAAACCAATGGGCCAANC  
CGAAAAACAATTACAANAACCC

16518.2.edit

TGGACCGGCCGCGCCGGGCAGGTGTGGCAGTCCAGCACGGGAGGCGTGGTCTTGTAGTTGT  
TCTCGGGTCCCCATTGCTCTCCCACTCCACGGGATGTGGCTGGGATAGAAGCCTTTGAC  
CAGGCAGGTGAGGCTGACCTGGTCTGGTCACTCCTCCCGGATGGGGGCAGGTTGAA  
CACCTGGGTTCTCGGGCTTGGCTTTGGTTTGAANATGCTTTCTCGATGGGGGCTGG  
AAGGGCTTTGTGNAACCTTCCACTTCACTCCTTGGCATTACCCAGNCCTGGNCCAGGA  
CGNGAGGACNCTNACCACACGGAACCGGCTGGTGGACTGCTCC

FIG. 15XX



16519.1.edit

AGCGTGGTCCGGGACCGANGTCCTGTCAGAGTGGNACTGGTAGAAGTTCCANGAACCCCTGA  
ACTGTAAGGGTTCTTCATCAGTGGCCAACAGGATGACATGAAATGATGTACTCAGAAAGNGN  
CCTGGAATGGGCCCCATGANATGGTTGCC

16519.2.edit

TCGAGCGGGCCCGCCGGGCAGGTCCACCACACCCAATTCCTTGCTGGTATCATGGCAGCCGC  
CACGTGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCCTCCCAGAGA  
AGTGGTCCCTCGGCCCGCCCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGGA  
ACCGAATATACAATTTATGTCAATTGCCCTGAAGAATAATCAGAAAGAGCGAGCCCTGATTG  
GAAGGAAAAAGACAGACGAGCTTCCCCAACTGGTAACCCCTTCCACACCCCAATCTTCATG  
GACCAGAGATCTTGGATGTTCTTCCACAGTTCAAAAGACCCCTTTTCGGCACCCCCCTGG  
GTATGAACCTGGGAAAANGGNANTTAANCTTTCTGGCA

16520.1.edit

AGCGTGGTCCGGGCGGAGGTCTGGGATGCTCCTGCTGTCACAGTGAGATATTACAGGATC  
ACTTACGGAGAAACAGGAGGAAATAGCCCTGTCCAGGAGTTCACTGTGCCTGGGAGCAAG  
TCTACAGCTACCATACCGGCCCTTAAACCTGGAGTTGATTATACCATCACTGTGTATGCTG  
TCACTGGCCGTGGAGACAGCCCCGCAAGCAGCAAGCCAATTTCCATTAAATTACCGAACAG  
AAATTGACAAACCATCCAGATGCAAGTGACCGATGTTTACAGACAAACAGCAATTAGTGTC  
AGTGGCTGCTTCAAGGTNCCCTGGTACTGGGTACAGANTAACCACCCTCCAAAAATG  
GACCAGGAACCACAAAACTTAAACTGACGGGTCCAGATCAAAACAGAAATGACTATTGA  
ANGCTTGACGCCACACTGGGACTATGCGGTAGTGNCTATGCTTCAGAAATCCAAGCGGA  
AAAANGTCAAGCCTTNTGGGTTCAA

16520.2.edit

TCGAGCGGGCCCGCCGGGCAGGTCTTCCAGCTCTGGAGTGCTTCTTCAACCATCAGGTGCA  
GGGAATAGCTCATGATTCCATCCTCAGGGCTCGAGTAGGTACCCCTGTACCTGGAAACTT  
GCCCCGTGGGCTTTCCCAAGCAATTTGATGGAATCGACATCCACATCAGTGAAATGCCAG  
TCCTTTAGGGCGATCAATGTTGTTACTGTCAGNCTGAACCAGAGGGCTGACTCTCTCCGCTT  
GGATTCTGAGCATAGACACTAACCACATACTCCACTGTGGGCTGCAANCTTCAATAANNC  
ATTCTGTTTGATCTGGACC

16521.2.edit

TCGAGCGGGCCCGCCGGGCAGGTCTGGTGGGCTCTGGCACACCGCACATGGGGGNGTTGNT  
CTNATCCAGCTGCCCCAGCCCCCAATGGCCAGTTTGAGAAAGGTGTGCAGCAATGACAACAA  
NACCTTCGACTCTTCTGCTGCACTTCTTTGCCACAAAGTGCAACCTGGAGGGCACCAAGAAG  
GGCCACAAGCTCCACCTGGACTACATCGGGCTTGCAAAATACATCCCCCTTGCCTGGACT  
CTGAGCTGACCGAATTCCTTGGGCAATGGGGACTGGCTCAAGAACCCTCTGGCACCC  
TTGTATCANAGGGATGAAGACACNACCC

FIG. 15YY

## 16522.1.edit

AGCGTGGTCGCGGCCGAGGTCTGTCCTACAGTCCTCAGGACTCTACTCCCTCAGCAGCGTG  
GTGACCGTGGCCTCCAGCAACTTCGGCACCCAGACCTACACCTGCAACGTAGATCACAAGC  
CCAGCAACACCAAGGTGGACAAGAGAGTTGAGCCCAAATCTTGTGACAAAACCTCACACAT  
GCCCACCGTGGCCAGCACCTGAACTCCTGGGGGGACCGTCAGTCTTCTCTTCCCCCGCAT  
CCCCCTTCCAAACCTGCCCCGGCGCCGCTCGAAAGCCGAATTCAGCACACTGGCGGGCCG  
GTACTAGTGGANCCNAACTTGGNANCCAACCTGGNGGAANTAAATGGGCATAANCTGTTTC  
TGGGGGGAAATGGTATCCNGTTTACAATTCCCNACAAACATACGAGCCGGAAGCATAAA  
AGNGTAAAAGCCTGGGGGNGCCCTANTGAAGTGAAGCTAAACTCACATTAATTNGCGTTG  
CCGCTCACTGGCCCGCTTTTCCAGC

## 16522.2.edit

TCGAGCGGCCGCCCCGGCCAGGTTTGAAGGGGGATGCGGGGGAAGAGGAAGACTGACGG  
TCCCCCAGGAGTTCAGGTGCTGGGCACCGTGGGCATGTGTGAGTTTGTGACAAGATTTG  
GGCTCAACTCTCTTGTCCACCTTGGTGTGCTGGGCTTGTGATCTACGTTGCAGGTGTAGGT  
CTGGGNGCCGAAGTTGCTGGAGGGCACGGTCACCACGCTGCTGAGGGAGTAGAGTCTGA  
GGAAGTGTANGACAGACCTCGGCCGNGACCACGCTAAGCCGAATTCTGCAGATATCCATCA  
CACTGGCGGCCGCTCCGAGCATGCATTTTAGAGG

## 16523.1.edit

AGCGTGGNCGCGGACGANCACAACAACCCC

## 16523.2.edit

TCGAGCGGCCGCCCCGGCCAGGNCCACATCGGCAGGOTCGGAGCCCTGGCCGCCATACTCG  
AACTGGAATCCATCGGTCATGCTCTTGGCGAACCAACAGACATGCCTCTTGTCTTGGGGTTCTT  
GCTGATGNACCAAGTTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACGCAGGTCTACCA  
GTCTCCATGTTGCAGAAGACTTTGATGGCATCCAGGTTGCAGCCTTGGTTGGGGTCAATCC  
AGTACTCTCCACTCTTCCAGTCAGAGTGGCACATCTTGAGGTCACGGCAGGTGCGGGCGGG  
GTTCTTGACCT

## 16524.1.edit

AGCGTGGTCGCGGCCGAGGTCCAGCCTGGAGATAANGGTGAAGGTGGTCCCCCGGACTT  
CCAGGTATAGCTGGACCTCGTGGTAGCCCTGGTGAGAGAGGTGAAACTGGCCCTCCAGGA  
CCTGCTCGTTTCCCTGGTGCTCCTGGACAGAAATGGTGAACCTGGNGGTAAAGGAGAAAGA  
GGGGTCCGGNTGANAAAGGTGAAGGAGGCCCTCCTGNATTGGCAGGGGCCCCANGACTT  
AGAGGTGGAGCTGCCCCCCTGCCCCGAAGGAGGAAGGGTGCTGCTGGTCTCTCTGGG  
CCACCTGG

16524.2.edit

TCGAGCGGGCGGGCGGGCAGGTCTGGGGCAGGAGGACCAATAGGACCAGTAGGACCCCTT  
GGGCCATCTTTCCCTGGGACACCATCAGCACCTGGACCGCTGGTTCACCCTTGTCACCCTT  
TGGACCAGGACTTCCAAGACCTCCTCTTTCTCCAGGCATTCTTGACAGACCAGGAGTACCA  
NCAGCACCAGGTGGGGCAGGAGGACCAGCAGCACCTTTCTCCTTCGGGACCAGGGGGA  
CCAGCTCCACCTCTAAGTCTCTGGGGCCCTGCCAATCCAGGAGGGCCTCTCACCTTTCTC  
ACCCGGAGCCCTCTTTCT

16526.1.edit

TCGAGCGGGCGGGCGGGCAGGTCCACCGGGATATTCGGGGTCTGGCAGGAATGGGAGGC  
ATCCAGAACGAGAAGGAGACCATGCAAGCCTGAACGACCGCTGGCCTTTACCTGGAC  
AGAGTGAGGAGCCTGGAGACCGACAACCGGAGGCTGGAGAGCAAAATCCGGGAGCACTT  
GGAGAAGAAGGGACCCAGGTCAAGAGACTGGAGCCATTACTTCAAGATCATCGAGGACCT  
GAGGGTCANATCTTCGCAAACTGCGNGAGAATGCCCG

16526.2.edit

ATGCGNGGTGCGGGCGGANGACCANCTCTGGCTCATCTTGACTCTAAAGNCNTCACCAG  
NANTTACGGNCATTGCCAATCTGCACAACCATGCGGGCATTGTCCGCANTATTTGCGAAG  
ATCTGAGCCCTCAGGNCCTCGATGATCTTGAAGTAANGGCTCCAGTCTCTGACCTGGGGTC  
CCTTCTTCTCAAGTGCTCCCGGATTTTCTCTCCAGCCTCCGGTTCTCGGTCTCCAAGNCT  
TCTCACTCTGTCCAGGAAAAGAGGGCCAGCGGNGCATCAGGGCTTTTGCATGGACT

16527.1.edit

AGCGTGCTCGGGCGGAGGTTGTACAAGCTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT  
TT

16527.2.edit

TCGAGCGGGCGGGCGGGCAGGTCTGCCAACACCAAGATTGGCCCCCGCGCATCCACACA  
GTNGTGTCGGGGAGGTAAACAAGAAATACCGTGCCCTGAGGNTGGACGNGGGGAATTC  
TCCTGGGGCTCAGAGTGTTGTACTCGTAAACAAGGATCATCGATGTTGTCTACAATGCAT  
CTAATAACGAGCTGTTTCGTACCAAGACCCCTGGTGAAGAATTGCATCGTGCTCATNGACA  
GCACATCGTACCGACAGTGGGTACCGAAGTCCCACTATGCNCT

FIG. 15.4AA

16523.1.edit

TCGAGCGGCGCGCGGGCCAGGTCCACCACACCCAATTCCTTGCTGGTATCATGGCAGCCGC  
CACGTGCCAGGATTACCGGCTACATCATCAAGTATGAGAAGCCTGGGTCTCCTCCAGAGA  
AGTGGTCCCTCGGCCCCGCCCTGGTGTACAGAGGCTACTATTACTGGCCTGGAACCGGGA  
ACCGAATATACAATTTATGTCAATTGCCCTGAAG

16523.2.edit

AGCGTGNTCNCGGCCGAGGATGGGGAAGCTCGNCTGTCTTTTTCCTTCCAATCAGGGGCTN  
NNTCTTCTGATTATTCTTCAGGGCAANGACATAAATTGTATATTCCGNTCCCGGTTCCAGN  
CCAGTAATAGTAGCCTCTGTGACACCAGGGCGGGGCGAGGGACCACTTCTCTGGGAGGA  
GACCCAGGCTTCTCATACTTGATGATGAAGCCGTAATCCTGGCACGTGGCGGGCTGCCAT  
GATACCACCAANGAATTGGGTGTGGTGGACCTGCCCGGGCGGGCGCTCGAAAAANCCGAA  
TTCNTGCAAGAATATCCATCACACTTGGGCGGGCGGNTCGAACCATGCATNTAAAAGGG  
CCCCAATTTCCCCCTATTAGGNGAAGCCNCATTTAACAAATTCCACTTGG

16529.1.edit

TCGAGCGGCGCGCGCGGGCCAGGTCTCGCGGTGGCACTGGTGATGCTGGTCTGTGGTCCCC  
CCGGCCCTCCTGGACCTCCTGGTCCCCCTGGTCTCCAGCGCTGGTTTCGACTTCAGCTTC  
CTGCCCCAGCCACCTCAAGAGAAGGCTCACGATGGTGGCCGCTACTACCGGGCTGATGAT  
GCCAATGTGGTTCCGTGACCGTGACCTCGAGGTGGACACCACCTCAAGAGCCTTGAGCCA  
GCAGAAATCGAAAACATTGGGAACCCAAAGAAAGGGCAAGCCCCGCAAGAAACCCCGCCCGC  
ACCTGGCCGNGAACCTCCAAGANGTCCCCACNTCTTGACTGGGAAAAAAGGGAAAAANT  
ACTTGGAAATTGGAC

16529.2.edit

AGCGTGGTCCGGGCGGAGGTCCACATCGGCAGGGTCCGAGCCCTGGCCGCCATACTCGAA  
CTGGAATCCATCGGTGATGCTCTCGCCGAACAGACATGCCTCTTGTCTTGGGGTTCTTGC  
TGATGTACCAGTTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACGCAGGTCTCACCAGT  
CTCCATGTTCCAGAAAGACTTTGATGGCATCCAGGTTGCAGCCTTGGTTGGGGTCAATCCAG  
TACTCTCCACTCTTCCAGTCAGAGTGGCACATCTTGAGGTACGGCAGGGTGGGGGCGGG  
GTTCTTGGGGGTGCCCTTCTGGGCTCCCGCAATGTTCTNNGAACTTGCTGG

## 16530.1.edit

AGCGTGGTCGCGGCCGAGGTCC.ACTAGAGGTCTGTGTGCCATTGCCAGGCAGAGTCTCTG  
CGTTACAACTCCT.AGGAGGGCTTGCTGTGCGGAGGGCTGCTATGGTGTGCTGCGGTTC  
TCATGGAGAGTGGGGCCAAAGGCTGCGAGGTGTGGTGTCTGGGAACTCCGAGGACAGA  
GGGCTAAATCCATGAAGTTTGTGGATGGCCTGATGATCCACAGCGGAGACCCTGTAACTA  
CTACGTTGACACTTGCTTGTGCGCCACGTGTGCTCANACANGGGTGGGCTGGGCATCAAG  
GNG

## 16530.2.edit

TCGAGCGGCCGCCCCGGGCAGGTCTGCCAAGGAGACCCTGTTATGCTGTGGGACTGGCTG  
GGGCATGGCAGGCGGCTCTGGCTTCCACCCCTTCTGTTCTGAGATGGGGGTGGTGGGCAGT  
ATCTCATCTTTGGGTTCCACAATGCTCACGTGGTCAGGCAGGGGCTTCTTAGGGCCAATCT  
TACCAGTTGGGTCCAGGGCAGCATGATCTTACCTTGA TGCCAGCACACCCTGTCTGAG  
CAACACGTGGCGCACAGCAAGTGTCAACGTAAAGTAAAGTTAACAGGGTCTCCGCTGTGGAT  
CATCAGGCCATCC.ACAAACTTCATGGAATTAACCCTCTGTCTCGGAG

## 16531.1.edit

TCGAGCGGCCGCCCCGGGCAGGTCTTCAGAGGTCCAAGGTCCACTGTGGAGGTCCCAGG  
AGTGCTGGTGGTGGCCACACAGGTCCGATGGGTGAAACCAATTGACATAGAGACTGTTCT  
GTCCAGGTGTAGGGGCCAGCTCTTTGATGCCAATGCCAGTTGGCTCAGCTCCCAGTAC  
AGCGCTCTCTGTTGAGTCCAGGGCTTTTGGGTCAAGATGATGATGCAGATGGCATCCA  
CTCCAGTGGCTGCTCATCTCTCGGACCTGAGAGAGGTCACTCTGCAGCCAGAGTACAG  
AGGGCCAACACTCGGTGTTCTTTGAATA

## 16531.2.edit

AGCGTGGTCGCGGCCGAGGTCTGTACTCGGAGCTAAGCAAACTGACCAATGACATTGAAG  
AGCTGGGCCCCCTACACCCTGGACAGGAACAGTCTCTATGTCAATGGTTTCACCCATCAGAG  
CTCTGTGNCACACCAGCACTCTCGGACCTCCACAGTGGATTTACAGAACCTCAGGGACT  
CCATCTCTCTCTCCAGCCCCACAAATATGGCTGCTGGCCCTCTCTGCTACCATTCACCT  
CAACTTCACCATCACCAACCTGCAGTATCGGGAGGACATGGGTACCCCTGNTCTCAGGAA  
GTTCAACACCACA

## 16532.1.edit

TCGAGCGGCCGCCCCGGACAGGTCTGGGCGGATAGCACCGGGCATATTTTGAATGGATGA  
GGTCTGGCACCCCTGAGCAGTCCAGCGAGGACTTGGTCTTAGTTGAGCAATTTGCTAGGAG  
GATAGTATGCAGCACGGNTCTGAGNCTGTGGGATAGCTGCCATGAAGTAACCTGAAGGAG  
GTGCTGCTGGTANGGGTTGATTACAGGGTTGGGAACAGCTCGTACACTTGCCATTCTCTG  
CATATACTGGTTAGTGAGGTGAGCCTGGCCCTCTTCTTTT

FIG. 15CCC

01\_16558.3.edit

AGCGTGGTCGCGGGCCGAGGTGAGCCACAGGTGACCGGGGCTGAAGCTGGGGCTGCTGGNC  
CTGCTGGTCCTG

02\_16558.4.edit

CAGCNGCTCCNACGGGGCCTGNGGGACCAACAAACACCGTTTTACCCCTTAGGCCCTTTGGC  
TCCTCTTTCTCCTTTAGCACAGGTTGACCAGCAGCNCANCAGGACCAGCAAAATCCATTG  
GGGCCAGCAGGACCGACCTCACCACGTTACACAGGGCTTCCCCGAGGACCAGCAGGACCA  
GCAGGACCAGCAGCCCCAGCTTCGCCCCGGTCACCTGTGGCTCACCTCGGCCGCGACCACG  
CT

03\_16535.1.edit

TCGAGCGGTGCGCCCGGGCAGGTCCACCGGGATAGCCGGGGGTCTGGCAGGAATGGGAGGC  
ATCCAGAACGAGAAGGAGACCATGCAAAAGCCTGAACGACCGCCTGGCCTTTACCTGGAC  
AGAGTGAGGAGCCTGGAGACCGANAACCGGAGGCTGGANAGCAAAATCCGGGAGCACTT  
GGAGAAGAAGGGACCCCAAGGTCAGAGACTGGAGCCATTACTTCAAGATCATCGAGGGA  
CCTGGAGG

04\_16535.2.edit

AGCGNGGTGCGCGGCCGAGGTCCAGCTCTGTCTCACTTGAAGTCTAAAGTCATCAGCAGCA  
AGACGGGGCATTGTCAATCTGCAGAACCATGCGGGCATTGTCCGCAGTATTTGCGAAGATCT  
GAGCCCTCAGGTCTCGATGATCTTGAAGTAATGGCTCCAGTCTCTGACCTGGGGTCCCTT  
CTTCTCCAAGTGCTCCCGCAATTTGCTCTCCAGCCTCCGGTTCTCGGTCTCCAGGCTCCTCA  
CTGTGTCCAGGTAAGAAGGCCCAGGGGCTGTTCAAGGCTTGCATGGTCTCCTTCTCGTTCT  
GGATGCCTCCCATTCCTGCCAGACCC

05\_16536.1.edit

TCGAGCGGCCGCGCCGGCCAGGTCAGGAAGCACATTGGTCTTAGAGCCACTGCCTCCTGGA  
TTCCACCTGTGCTGCGGACATCTCCAGGGAGTGCAGAAGGGAAGCAGGTCAAATGCTCA  
GATCAGTCAGACTGGCTGTTCTCAGTTCTCACCTGAGCAAGGTCAGTCTGCAGCCAGAGTA  
CAGAGGGCCAACACTGGTGTTCTTGAACAAGGGCTTGAGCAGACCCTGCAGAACCTCTTC  
CGTGGTGTGAACCTTCCTGGAAACAGGGTGTTCATGTTTTCTCATAATGCAAGGTTG  
GTGATGG

FIG. 15DDD

07\_16537.1.edit

AGCGTGGTCGCGGCCGAGGTCCACATCGGCAGGGTCGGAGCCCTGGCCGCCATACTCGAA  
CTGGAATCCATCGGTCAATGCTCTCGCCGAACCAGACATGCCTCTTGTCCTTGGGGTTCTTGC  
TGATGTACCAGTTCTTCTGGGCCACACTGGGCTGAGTGGGGTACACCGCAGGTCTCACCAG  
TCTCCATGTTGCAGAAGACTTTGATGGCATCCAGGTTGCAGCCTTGGTTGGGGTCAATCCA  
GTACTCTCCACTCTTCCAGTCAGAAGTGGGCACATCTTGAGGTCACCGGCAGGTGCCGGGC  
CGGGGGTTCTTGGCGCTTGCCCTCTGGGCTCCGGATGTTCTCGATCTGCTTGGCTCAGGCTC  
TTGAGGGTGGGTGTCCACCTCGAGGTACGGTCACCGAAACCTGCCCGGGCGGCCCGCTC  
GA

08\_16537.2.edit

TCGAGCGGTGCCCCGGGCAGGTTTCGTGACCGTGACCTCGAGGTGGACACCACCCTCAAG  
AGCCTGAGCCAGCAGATCGAGAACATCCGGAGCCCAGAGGGCAGCCGCAAGAACCCCGC  
CCGCACCTGCCGTGACCTCAAGATGTGCCACTCTGACTGGAAGAGTGGAGAGTACTGGAT  
TGACCCCAACCAAGGCTGCAACCTGGATGCCATCAAAGTCTTCTGCAACATGGAGACTGGT  
GAGACCTGCGTGTACCCCACTCAGCCCAGTGTGGGGCCAGAAAGAACTGGTACATCAGCA  
AGGAACCCCAAGGACAAGAGGCATTGTCTTGGTTGCGCGAGNAGCATGACCCGATGGATT  
CCAGTTTCGAGTATTGGCGGCCAGGGCTTCCCACCCTTGCCGATGTGGACCTCGGCCGCG  
ACCACCGCT

*FIG. 15EEE*




Fig. 16



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**